




| 2024

effective 04/01/24  
revised 06/07/24



ice storage and transport



# LIST PRICE SCHEDULE

# Contents

|  |    |
|--|----|
| TERMS AND POLICIES.....  | 3  |
| ICE STORAGE, ICE TRANSPORT AND ICE HANDLING .....  | 4  |
| Upright ice storage bins – single door and double door with SmartGATE® ice shield.....               | 5  |
| Ice•Devlce ice storage and dispensing systems – single door with cart or bagger.....                 | 6  |
| Ice•Devlce ice storage and dispensing systems – low-profile single door with Totes ice carrier ..... | 7  |
| Ice•Devlce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts.....     | 7  |
| Ice storage and transport systems (ITS).....   | 8  |
| Ice Pro automatic ice bagging and dispensing systems .....   | 9  |
| Slope front bins .....   | 9  |
| Replacement stainless steel tops for ice storage bins.....   | 10 |
| Replacement ABS bin tops for ice storage bins.....   | 10 |
| Flexi-Top ice bin top systems .....  | 10 |
| Ice handling accessories .....   | 11 |

# Terms and policies

## Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

## Return Policy

**Non-standard equipment cannot be returned. Orders for non-standard equipment cannot be cancelled.**

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused
- A return authorization number has been issued by customer service within 45 days after shipment
- Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

**Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett Products, LLC will not be held responsible.**

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

**Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.**

# Ice storage, ice transport and ice handling

Follett offers ice storage, dispensing and transport solutions in capacities and sizes to meet nearly every need, with features that can make your ice management easier, safer, and more sanitary.

## Warranty

### Single door upright bins and single door Ice•Device™ chuted bin and cart systems

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for the useful life of the product. Parts and labor for corrosion repair are covered under this warranty.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

### Ice storage and transport systems (ITS); double door upright bins; and double door Ice•Device™ chuted bin and cart systems

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

### Ice Pro™ automatic ice bagging and dispensing systems

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

### Slope front bins

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

### Ice transport carts; Totes™ ice carriers; ice shovels; ice probes; ice rakes

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in materials and workmanship under normal use and service for a period of 2 years from date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts within this 2 year period are covered under this warranty. Labor required for repair within a 1 year period is covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

## WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

**This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.**

Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

## Upright ice storage bins – single door and double door with SmartGATE® ice shield

Ice storage bins with industry-exclusive SmartGATE ice shield. Complete stainless exterior standard, including stainless back and bottom. All bins include a poly liner and corrosion-resistant ABS/poly top (single door uprights) or stainless top (double door uprights), which is custom cut for ice machine(s). 6.00" (15.24 cm) stainless steel adjustable legs and 82 oz (2.4 L) plastic ice scoop.


For additional product information, request form# 9140 for single door or 9145 for double door uprights.

### Accessories for single door and double door upright bins


|  | List price |
|--|------------|
| Plastic ice shovel (item# ABICSHOVEL) .....  | \$270      |
| Ice paddle (item# ABICEPADDL46) .....  | \$270      |
| Ice rake, single door uprights (item# AB36RAKE) .....  | \$340      |
| Ice rake, double door uprights (item# ABICERAKE) .....   | \$340      |
| 6.00" (15.24 cm) stainless flanged legs (set of 4) (item# ABSPECLEG3) .....  | \$570      |
| 10.00" (25.4 cm) stainless flanged legs (set of 4) (item# 00151647) .....  | \$720      |
| Center partition for single door upright models (except models SG500, 700, 1000 and 2000) .....  | \$1,805    |
| Center partition for double door upright models .....  | \$2,845    |
| Reinforced top for single door upright models (except models SG500, 700 and 1000). Required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H. .... | \$2,770    |
| Reinforced top for double door upright models. Required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H. ....                                    | \$3,535    |
| Correctional package (item# 00917054) .....  | \$2,665    |

Flexi-Top ice bin top system for 48.00" (121.9 cm) and 60.00" (152.4 cm) bins only (see page 10) .. no charge

See page 11 for additional accessory information.



Single door upright



Double door upright

| Item number †               | Max. bin cap.<br>lb (kg) | Width<br>in (cm) | Depth <sup>1</sup><br>in (cm) | Height w/ legs<br>in (cm) | Req'd door<br>access in (cm) | Approx. ship wt<br>lb (kg) | List price |
|-----------------------------|--------------------------|------------------|-------------------------------|---------------------------|------------------------------|----------------------------|------------|
| <b>Single door uprights</b> |                          |                  |                               |                           |                              |                            |            |
| SG500S-30                   | 460 (209)                | 30.00 (76.2)     | 31.00 (78.7)                  | 44.50 (113.0)             | 31.00 (78.7)                 | 210 (96)                   | \$7,450    |
| SG700S-30                   | 680 (309)                | 30.00 (76.2)     | 31.00 (78.7)                  | 60.00 (152.4)             | 31.00 (78.7)                 | 212 (97)                   | \$8,880    |
| SG1000S-36 <sup>2</sup>     | 990 (450)                | 36.00 (91.4)     | 31.00 (78.7)                  | 69.50 (176.5)             | 32.00 (81.3)                 | 257 (117)                  | \$10,555   |
| SG860S-48                   | 860 (391)                | 48.00 (121.9)    | 31.00 (78.7)                  | 46.50 (118.1)             | 31.00 (78.7)                 | 255 (116)                  | \$9,915    |
| SG1010S-48                  | 1000 (454)               | 48.00 (121.9)    | 31.00 (78.7)                  | 56.00 (142.4)             | 32.00 (81.3)                 | 268 (122)                  | \$10,260   |
| SG1175S-48                  | 1185 (538)               | 48.00 (121.9)    | 31.00 (78.7)                  | 62.00 (157.5)             | 32.00 (81.3)                 | 298 (136)                  | \$10,720   |
| SG1300S-48                  | 1320 (599)               | 48.00 (121.9)    | 31.00 (78.7)                  | 65.00 (165.1)             | 32.00 (81.3)                 | 277 (126)                  | \$11,010   |
| SG1160S-56                  | 1170 (531)               | 56.00 (142.2)    | 31.00 (78.7)                  | 56.00 (142.2)             | 32.00 (81.3)                 | 296 (135)                  | \$12,280   |
| SG1350S-56                  | 1360 (617)               | 56.00 (142.2)    | 31.00 (78.7)                  | 62.00 (157.5)             | 32.00 (81.3)                 | 322 (147)                  | \$12,970   |
| SG1080S-60                  | 1080 (490)               | 60.00 (152.4)    | 31.00 (78.7)                  | 46.50 (118.1)             | 32.00 (81.3)                 | 355 (161)                  | \$11,140   |
| SG1325S-60                  | 1325 (602)               | 60.00 (152.4)    | 31.00 (78.7)                  | 56.00 (142.2)             | 32.00 (81.3)                 | 320 (145)                  | \$11,595   |
| SG1475S-60                  | 1490 (676)               | 60.00 (152.4)    | 31.00 (78.7)                  | 62.00 (157.5)             | 32.00 (81.3)                 | 321 (146)                  | \$12,355   |
| SG1650S-60                  | 1660 (754)               | 60.00 (152.4)    | 31.00 (78.7)                  | 65.00 (165.1)             | 32.00 (81.3)                 | 340 (155)                  | \$12,520   |
| SG2000S-60 <sup>3</sup>     | 2000 (908)               | 60.00 (152.4)    | 31.00 (78.7)                  | 80.00 (203.2)             | 32.00 (81.3)                 | 382 (173)                  | \$13,955   |
| <b>Double door uprights</b> |                          |                  |                               |                           |                              |                            |            |
| SG1850-96                   | 1870 (849)               | 96.00 (243.8)    | 31.00 (78.7)                  | 51.00 (129.5)             | 32.00 (81.3)                 | 450 (205)                  | \$25,000   |
| SG2100-72                   | 2110 (958)               | 72.00 (182.9)    | 40.00 (101.6)                 | 57.00 (144.8)             | 41.00 (104.1)                | 486 (221)                  | \$21,115   |
| SG2250-72                   | 2250 (1022)              | 72.00 (182.9)    | 48.00 (121.9)                 | 50.50 (128.3)             | 49.00 (124.5)                | 516 (235)                  | \$20,965   |
| SG2650-72                   | 2650 (1203)              | 72.00 (182.9)    | 40.00 (101.6)                 | 66.50 (168.9)             | 41.00 (104.1)                | 571 (259)                  | \$25,315   |
| SG3200-72 <sup>4</sup>      | 3240 (1471)              | 72.00 (182.9)    | 48.00 (121.9)                 | 69.50 (176.5)             | 35.00 ( 88.9)                | 762 (346)                  | \$26,540   |
| SG3900-72 <sup>4</sup>      | 3940 (1789)              | 72.00 (182.9)    | 48.00 (121.9)                 | 81.50 (207.0)             | 44.00 (111.8)                | 835 (379)                  | \$30,295   |
| SG4600-72 <sup>4</sup>      | 4640 (2107)              | 72.00 (182.9)    | 48.00 (121.9)                 | 93.00 (236.2)             | 47.00 (119.4)                | 901 (409)                  | \$31,120   |

<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).


<sup>2</sup> Standard with 6.00" (15.24 cm) flanged legs and available only with stainless steel top. Correctional package not available.

<sup>3</sup> 18.00" (45.7 cm) sleeve with window on 62.00" (157.5 cm) high bin.


<sup>4</sup> Ships in two sections.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.


## Ice•Devlce ice storage and dispensing systems – single door with cart or bagger



Ice•Devlce with SmartCART 75 ice cart



Ice•Devlce with Cambro ICS125L cart



Ice•Devlce with bagger

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge™ door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include one of the following: SmartCART 75 ice cart with 3 polyethylene Totes ice carriers, each Totes ice carrier holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg); Cambro brand model ICS125L ice cart which holds 125 lb (57 kg) of ice; or a bagger kit with 250 plastic bags of 10 lb (4.5 kg) capacity. Add designator -75 (SmartCART 75), -ICS125L (Cambro) or -BG (bagger kit) to select configuration.

For additional product information, request form# 9720.

### Accessories for single door Ice•Devlce ice storage and dispensing systems

### List price

|  |         |
|--|---------|
| Reinforced top for single door Ice•Devlce models (except models DEV500 and 700). Required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H. .... | \$2,770 |
| Correctional package (item# 00917054) .....  | \$2,665 |

See page 11 for additional accessory information.

| Item number †             | with SC75 cart | with Cambro cart | with bagger kit | Max. bin cap. lb (kg) | Width in (cm) | Depth <sup>1</sup> in (cm) | Height w/ legs in (cm) | Req'd door access in (cm) | Approx. ship wt lb (kg) | List price |
|---------------------------|----------------|------------------|-----------------|-----------------------|---------------|----------------------------|------------------------|---------------------------|-------------------------|------------|
| DEV500SG-30               | -75            | -ICS125L         | -BG             | 460 (209)             | 30.00 (76.2)  | 31.00 (78.7)               | 63.00 (160.0)          | 32.00 (81.3)              | 361 (164)               | \$10,410   |
| DEV700SG-30               | -75            | -ICS125L         | -BG             | 680 (309)             | 30.00 (76.2)  | 31.00 (78.7)               | 78.50 (199.4)          | 32.00 (81.3)              | 396 (180)               | \$11,755   |
| DEV860SG-48 <sup>2</sup>  | -75            | -ICS125L         | -BG             | 860 (391)             | 48.00 (121.9) | 31.00 (78.7)               | 65.50 (166.4)          | 32.00 (81.3)              | 459 (208)               | \$14,125   |
| DEV1010SG-48              | -75            | -ICS125L         | -BG             | 1000 (454)            | 48.00 (121.9) | 31.00 (78.7)               | 74.50 (189.2)          | 32.00 (81.3)              | 460 (209)               | \$14,350   |
| DEV1175SG-48              | -75            | -ICS125L         | -BG             | 1185 (538)            | 48.00 (121.9) | 31.00 (78.7)               | 80.50 (204.5)          | 32.00 (81.3)              | 490 (222)               | \$14,905   |
| DEV1300SG-48              | -75            | -ICS125L         | -BG             | 1320 (599)            | 48.00 (121.9) | 31.00 (78.7)               | 84.00 (213.4)          | 32.00 (81.3)              | 483 (219)               | \$15,330   |
| DEV1160SG-56              | -75            | -ICS125L         | -BG             | 1170 (531)            | 56.00 (142.2) | 31.00 (78.7)               | 74.50 (189.2)          | 32.00 (81.3)              | 479 (217)               | \$15,860   |
| DEV1350SG-56              | -75            | -ICS125L         | -BG             | 1360 (617)            | 56.00 (142.2) | 31.00 (78.7)               | 80.50 (204.5)          | 32.00 (81.3)              | 528 (239)               | \$16,420   |
| DEV1080SG-60 <sup>2</sup> | -75            | -ICS125L         | -BG             | 1080 (490)            | 60.00 (152.4) | 31.00 (78.7)               | 65.50 (166.4)          | 32.00 (81.3)              | 497 (225)               | \$15,165   |
| DEV1325SG-60              | -75            | -ICS125L         | -BG             | 1325 (602)            | 60.00 (152.4) | 31.00 (78.7)               | 74.50 (189.2)          | 32.00 (81.3)              | 525 (238)               | \$15,600   |
| DEV1475SG-60              | -75            | -ICS125L         | -BG             | 1490 (676)            | 60.00 (152.4) | 31.00 (78.7)               | 80.50 (204.5)          | 32.00 (81.3)              | 525 (238)               | \$16,250   |
| DEV1650SG-60              | -75            | -ICS125L         | -BG             | 1660 (754)            | 60.00 (152.4) | 31.00 (78.7)               | 84.00 (213.4)          | 32.00 (81.3)              | 539 (244)               | \$16,645   |

<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

<sup>2</sup> DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

## Ice•Devlce ice storage and dispensing systems – low-profile single door with Totes ice carrier

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and 10.00" (25.4 cm) flanged legs. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).


Configurations shown below include a single polyethylene Totes ice carrier which holds 25 lb (11 kg) of ice.

For additional product information, request form# 9720.

### Accessories for single door Ice•Devlce ice storage and dispensing systems

List price

Reinforced top for single door Ice•Devlce models (except models DEV500 and 700). Required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H. ....\$2,770  
 Correctional package (item# 00917054) .....\$2,665



Ice•Devlce with Totes ice carrier

See page 11 for additional accessory information.

| Item number †                | Max. bin cap. lb (kg) | Width in (cm) | Depth <sup>1</sup> in (cm) | Height w/ legs in (cm) | Req'd door access in (cm) | Approx. ship wt lb (kg) | List price |
|------------------------------|-----------------------|---------------|----------------------------|------------------------|---------------------------|-------------------------|------------|
| DEV500SG-30-LP               | 460 (209)             | 30.00 (76.2)  | 31.00 (78.7)               | 48.50 (123.2)          | 31.00 (78.7)              | 186 (85)                | \$8,230    |
| DEV700SG-30-LP               | 680 (309)             | 30.00 (76.2)  | 31.00 (78.7)               | 64.00 (162.6)          | 31.00 (78.7)              | 229 (104)               | \$9,630    |
| DEV860SG-48-LP <sup>2</sup>  | 860 (391)             | 48.00 (121.9) | 31.00 (78.7)               | 50.50 (128.3)          | 32.00 (81.3)              | 288 (131)               | \$12,015   |
| DEV1010SG-48-LP              | 1000 (454)            | 48.00 (121.9) | 31.00 (78.7)               | 60.00 (152.4)          | 32.00 (81.3)              | 277 (126)               | \$12,230   |
| DEV1175SG-48-LP              | 1185 (538)            | 48.00 (121.9) | 31.00 (78.7)               | 66.00 (167.6)          | 32.00 (81.3)              | 319 (145)               | \$12,780   |
| DEV1300SG-48-LP              | 1320 (599)            | 48.00 (121.9) | 31.00 (78.7)               | 69.00 (175.3)          | 32.00 (81.3)              | 342 (156)               | \$13,195   |
| DEV1160SG-56-LP              | 1170 (531)            | 56.00 (142.2) | 31.00 (78.7)               | 60.00 (152.4)          | 32.00 (81.3)              | 296 (135)               | \$13,745   |
| DEV1350SG-56-LP              | 1360 (617)            | 56.00 (142.2) | 31.00 (78.7)               | 66.00 (167.6)          | 32.00 (81.3)              | 353 (161)               | \$14,250   |
| DEV1080SG-60-LP <sup>2</sup> | 1080 (490)            | 60.00 (152.4) | 31.00 (78.7)               | 50.50 (128.3)          | 32.00 (81.3)              | 297 (135)               | \$13,055   |
| DEV1325SG-60-LP              | 1325 (602)            | 60.00 (152.4) | 31.00 (78.7)               | 60.00 (152.4)          | 32.00 (81.3)              | 373 (170)               | \$13,480   |
| DEV1475SG-60-LP              | 1490 (676)            | 60.00 (152.4) | 31.00 (78.7)               | 66.00 (167.6)          | 32.00 (81.3)              | 356 (162)               | \$14,125   |
| DEV1650SG-60-LP              | 1660 (754)            | 60.00 (152.4) | 31.00 (78.7)               | 69.00 (175.3)          | 32.00 (81.3)              | 336 (153)               | \$14,515   |

<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

<sup>2</sup> DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

## Ice•Devlce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts

Labor-saving elevated bins dispense ice out of front chute(s). For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a stainless steel top, which is custom cut for ice machine(s).

Configurations shown below include (2) SmartCART 75 ice carts, each with 3 polyethylene Totes ice carriers, each holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg) per cart. Carts can store below bin.

For additional product information, request form# 2320.


### Other configurations available for double door Ice•Devlce:

Cambro brand ICS125L cart.....Same price as below  
 Bagger kit option.....Same price as below

### Accessories for double door Ice•Devlce ice storage and dispensing systems

List price

Center partition .....\$2,845  
 Reinforced top for double door Ice•Devlce models. Required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H.....\$3,535  
 Correctional package (item# 00917054) .....\$2,665



Double door Ice•Devlce with (2) SmartCART 75 ice carts

See page 11 for additional accessory information.

| Item number †   | Max. bin cap. lb (kg) | Width in (cm) | Depth <sup>1</sup> in (cm) | Height w/ legs in (cm) | Req'd door access in (cm) | Approx. ship wt lb (kg) | List price |
|-----------------|-----------------------|---------------|----------------------------|------------------------|---------------------------|-------------------------|------------|
| DEV2100SG-72-75 | 2110 (958)            | 72.00 (182.9) | 40.00 (101.6)              | 75.50 (191.8)          | 41.00 (104.1)             | 841 (381)               | \$28,550   |
| DEV2250SG-72-75 | 2250 (1022)           | 72.00 (182.9) | 48.00 (121.9)              | 69.50 (176.5)          | 46.00 (116.8)             | 863 (344)               | \$28,900   |
| DEV2650SG-72-75 | 2650 (1203)           | 72.00 (182.9) | 40.00 (101.6)              | 85.50 (217.2)          | 41.00 (104.1)             | 943 (428)               | \$32,290   |
| DEV3200SG-72-75 | 3240 (1471)           | 72.00 (182.9) | 48.00 (121.9)              | 88.50 (224.8)          | 35.00 (88.9)              | 1144 (519)              | \$34,375   |
| DEV3900SG-72-75 | 3940 (1789)           | 72.00 (182.9) | 48.00 (121.9)              | 100.50 (255.3)         | 44.00 (111.8)             | 1263 (574)              | \$37,360   |
| DEV4600SG-72-75 | 4640 (2107)           | 72.00 (182.9) | 48.00 (121.9)              | 112.00 (284.5)         | 47.00 (119.4)             | 1276 (579)              | \$39,540   |

<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.


## Ice storage and transport systems (ITS)

Elevated bin and cart systems use gravity-assist ice removal and castered carts to deliver outstanding labor and safety benefits. For use with Chewblet, cube or flake ice. All are equipped with poly liners, SmartGATE ice shield, and poly door with PowerHinge door hinge component<sup>2</sup>. Each unit is standard with bin, base, SmartCART 240 ice cart (1, 2 or 3 depending on the number of bays) with lid and ice paddle. Full stainless exterior and base. Insulated cart is one-piece molded polyethylene with removable poly lid.

For additional product information, request form# 9130.

### Accessories for ice storage and transport systems

|   | List price |
|---|------------|
| Set of 6 Totes ice carriers (item# ABICETOTP) ..... | \$1,390    |
| Plastic ice shovel (item# ABICSHOVEL) .....         | \$270      |
| SmartCART 240 ice cart (item# ROTOCART) .....       | \$3,770    |
| Additional ice paddle (item# ABICEPADDL) .....      | \$270      |
| Partition (2 and 3 bay models only) .....           | \$3,170    |



ITS with (2) SmartCART 240 ice carts

Reinforced top. Required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.37 cm) to H.

|  |         |
|--|---------|
| 31.00" (78.7) cm and 60.00" (152.4) cm wide ITS models ..... | \$2,720 |
| 90.00" (228.6) cm wide ITS models .....                      | \$3,455 |

See page 11 for additional accessory information.

| Item number †            | No. of carts | Max. bin cap. lb (kg) | Width in (cm) | Depth <sup>1</sup> in (cm) | Height w/ legs in (cm) | Req'd door access in (cm) | Approx. ship wt lb (kg) | List price |
|--------------------------|--------------|-----------------------|---------------|----------------------------|------------------------|---------------------------|-------------------------|------------|
| ITS500NS-31 <sup>2</sup> | 1            | 382 (174)             | 31.00 (78.7)  | 40.00 (101.6)              | 60.00 (152.4)          | 32.00 (81.3)              | 371 (169)               | \$18,375   |
| ITS700SG-31              | 1            | 652 (296)             | 31.00 (78.7)  | 40.00 (101.6)              | 75.00 (190.5)          | 32.00 (81.3)              | 398 (181)               | \$18,485   |
| ITS1350SG-60             | 2            | 1327 (602)            | 60.00 (152.4) | 40.00 (101.6)              | 75.00 (190.5)          | 41.00 (104.1)             | 712 (324)               | \$32,685   |
| ITS2250SG-60             | 2            | 2133 (968)            | 60.00 (152.4) | 40.00 (101.6)              | 97.00 (246.4)          | 41.00 (104.1)             | 822 (374)               | \$35,390   |
| ITS1700SG-90             | 3            | 1716 (779)            | 90.00 (228.6) | 40.00 (101.6)              | 70.00 (177.8)          | 41.00 (104.1)             | 978 (444)               | \$52,305   |
| ITS3250SG-90             | 3            | 3255 (1477)           | 90.00 (228.6) | 40.00 (101.6)              | 97.00 (246.4)          | 41.00 (104.1)             | 1145 (521)              | \$59,545   |

<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

<sup>2</sup> ITS500NS-31 has sliding windows only, no SmartGATE ice shield or poly door.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.



## Ice Pro automatic ice bagging and dispensing systems

Ice storage bin with automatic agitation to store and dispense cube or Chewblet ice (made by Horizon and Horizon Elite series ice machines) into bags, carts, pails or Totes ice carrier. Increased labor-savings, sanitation and safety for foodservice operators. Equipped with user-friendly control panel, lockable clear window, adjustable bag stand and insulated poly-molded ice storage area. SA models include blower and timed dispense mode for semi-automatic bag filling. Foot pedal is standard on 1000 models and optional for 650 models. Each unit comes standard with 1 wicket of 125, 8 lb (4 kg) bags.

For additional product information, request form# 3630 for E/DB650 or 2345 for E/DB1000.

### Accessories for all models

Bostitch® P-7 C-ring pliers for closing bags (item# 00137711)..... \$400  
 Staples, blunt end, box of 2500 (item# 00137729)..... \$150

**List price**

### Accessories for 650 models


Foot switch (item# 00932517)..... \$750  
 Jug and cooler kit for 650 models allows easy filling of 5 L and 10 L Willow<sup>1</sup> jugs and larger coolers (item# 00979013)..... \$3,250

**List price**

### Accessories for 1000 models

Leg extension kit raises unit by 6.50" (16.51 cm) to accommodate carts up to 36.00" (91.44 cm) and bags up to 40 lb (18 kg) and 33.83" (85.93 cm) high (item# ABLEGEXT)..... \$1,270  
 Jug and cooler kit for 1000 models allows easy filling of 5 L and 10 L Willow<sup>1</sup> jugs and larger coolers (item# 00979583)..... \$3,250

**List price**



Ice Pro automatic bagging and dispensing systems

| Item number † | Max. bin cap.<br>lb (kg) | Width<br>in (cm) | Depth<br>in (cm) | Height w/ legs<br>in (cm) | Req'd door<br>access in (cm) | Voltage      | Approx. ship wt<br>lb (kg) | List price |
|---------------|--------------------------|------------------|------------------|---------------------------|------------------------------|--------------|----------------------------|------------|
| DB650SA       | 650 (295)                | 33.75 (85.7)     | 48.25 (122.6)    | 65.00 (165.1)             | 34.25 (87.0)                 | 220/60/1     | 460 (209)                  | \$31,670   |
| EDB650SA      | 650 (295)                | 33.75 (85.7)     | 48.25 (122.6)    | 65.00 (165.1)             | 34.25 (87.0)                 | 230-240/50/1 | 460 (209)                  | \$27,310   |
| DB1000        | 1000 (454)               | 52.00 (132.1)    | 45.50 (115.6)    | 71.75 (182.2)             | 34.25 (87.0)                 | 220/60/1     | 704 (320)                  | \$39,350   |
| DB1000SA      | 1000 (454)               | 52.00 (132.1)    | 45.50 (115.6)    | 71.75 (182.2)             | 34.25 (87.0)                 | 220/60/1     | 704 (320)                  | \$40,610   |
| EDB1000SA     | 1000 (454)               | 52.00 (132.1)    | 45.50 (115.6)    | 71.75 (182.2)             | 34.25 (87.0)                 | 230/50/1     | 704 (320)                  | \$34,910   |

<sup>1</sup> Willow Ware Australia Pty Ltd.

## Slope front bins

Small to medium capacity ice storage bins. Bin exterior for all models includes stainless steel front and sides. Bin interior includes polyethylene-lined walls and stainless steel bottom. All bins include stainless top, which is custom cut for ice machine(s) and 6.00" (15.24 cm) plastic adjustable legs.


For additional product information, request form# 9135.

### Accessories for slope front bins

6.00" (15.24 cm) stainless steel legs (item# ABSPECLEGS)..... \$290  
 Center partition (except models 300 and 425)..... \$1,045

**List price**

See page 11 for additional accessory information.



Slope front bin

| Item number † | Max. bin cap.<br>lb (kg) | Width<br>in (cm) | Depth<br>in (cm) | Height w/ legs<br>in (cm) | Req'd door<br>access in (cm) | Ship wt<br>lb (kg) | List price |
|---------------|--------------------------|------------------|------------------|---------------------------|------------------------------|--------------------|------------|
| 425-30        | 430 (195)                | 30.00 (76.2)     | 31.50 (80.0)     | 40.00 (101.6)             | 31.00 (78.7)                 | 144 (65)           | \$4,610    |
| 650-44        | 660 (299)                | 44.00 (111.8)    | 31.50 (80.0)     | 40.00 (101.6)             | 32.00 (81.2)                 | 178 (81)           | \$6,375    |
| 950-48        | 950 (431)                | 48.00 (121.9)    | 31.50 (80.0)     | 50.00 (127.0)             | 32.00 (81.2)                 | 207 (94)           | \$6,535    |
| 1025-52       | 1030 (467)               | 52.00 (132.1)    | 31.50 (80.0)     | 50.00 (127.0)             | 32.00 (81.2)                 | 217 (98)           | \$6,715    |

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

## Replacement stainless steel tops for ice storage bins

Order must include complete model number of ice machine to be used in conjunction with bin.

| Bin series  | Width<br>in (cm) | Depth (at top)<br>in (cm) | Replacement top<br>item number | Approx. ship wt<br>lb (kg) | List price |
|---|------------------|---------------------------|--------------------------------|----------------------------|------------|
| <b>Slope front bins</b>   |                  |                           |                                |                            |            |
|   | 30.00 (76.2)     | 27.50 (69.8)              | AB425TOP00                     | 30 (14)                    | \$1,150    |
|   | 44.00 (111.8)    | 27.50 (69.8)              | AB650TOP00                     | 39 (18)                    | \$1,560    |
|   | 48.00 (121.9)    | 27.50 (69.8)              | AB725TOP00                     | 45 (20)                    | \$1,710    |
|   | 52.00 (132.1)    | 27.50 (69.8)              | AB750TOP00                     | 42 (19)                    | \$1,820    |
| <b>Single door upright bins and single door Ice•Devlce ice storage and dispensing systems for bins manufactured before 2007 (except SG1000)</b> |                  |                           |                                |                            |            |
|   | 30.00 (76.2)     | 31.00 (78.7)              | AB7010TOP0                     | 27 (12)                    | \$2,030    |
|   | 48.00 (121.9)    | 31.00 (78.7)              | AB1010TOPS                     | 45 (20)                    | \$2,420    |
|   | 56.00 (142.2)    | 31.00 (78.7)              | AB1350TOP0                     | 42 (19)                    | \$2,590    |
|   | 60.00 (152.4)    | 31.00 (78.7)              | AB1475TOP0                     | 40 (18)                    | \$2,590    |
| <b>SG1000 single door upright</b>   |                  |                           |                                |                            |            |
|   | 36.00 (91.4)     | 31.00 (78.7)              | 00979823                       | 35 (16)                    | \$2,290    |
| <b>Double door upright bins</b>   |                  |                           |                                |                            |            |
|   | 96.00 (243.8)    | 31.00 (78.7)              | AB1850TOP0                     | 100 (45)                   | \$3,520    |
| <b>Double door upright bins and double door Ice•Devlce ice storage and dispensing systems</b>   |                  |                           |                                |                            |            |
|   | 72.00 (182.9)    | 40.00 (101.6)             | AB2650TOP0                     | 100 (45)                   | \$3,330    |
|   | 72.00 (182.9)    | 48.00 (121.9)             | AB4600TOP0                     | 210 (95)                   | \$3,520    |
| <b>Ice transport systems (ITS)</b>  |                  |                           |                                |                            |            |
|   | 31.00 (78.7)     | 40.00 (101.6)             | ABITS70TOP                     | 36 (16)                    | \$2,420    |
|   | 60.00 (152.4)    | 40.00 (101.6)             | ABITS13TOP                     | 100 (45)                   | \$2,990    |
|   | 90.00 (228.6)    | 40.00 (101.6)             | ABITS32TOP                     | 122 (55)                   | \$3,530    |
| <b>Ice Pro automatic ice bagging and dispensing system</b>  |                  |                           |                                |                            |            |
|   | 30.00 (76.2)     | 31.00 (78.7)              | 01341882                       | 27 (12)                    | \$1,760    |
|   | 52.00 (132.1)    | 34.00 (86.4)              | 00104828                       | 49 (22)                    | \$2,590    |

## Replacement ABS bin tops for ice storage bins





Available EXW Incoterms 2010 – Easton, PA USA only

|   | Width<br>in (cm) | Depth (at top)<br>in (cm) | Replacement top<br>item number | Approx. ship wt<br>lb (kg) | List price |
|---|------------------|---------------------------|--------------------------------|----------------------------|------------|
| <b>Single door upright and single door Ice•Devlce ice storage and dispensing systems for bins manufactured after 2007</b> |                  |                           |                                |                            |            |
| Full top  | 30.00 (76.2)     | 31.00 (78.7)              | 00168138                       | 36 (16)                    | \$2,030    |
| Full top  | 48.00 (121.9)    | 31.00 (78.7)              | 00168146                       | 45 (20)                    | \$2,420    |
| Full top  | 56.00 (142.2)    | 31.00 (78.7)              | 00168153                       | 70 (32)                    | \$2,590    |
| Full top  | 60.00 (152.4)    | 31.00 (78.7)              | 00168161                       | 72 (33)                    | \$2,590    |





## Flexi-Top ice bin top systems

Flexi-Top ice bin top systems make stocking bins simple – eliminates the need to know what specific ice machine will be used before the order. Available for 48.00" (121.9 cm) and 60.00" (152.4 cm) wide single door uprights and Ice•Devlce ice storage and dispensing systems. Contact factory for more information.

## Ice handling accessories






| Ice carts and Totes ice carrier ordering guidelines |   |   |  |  |
|---|---|---|--|--|
|   | <p><b>SmartCART 75</b><br/>Item# 00112771</p>  <p>Perfect for moving small quantities of ice to manually fill storage receptacles. 75 lb (34 kg) capacity. Includes 3 Totes ice carriers.</p> <p>21.50"W x 34.00"D x 39.00"H<br/>(54.6 x 86.4 x 99.1 cm)</p> <p>Ship wt – 53 lb (25 kg)<br/>List price \$2,260</p> | <p><b>SmartCART 240</b><br/>Item# ROTOCART</p>  <p>Fully insulated poly with removable lid. 240 lb (109 kg) capacity for transporting large quantities of ice.</p> <p>24.25"W x 41.50"D x 35.75"H<br/>(61.6 x 105.4 x 90.8 cm)</p> <p>Ship wt – 75 lb (35 kg)<br/>List price \$3,770</p> | <p><b>Cambro ICS125L</b><br/>Item# ICS125L</p>  <p>Fully insulated poly with slide back lid with 125 lb (57 kg) capacity. Perfect for sliding under bars.</p> <p>23.00"W x 31.30"D x 29.25"H<br/>(58.4 x 79.5 x 74.3 cm)</p> <p>Ship wt – 70 lb (32 kg)<br/>List price \$3,160</p> | <p><b>Totes</b><br/>Item# ABICETOTP (six)<br/>Item# 502263 (single)</p>  <p>Comfortable handle, easy distribution of ice from longer side. Limits lifted load to 25 lb (12 kg).</p> <p>7.12"W x 15.62"D x 15.00"H<br/>(18.08 x 39.7 x 38.1 cm)</p> <p><b>Set of 6 Totes</b><br/>Ship wt – 34 lb (16 kg)<br/>List price \$1,390</p> <p><b>Single Tote</b><br/>Ship wt – 7 lb (3 kg)<br/>List price \$250</p> |
| <b>Bin series</b>                                   | <p>✓ = May be ordered separately      n/r = Not recommended for use with model</p>  |   |  |  |
| Slope Front   | ✓   | ✓   | ✓  | ✓  |
| Single Door Upright                                 | ✓   | ✓   | ✓  | ✓  |
| Double Door Upright                                 | ✓   | ✓   | ✓  | ✓  |
| Single Door Ice•Device                              | ✓   | n/r   | ✓ <sup>1</sup>   | ✓  |
| Double Door Ice•Device                              | ✓   | n/r   | ✓ <sup>1</sup>   | ✓  |
| Ice Transport System                                | n/r   | ✓   | n/r  | ✓  |
| Ice Pro   | ✓   | ✓   | ✓  | ✓  |

<sup>1</sup> Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

| Ice bagging accessory ordering guidelines |  |   |   |   |
|---|--|---|---|---|
|   | <p><b>Bagger Kit</b><br/>Item# ABBAGGERKT</p>  <p>Bagger kit includes bagger assembly, tape dispenser with tape and 250 plastic bags of 10 lb (5 kg) capacity.</p> <p>11.00"W x 13.63"D x 29.00"H<br/>(27.9 x 34.6 x 73.7 cm)</p> <p>Ship wt – 20 lb (10 kg)<br/>List price \$1,920</p> | <p><b>8 lb (3.6 kg) Ice Bag</b><br/>Item# 00116434</p>  <p>125 bags per wicket – 8 wickets per case. 1.25 mil. poly bag.</p> <p>10.5"W x 4.00"D x 19.00"H<br/>(26.7 x 10.16 x 48.3 cm)</p> <p>Ship wt – 24 lb (11 kg)<br/>List price \$290</p> | <p><b>20 lb (9.1 kg) Ice Bag</b><br/>Item# 00138370</p>  <p>125 bags per wicket – 4 wickets per case. 2.25 mil. poly bag.</p> <p>14.00"W x 4.50"D x 27.00"H<br/>(35.6 x 11.43 x 68.6 cm)</p> <p>Ship wt – 27 lb (12 kg)<br/>List price \$410</p> | <p><b>C-ring pliers – Item# 00137711</b><br/>C-ring – Item# 00137729</p>  <p>Bostitch P-7 C-ring pliers for bag closure. Automatic C-ring feed.</p> <p>Ship wt – 8 lb (4 kg)<br/>List price \$400</p> <p>Aluminum blunt-end C-rings for use with Bostitch P-7 C-ring pliers. 2500 per box.</p> <p>Ship wt – 3 lb (2 kg)<br/>List price \$150</p> |
| <b>Bin series</b>                         | <p>✓ = May be ordered separately      n/r = Not recommended for use with model</p>   |   |   |   |
| Slope Front                               | ✓  | n/r   | n/r   | n/r   |
| Single Door Upright                       | ✓  | n/r   | n/r   | n/r   |
| Double Door Upright                       | ✓  | n/r   | n/r   | n/r   |
| Single Door Ice•Device                    | ✓ <sup>1</sup>   | n/r   | n/r   | n/r   |
| Double Door Ice•Device                    | ✓ <sup>1</sup>   | n/r   | n/r   | n/r   |
| Ice Transport System                      | n/r  | n/r   | n/r   | n/r   |
| Ice Pro                                   | n/r  | ✓   | ✓   | ✓   |





<sup>1</sup> Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

### Shovel, scoop and paddle ordering guidelines

|  | <b>Paddle</b><br>Item# ABICEPADDL46<br>46.50" (118.1 cm)<br>or<br>Item# ABICEPADDL<br>58.50" (147.3 cm)  | <b>Rake</b><br>Item# AB36RAKE<br>38.00" (96.5 cm)<br>or<br>Item# ABICERAKE<br>50.00" (127.0 cm)  | <b>Shovel</b><br>Item# ABICSHOVEL<br>37.00" (94.0 cm)   | <b>Scoop</b><br>Item# 00146365<br>64 oz (1.9 L)   | <b>Scoop</b><br>Item# ABICESCOOP<br>82 oz (2.4 L)  |
|--|--|--|---|---|--|
|  |   |   |                             |    |                                     |
|  | High density poly paddle breaks ice bridges with ease. Includes bracket.<br><b>46.50" (118.1 cm)</b><br>Ship wt – 9 lb (4 kg)<br>List price \$270<br><br><b>58.50" (147.3 cm)</b><br>Ship wt – 9 lb (4 kg)<br>List price \$270 | Draws ice to front of bin for easier access. Vinyl handle, aluminum shaft, stainless steel rake head. Includes bracket.<br><b>38.00" (96.5 cm)</b><br>Ship wt – 9 lb (4 kg)<br>List price \$340<br><br><b>50.00" (127.0 cm)</b><br>Ship wt – 9 lb (4 kg)<br>List price \$340 | Heavy duty poly construction. Efficient removal of ice from bin.<br>Ship wt – 6 lb (3 kg)<br>List price \$270 | San Jamar® Saf-T-Ice® Guardian scoop® system. Minimizes contact with ice, includes storage rack for scoop.<br>Ship wt – 6 lb (3 kg)<br>List price \$310 | Large poly scoop for manual removal of ice from bins. No bracket provided.<br>Ship wt – 3 lb (2 kg)<br>List price \$80 |

| Bin series             | ✓ = May be ordered separately    n/r = Not recommended for use with model |        |        |        |     |     |     |
|------------------------|---|--------|--------|--------|-----|-----|-----|
|                        | 46.50"  | 58.50" | 38.00" | 50.00" |     |     |     |
| Slope Front            | ✓   | n/r    | n/r    | n/r    | n/r | ✓   | ✓   |
| Single Door Upright    | ✓   | n/r    | ✓      | n/r    | ✓   | ✓   | ✓   |
| Double Door Upright    | n/r   | ✓      | n/r    | ✓      | ✓   | ✓   | ✓   |
| Single Door Ice•Device | ✓   | n/r    | ✓      | n/r    | n/r | ✓   | ✓   |
| Double Door Ice•Device | n/r   | ✓      | n/r    | ✓      | n/r | ✓   | ✓   |
| Ice Transport System   | n/r   | ✓      | n/r    | ✓      | ✓   | ✓   | ✓   |
| Ice Pro                | n/r   | n/r    | n/r    | n/r    | n/r | n/r | n/r |

### Stainless steel leg accessory ordering guidelines

|  | <b>6.00" (15.24 cm) with flanged feet. Set of (4).</b><br>Item# ABSPECLEG3          | <b>8.00" (20.32 cm) bullet leg with stabilizer. Set of (4).</b><br>Item# AB8INLEGSS | <b>10.00" (25.4 cm) with flanged feet. Set of (4).</b><br>Item# 00151647              | <b>12.00" (30.5 cm) bullet leg. Set of (4).</b><br>Item# ABSPECLEG1                   |
|--|---|---|---|---|
|  |  |  |  |  |
|  | Ship wt – 7 lb (3 kg)<br>List price \$570   | Ship wt – 10 lb (5 kg)<br>List price \$630  | Ship wt – 13 lb (6 kg)<br>List price \$720  | Ship wt – 11 lb (5 kg)<br>List price \$810  |

| Bin series             | ✓ = May be ordered separately    n/r = Not recommended for use with model |       |        |        |     |  |     |
|------------------------|---|-------|--------|--------|-----|--|-----|
|                        | 6.00"   | 8.00" | 10.00" | 12.00" |     |  |     |
| Slope Front            | ✓   |       | ✓      |        | ✓   |  | ✓   |
| Single Door Upright    | ✓   |       | ✓      |        | ✓   |  | n/r |
| Double Door Upright    | ✓   |       | ✓      |        | n/r |  | n/r |
| Single Door Ice•Device | n/r   |       | n/r    |        | n/r |  | n/r |
| Double Door Ice•Device | n/r   |       | n/r    |        | n/r |  | n/r |
| Ice Transport System   | n/r   |       | n/r    |        | n/r |  | n/r |
| Ice Pro                | n/r   |       | n/r    |        | n/r |  | n/r |

Incoterms is a trademark of the International Chamber of Commerce.  
 Cambro is a registered trademark of Cambro Manufacturing Company in the US.  
 Bostitch is a registered trademark of Stanley Black and Decker.  
 Saf-T-Ice is a registered trademark of San Jamar, a division of the Coleman Group, Inc. in the US.  
 FLEXI-TOP, HORIZON ELITE, ICE•DEVICE, ICE PRO, MAESTRO PLUS, POWERHINGE, SMARTCART and TOTES are trademarks of Follett Products, LLC.  
 CHEWBLET, FOLLETT and SMARTGATE are registered trademarks of Follett Products, LLC, registered in the US.



801 Church Lane | Easton, PA 18040, USA  
 1.610.252.7301 | Fax: +1.610.250.0696 | follettice.com



4070-20240607 | © Follett Products, LLC