

ice storage and transport





Contents

ICE STOR	RAGE, ICE TRANSPORT AND ICE HANDLING	3
Upright	t ice storage bins – single door and double door with SmartGATE [®] ice shield	5
Ice•Dev	vlce ice storage and dispensing systems – single door with cart or bagger	6
lce•Dev	vlce ice storage and dispensing systems – low-profile single door with Totes ice carrier	7
lce•Dev	vlce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts	7
Ice stor	rage and transport systems (ITS)	8
Ice Pro	automatic ice bagging and dispensing systems	9
Slope fr	ront bins	9
Replace	ement stainless steel tops for ice storage bins	10
Replace	ement ABS bin tops for ice storage bins	10
Flexi-To	op ice bin top systems	10
Ice han	ndling accessories	11

Ice storage, ice transport and ice handling

Follett offers ice storage, dispensing and transport solutions in capacities and sizes to meet nearly every need. All with features that can make your ice management easier, safer, and more sanitary.

Warranty

Single door upright bins and single door Ice•Device™ chuted bin and cart systems

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for the useful life of the product. Parts and labor for corrosion repair are covered under this warranty.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice storage and transport systems (ITS); double door upright bins; and double door Ice•Device™ chuted bin and cart systems

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice Pro[™] automatic ice bagging and dispensing systems

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Slope front bins

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice transport carts; Totes[™] ice carriers; ice shovels; ice probes; ice rakes

Follett LLC warrants to the original end user that all parts shall be free from defects in materials and workmanship under normal use and service for a period of 2 years from date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts within this 2 year period are covered under this warranty. Labor required for repair within a 1 year period is covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

WARRANTY CONDITIONS

- **1.** Warranty labor must be performed by the local Follett authorized service agent.
- 2. The equipment has been installed and operated in compliance with instructions provided by Follett.
- **3.** Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
- 4. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- 5. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- 6. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

See following page for Terms and Return Policy

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- Pricing is in USD
- Products priced with EX Works (EXW) terms
- Other shipping terms available upon request

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

- **1.** The equipment is new and unused.
- 2. A return authorization number has been issued by customer service within 45 days after shipment.
- 3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
- 4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

Upright ice storage bins – single door and double door with SmartGATE® ice shield

Ice storage bins with industry-exclusive SmartGATE ice shield. Complete stainless exterior standard, including stainless back and bottom. All bins include a poly liner and corrosion-resistant ABS/poly top (single door uprights) or stainless top (double door uprights), which is custom cut for ice machine(s). 6.00" (15.24 cm) stainless steel adjustable legs and 82 oz (2.4 L) plastic ice scoop.


For additional product information, request form# 9140 for single door or 9145 for double door uprights.

Accessories for single door and double door upright bins Plastic ice shovel (item# ABICSHOVEL)	Net price \$81
Ice paddle (item# ABICEPADDL46)	
Ice rake, single door uprights (item# AB36RAKE)	\$99
Ice rake, double door uprights (item# ABICERAKE)	
6.00" (15.24 cm) stainless flanged legs (set of 4) (item# ABSPECLEG3)	
10.00" (25.4 cm) stainless flanged legs (set of 4) (item# 00151647)	
	List price
Center partition, except single door upright models SG500, 700 and 1000	\$1,740
Correctional package, 2 week lead time (item# 00917054)	\$1,775
Reinforced top for single door upright models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H).	\$1 690
Reinforced top for double door upright models (required if ice machine(s) weight exceeds	
1000 lb (454 kg). Add 2.12" (5.38 cm) to H)	
Flexi-Top ice bin top system for 48.00" (121.9 cm) and 60.00" (152.4 cm) bins only (see page 10)	. no charge [

See page 11 for additional accessory information.



Single door upright



Double door upright

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
Single door u	prights						
SG500S-30	460 (209)	30.00 (76.2)	31.00 (78.7)	44.50 (113.0)	31.00 (78.7)	210 (96)	\$4,660
SG700S-30	680 (309)	30.00 (76.2)	31.00 (78.7)	60.00 (152.4)	31.00 (78.7)	212 (97)	\$5,550
SG1000S-36 ²	990 (450)	36.00 (91.4)	31.00 (78.7)	69.50 (176.5)	32.00 (81.3)	257 (117)	\$6,535
SG860S-48	860 (391)	48.00 (121.9)	31.00 (78.7)	46.50 (118.1)	31.00 (78.7)	255 (116)	\$6,145
SG1010S-48	1000 (454)	48.00 (121.9)	31.00 (78.7)	56.00 (142.4)	32.00 (81.3)	268 (122)	\$6,350
SG1175S-48	1185 (538)	48.00 (121.9)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	298 (136)	\$6,635
SG1300S-48	1320 (599)	48.00 (121.9)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	270 (123)	\$6,815
SG1160S-56	1170 (531)	56.00 (142.2)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	296 (135)	\$7,610
SG1350S-56	1360 (617)	56.00 (142.2)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	322 (147)	\$8,025
SG1080S-60	1080 (490)	60.00 (152.4)	31.00 (78.7)	46.50 (118.1)	32.00 (81.3)	355 (161)	\$6,900
SG1325S-60	1325 (602)	60.00 (152.4)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	320 (145)	\$7,175
SG1475S-60	1490 (676)	60.00 (152.4)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	321 (146)	\$7,650
SG1650S-60	1660 (754)	60.00 (152.4)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	340 (155)	\$7,750
SG2000S-60 ³	2000 (908)	60.00 (152.4)	31.00 (78.7)	80.00 (203.2)	32.00 (81.3)	370 (168)	\$8,640
Double door	uprights						
SG1850-96	1870 (849)	96.00 (243.8)	31.00 (78.7)	51.00 (129.5)	32.00 (81.3)	450 (205)	\$16,260
SG2100-72	2110 (958)	72.00 (182.9)	40.00 (101.6)	57.00 (144.8)	41.00 (104.1)	486 (221)	\$13,740
SG2250-72	2250 (1022)	72.00 (182.9)	48.00 (121.9)	50.50 (128.3)	49.00 (124.5)	516 (235)	\$13,635
SG2650-72	2650 (1203)	72.00 (182.9)	40.00 (101.6)	66.50 (168.9)	41.00 (104.1)	571 (259)	\$16,470

69.50 (176.5)

81.50 (207.0)

93.00 (236.2)

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

72.00 (182.9)

72.00 (182.9)

72.00 (182.9)

² Standard with 6.00" (15.24 cm) flanged legs and available only with stainless steel top. Correctional package not available.

48.00 (121.9)

48.00 (121.9)

48.00 (121.9)

³ 18.00" (45.7 cm) sleeve with window on 62.00" (157.5 cm) high bin.

3240 (1471)

3940 (1789)

4640 (2107)

⁴ Ships in two sections.

SG3200-724

SG3900-724

SG4600-724

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

35.00 (88.9)

44.00 (111.8)

47.00 (119.4)

762 (346)

835 (379)


901 (409)

\$17,265

\$19,710

\$20,250

Ice•DevIce ice storage and dispensing systems - single door with cart or bagger



Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge[™] door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include one of the following: SmartCART 75 ice cart with 3 polyethylene Totes ice carriers, each Totes ice carrier holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg); SmartCART 125 ice cart which holds 125 lb (57 kg) of ice; Cambro brand model ICS125L ice cart which holds 125 lb (57 kg) of ice; or a bagger kit with 250 plastic bags of 10 lb (4.5 kg) capacity. Add designator -75 (SmartCART 75), -125 (SmartCART 125), -ICS125L (Cambro) or -BG (bagger kit) to select configuration.

For additional product information, request form# 9720.

Accessories for single door Ice•DevIce ice storage and dispensing systems	List price
Reinforced top for single door Ice•DevIce models (required if ice machine(s) weight exceeds	
1000 lb (454 kg). Add 0.5" (1.27 cm) to H)	\$1,690
Correctional package, 2 week lead time (item# 00917054)	\$1,775

See page 11 for additional accessory information.

Item number †	with SC75 cart	with SC125 cart	with Cambro cart	with bagger kit	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt Ib (kg)	List price
DEV500SG-30	-75	-125	-ICS125L	-BG	460 (209)	30.00 (76.2)	31.00 (78.7)	63.00 (160.0)	32.00 (81.3)	354 (161)	\$6,605
DEV700SG-30	-75	-125	-ICS125L	-BG	680 (309)	30.00 (76.2)	31.00 (78.7)	78.50 (199.4)	32.00 (81.3)	389 (177)	\$7,455
DEV860SG-48 ²	-75	-125	-ICS125L	-BG	860 (391)	48.00 (121.9)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	452 (205)	\$8,965
DEV1010SG-48	-75	-125	-ICS125L	-BG	1000 (454)	48.00 (121.9)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	453 (206)	\$9,105
DEV1175SG-48	-75	-125	-ICS125L	-BG	1185 (538)	48.00 (121.9)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	483 (219)	\$9,460
DEV1300SG-48	-75	-125	-ICS125L	-BG	1320 (599)	48.00 (121.9)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	476 (216)	\$9,725
DEV1160SG-56	-75	-125	-ICS125L	-BG	1170 (531)	56.00 (142.2)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	472 (214)	\$10,065
DEV1350SG-56	-75	-125	-ICS125L	-BG	1360 (617)	56.00 (142.2)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	521 (236)	\$10,420
DEV1080SG-60 ²	-75	-125	-ICS125L	-BG	1080 (490)	60.00 (152.4)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	490 (222)	\$9,620
DEV1325SG-60	-75	-125	-ICS125L	-BG	1325 (602)	60.00 (152.4)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	518 (235)	\$9,895
DEV1475SG-60	-75	-125	-ICS125L	-BG	1490 (676)	60.00 (152.4)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	518 (235)	\$10,310
DEV1650SG-60	-75	-125	-ICS125L	-BG	1660 (754)	60.00 (152.4)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	532 (241)	\$10,560

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice•DevIce ice storage and dispensing systems – low-profile single door with Totes ice carrier

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and 10.00" (25.4 cm) flanged legs. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include a single polyethylene Totes ice carrier which holds 25 lb (11 kg) of ice.

For additional product information, request form# 9720.

Accessories for single door Ice•DevIce ice storage and dispensing systems	List price
Reinforced top for single door Ice•DevIce models (required if ice machine(s) weight exceeds	
1000 lb (454 kg). Add 0.5" (1.27 cm) to H)	\$1,690
Correctional package, 2 week lead time (item# 00917054)	\$1,775

See page 11 for additional accessory information.



Ice•DevIce with Totes ice carrier

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30-LP	460 (209)	30.00 (76.2)	31.00 (78.7)	48.50 (123.2)	31.00 (78.7)	186 (85)	\$5,255
DEV700SG-30-LP	680 (309)	30.00 (76.2)	31.00 (78.7)	64.00 (162.6)	31.00 (78.7)	229 (104)	\$6,110
DEV860SG-48-LP ²	860 (391)	48.00 (121.9)	31.00 (78.7)	50.50 (128.3)	32.00 (81.3)	288 (131)	\$7,620
DEV1010SG-48-LP	1000 (454)	48.00 (121.9)	31.00 (78.7)	60.00 (152.4)	32.00 (81.3)	277 (126)	\$7,755
DEV1175SG-48-LP	1185 (538)	48.00 (121.9)	31.00 (78.7)	66.00 (167.6)	32.00 (81.3)	319 (145)	\$8,105
DEV1300SG-48-LP	1320 (599)	48.00 (121.9)	31.00 (78.7)	69.00 (175.3)	32.00 (81.3)	342 (156)	\$8,375
DEV1160SG-56-LP	1170 (531)	56.00 (142.2)	31.00 (78.7)	60.00 (152.4)	32.00 (81.3)	296 (135)	\$8,720
DEV1350SG-56-LP	1360 (617)	56.00 (142.2)	31.00 (78.7)	66.00 (167.6)	32.00 (81.3)	353 (161)	\$9,070
DEV1080SG-60-LP ²	1080 (490)	60.00 (152.4)	31.00 (78.7)	50.50 (128.3)	32.00 (81.3)	297 (135)	\$8,275
DEV1325SG-60-LP	1325 (602)	60.00 (152.4)	31.00 (78.7)	60.00 (152.4)	32.00 (81.3)	373 (170)	\$8,550
DEV1475SG-60-LP	1490 (676)	60.00 (152.4)	31.00 (78.7)	66.00 (167.6)	32.00 (81.3)	356 (162)	\$8,965
DEV1650SG-60-LP	1660 (754)	60.00 (152.4)	31.00 (78.7)	69.00 (175.3)	32.00 (81.3)	336 (153)	\$9,215

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

Ice•DevIce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts

Labor-saving elevated bins dispense ice out of front chute(s). For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a stainless steel top, which is custom cut for ice machine(s).

Configurations shown below include (2) SmartCART 75 ice carts, each with 3 polyethylene Totes ice carriers, each holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg) per cart. Carts can store below bin.

For additional product information, request form# 2320.

Other configurations available for double door Ice•DevIce:	
SmartCART 125 ice cart	Same price as below
Cambro brand ICS125L cart	Same price as below
Bagger kit option	Same price as below
Accessories for double door Ice•DevIce ice storage and dispensing systems	List price
Center partition	\$1,740
Reinforced top for double door Ice•DevIce models (required if ice machine(s) weight e	exceeds
1000 lb (454 kg). Add 2.12" (5.38 cm) to H)	\$2,165
Correctional package, 2 week lead time (item# 00917054)	\$1,775

See page 11 for additional accessory information.

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV2100SG-72-75	2110 (958)	72.00 (182.9)	40.00 (101.6)	75.50 (191.8)	41.00 (104.1)	841 (381)	\$18,120
DEV2250SG-72-75	2250 (1022)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	46.00 (116.8)	863 (344)	\$18,340
DEV2650SG-72-75	2650 (1203)	72.00 (182.9)	40.00 (101.6)	85.50 (217.2)	41.00 (104.1)	943 (428)	\$20,490
DEV3200SG-72-75	3240 (1471)	72.00 (182.9)	48.00 (121.9)	88.50 (224.8)	35.00 (88.9)	1144 (519)	\$21,815
DEV3900SG-72-75	3940 (1789)	72.00 (182.9)	48.00 (121.9)	100.50 (255.3)	44.00 (111.8)	1263 (574)	\$23,715
DEV4600SG-72-75	4640 (2107)	72.00 (182.9)	48.00 (121.9)	112.00 (284.5)	47.00 (119.4)	1276 (579)	\$25,095

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.



Double door Ice•DevIce with (2) SmartCART 75 ice carts

Ice storage and transport systems (ITS)

Elevated bin and cart systems use gravity-assist ice removal and castered carts to deliver outstanding labor and safety benefits. For use with Chewblet, cube or flake ice. All are equipped with poly liners, SmartGATE ice shield, and poly door with PowerHinge door hinge component². Each unit is standard with bin, base, SmartCART 240 ice cart (1, 2 or 3 depending on the number of bays) with lid and ice paddle. Full stainless exterior and base. Insulated cart is one-piece molded polyethylene with removable poly lid.

For additional product information, request form# 9130.

Accessories for ice storage and transport systems	Net price	
Set of 6 Totes ice carriers (item# ABICETOTP)	\$422	
Plastic ice shovel (item# ABICSHOVEL)	\$81	
SmartCART 240 ice cart (item# ROTOCART)	\$1,152	
Additional ice paddle (item# ABICEPADDL)	\$78	
	List price	I
Partition (2 and 3 bay models only)	\$1,940	
Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5	.37 cm) to H).	
31.00" (78.7) cm and 60.00" (152.4 cm) wide ITS models	\$1,690	
90.00" (228.6 cm) wide ITS models	\$2,165	



ITS with (2) SmartCART 240 ice carts

See page 11 for additional accessory information.

Item number †	No. of carts	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
ITS500NS-31 ²	1	382 (174)	31.00 (78.7)	40.00 (101.6)	60.00 (152.4)	32.00 (81.3)	371 (169)	\$11,495
ITS700SG-31	1	652 (296)	31.00 (78.7)	40.00 (101.6)	75.00 (190.5)	32.00 (81.3)	398 (181)	\$11,560
ITS1350SG-60	2	1327(602)	60.00 (152.4)	40.00 (101.6)	75.00 (190.5)	41.00 (104.1)	712 (324)	\$20,445
ITS2250SG-60	2	2133 (968)	60.00 (152.4)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	822 (374)	\$23,190
ITS1700SG-90	3	1716 (779)	90.00 (228.6)	40.00 (101.6)	70.00 (177.8)	41.00 (104.1)	978 (444)	\$32,720
ITS3250SG-90	3	3255 (1477)	90.00 (228.6)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	1145 (521)	\$37,250

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² ITS500NS-31 has sliding windows only, no SmartGATE ice shield or poly door.

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice Pro automatic ice bagging and dispensing systems

Ice storage bin with automatic agitation to store and dispense cube or Chewblet ice (made by Horizon and Horizon Elite series ice machines) into bags, carts, pails or Totes ice carrier. Increased labor-savings, sanitation and safety for foodservice operators. Equipped with user-friendly control panel, lockable clear window, adjustable bag stand and insulated poly-molded ice storage area. SA models include blower and timed dispense mode for semi-automatic bag filling. Foot pedal is standard on 1000 models and optional for 650 models. Each unit comes standard with 1 wicket of 125, 8 lb (4 kg) bags.

For additional product information, request form# 3630 for E/DB650 or 2345 for E/DB1000.

Accessories for all models	Net price
Bostitch [®] P-7 C-ring pliers for closing bags (item# 00137711)	\$112
Staples, blunt end, box of 2500 (item# 00137729)	\$34
Accessories for 650 models	Net price
Foot switch (item# 00932517)	\$224
Jug and cooler kit for 650 models allows easy filling of 5 L and 10 L Willow ¹ jugs and	
larger coolers (item# 00979013)	\$988
Accessories for 1000 models	Net price
Leg extension kit for raises unit by 6.50" (16.51 cm) to accommodate carts up to 36.00" (19.44 cm) and bags up to 40 lb (18 kg) and 33.83" (85.93 cm) high (item# ABLEGEXT)	\$385
larger coolers (item# 00979583)	\$988
	List price
Reinforced top for 1000 models (required if ice machine(s) weight exceeds 800 lb (363 kg).	

Ice Pro automatic bagging and dispensing systems

Add 2.12" (5.40 cm) to H)\$1,690								
Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Voltage	Approx. ship wt lb (kg)	List price
DB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	66.50 (168.9)	34.25 (87.0)	220/60/1	460 (209)	\$18,730
EDB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	66.50 (168.9)	34.25 (87.0)	230-240/50/1	460 (209)	\$16,475
DB1000	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$24,615
DB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$25,400
EDB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	230/50/1	704 (320)	\$22,270

¹ Willow Ware Australia Pty Ltd.

Slope front bins

Small to medium capacity ice storage bins. Bin exterior for all models includes stainless steel front and sides. Bin interior includes polyethylene-lined walls and stainless steel bottom. All bins include stainless top, which is custom cut for ice machine(s) and 6.00" (15.24 cm) plastic adjustable legs.

For additional product information, request form# 9135.

Accessories for slope front bins	Net price
6.00" (15.24 cm) stainless steel legs (item# ABSPECLEGS)	\$84
	List price
Center partition (650, 950 and 1025 models only; not available for 300 and 425 model)	\$640

See page 11 for additional accessory information.

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Ship wt Ib (kg)	List price
300-22 ¹	300 (136)	22.00 (55.9)	31.50 (80.0)	40.00 (101.6)	23.00 (58.4)	128 (58)	\$1,940
425-30	430 (195)	30.00 (76.2)	31.50 (80.0)	40.00 (101.6)	31.00 (78.7)	144 (65)	\$2,695
650-44	660 (299)	44.00 (111.8)	31.50 (80.0)	40.00 (101.6)	32.00 (81.2)	178 (81)	\$3,730
950-48	950 (431)	48.00 (121.9)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	207 (94)	\$3,830
1025-52	1030 (467)	52.00 (132.1)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	217 (98)	\$3,930

¹ Model 300-22 only for use with Follett* Maestro Plus[™] 425 (air-cooled) and Horizon Elite[™] 710 series ice machines.

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

	0
N_	Ų

Slope front bin

Replacement stainless steel tops for ice storage bins

Order must include complete model number of ice machine to be used in conjunction with bin.

Bin series	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	Net price
Slope front bins				
	30.00 (76.2)	27.50 (69.8)	AB425TOP00	\$349
	44.00 (111.8)	27.50 (69.8)	AB650TOP00	\$476
	48.00 (121.9)	27.50 (69.8)	AB725TOP00	\$518
	52.00 (132.1)	27.50 (69.8)	AB750TOP00	\$557
			e and dispensing systems	;
for bins manufactured			4070107000	¢ C 1 4
	30.00 (76.2)	31.00 (78.7)	AB7010TOP0	\$614
	48.00 (121.9)	31.00 (78.7)	AB1010TOPS	\$734 \$791
	56.00 (142.2)	31.00 (78.7)	AB1350TOP0	
	60.00 (152.4)	31.00 (78.7)	AB1475TOP0	\$791
G1000 single door u	pright			
	36.00 (91.4)	31.00 (78.7)	00979823	\$695
Double door upright l	oins			
	96.00 (243.8)	31.00 (78.7)	AB1850TOP0	\$1,072
Double door upright l	oins and double door	· Ice•DevIce ice stora	age and dispensing system	ns
	72.00 (182.9)	40.00 (101.6)	AB2650TOP0	\$1,017
	72.00 (182.9)	48.00 (121.9)	AB4600TOP0	\$1,072
Ice transport systems	(ITS)			
	31.00 (78.7)	40.00 (101.6)	ABITS70TOP	\$734
	60.00 (152.4)	40.00 (101.6)	ABITS13TOP	\$910
	90.00 (228.6)	40.00 (101.6)	ABITS32TOP	\$1,074
DB1000 Ice Pro autom	natic ice bagging and	dispensing system		
	52.00 (132.1)	34.00 (86.4)	00104828	\$791
Replacement ABS b	in tops for ice sto	rage bins		
vailable EXW Incoterms 2010	– Easton, PA USA only	-		
	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	Net price
Single door upright ar for bins manufactured		evice ice storage and	l dispensing systems	
Full top	30.00 (76.2)	31.00 (78.7)	00168138	\$614
- ull top	48.00 (121.9)	31.00 (78.7)	00168146	\$734
Full top	56.00 (142.2)	31.00 (78.7)	00168153	\$791
Full top	60.00 (152.4)	31.00 (78.7)	00168161	\$791
DB650 Ice Pro automa	ntic ice bagging and c	lispensing system		

Flexi-Top ice bin top systems

Flexi-Top ice bin top systems make stocking bins simple – eliminates the need to know what specific ice machine will be used before the order. Available for 48.00" (121.9 cm) and 60.00" (152.4 cm) wide single door uprights and Ice•DevIce ice storage and dispensing systems. Contact factory for more information.

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice handling accessories

Ice carts and Tote	es ice carrier order	ring guidelines					
	SmartCART 75 Item# 00112771	SmartCART 125 Item# LSC125	SmartCART 240 Item# ROTOCART	Cambro ICS125L Item# ICS125L	Totes Item# ABICETOTP (six) Item# 502263 (single)		
	Perfect for moving small quantities of ice to manually fill storage receptacles. 75 lb (34 kg) capacity. Includes 3 Totes ice carriers.	Fully insulated poly with 125 lb (57 kg) capacity and flip-up lid makes an excellent working cart for portable bars.	Fully insulated poly with removable lid. 240 lb (109 kg) capacity for transporting large quantities of ice.	Fully insulated poly with slide back lid with 125 lb (57 kg) capacity. Perfect for sliding under bars.	Comfortable handle, easy distribution of ice from longer side. Limits lifted load to 25 lb (12 kg).		
	21.50"W x 34.00"D x 39.00"H (54.6 x 86.4 x 99.1 cm)	22.50"W x 28.30"D x 33.50"H (57.2 x 71.8 x 85.1 cm)	24.25"W x 41.50"D x 35.75"H (61.6 x 105.4 x 90.8 cm)	23.00"W x 31.30"D x 29.25"H (58.4 x 79.5 x 74.3 cm)	7.12"W x 15.62"D x 15.00"H (18.08 x 39.7 x 38.1 cm)		
	Ship wt – 53 lb (25 kg)	Ship wt – 60 lb (28 kg)	Ship wt – 75 lb (35 kg)	Ship wt – 70 lb (32 kg)	Set of 6 Totes Ship wt – 34 lb (16 kg)		
	Net Price \$687	Net Price \$708	Net Price \$1,152	Net Price \$962	Net Price \$422		
					Single Tote Ship wt – 6 lb (3 kg)		
					Net Price \$76		
Bin series	\checkmark = May be ordered separately n/r = Not recommended for use with model						
Slope Front	 ✓ 	 ✓ 	 ✓ 	 ✓ 	 ✓ 		
Single Door Upright	 ✓ 	 ✓ 	 ✓ 	 ✓ 	~		
Double Door Upright	 ✓ 	 ✓ 	 ✓ 	 ✓ 	 ✓ 		
Single Door Ice•DevIce	 ✓ 	✓ ¹	n/r	✓ ¹	v		
Double Door Ice•Device	 ✓ 	√ ¹	n/r	✓ ¹	 ✓ 		
Ice Transport System	n/r	n/r	 ✓ 	n/r	~		
Ice Pro	~	v	 ✓ 	 ✓ 	~		


¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Ice bagging acces	sory ordering guid	elines		
	Bagger Kit Item# ABBAGGERKT	8 lb (3.6 kg) lce Bag Item# 00116434	20 lb (9.1 kg) Ice Bag Item# 00138370	C-ring pliers – Item# 00137711 C-ring – Item# 00137729
	ICE	• tresh, per ICE 		
	Bagger kit includes bagger assembly, tape	125 bags per wicket – 8 wickets per case.	125 bags per wicket – 4 wickets per case.	Bostitch P-7 C-ring pliers for bag closure. Automatic C-ring feed.
	dispenser with tape and 250 plastic bags of 10 lb	1.25 mil. poly bag.	2.25 mil. poly bag.	Ship wt – 1 lb (0.5 kg)
	(5 kg) capacity.			Net Price \$112
	11.00"W x 13.63"D x 29.00"H (27.9 x 34.6 x 73.7 cm)	10.5 "W x 4.00"D x 19.00"H (26.7 x 10.16 x 48.3 cm)	14.00"W x 4.50"D x 27.00"H (35.6 x 11.43 x 68.6 cm)	Aluminum blunt-end C-rings for use with Bostitch P-7 C-ring pliers. 2500 per box.
	Ship wt – 20 lb (10 kg)	Ship wt – 16 lb (8 kg)	Ship wt – 25 lb (12 kg)	Ship wt – 2 lb (1 kg)
	Net Price \$585	Net Price \$84	Net Price \$120	Net Price \$34
Bin series	🖌 = N	Nay be ordered separate	ely n/r = Not recomme	nded for use with model
Slope Front	 ✓ 	n/r	n/r	n/r
Single Door Upright	 ✓ 	n/r	n/r	n/r
Double Door Upright	 ✓ 	n/r	n/r	n/r
Single Door Ice•DevIce	✓ ¹	n/r	n/r	n/r
Double Door Ice•Device	✓1	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	 ✓ 	v	 ✓

¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Shovel, scoop and	Shovel, scoop and paddle ordering guidelines								
	Paddle Item# ABICEPADDL46 46.50" (118.1 cm) or Item# ABICEPADDL 58.50" (147.3 cm)	Rake Item# AB36RAKE 38.00" (96.5 cm) or Item# ABICERAKE 50.00" (127.0 cm)	Shovel Item# ABICSHOVEL 37.00" (94.0 cm)	Scoop Item# 00146365 64 oz (1.9 L)	Scoop Item# ABICESCOOP 82 oz (2.4 L)				
	High density poly paddle breaks ice bridges with ease. Includes bracket.	Draws ice to front of bin for easier access. Vinyl handle, aluminum shaft, stainless steel rake head. Includes bracket.	Heavy duty poly construction. Efficient removal of ice from bin. Ship wt – 9 lb (4 kg)	San Jamar® Saf-T-Ice® Guardian scoop® system. Minimizes contact with ice, includes storage rack	Large poly scoop for manual removal of ice from bins. No bracket provided.				
	46.50" (118.1 cm) Ship wt – 6 lb (3 kg)	38.00" (96.5 cm) Ship wt – 3 lb (2 kg)	Net Price \$81	for scoop. Ship wt – 6 lb (3 kg)	Ship wt – 3 lb (2 kg) Net Price \$19				
	Net Price \$78 58.50" (147.3 cm) Ship wt – 6 lb (3 kg) Net Price \$78	Net Price \$99 50.00" (127.0 cm) Ship wt – 3 lb (2 kg) Net Price \$99		Net Price \$89					
		Net FILCE \$99							

Bin series		v =	May be ord	lered separat	n/r = Not recommended for use with model		
	46.50"	58.50"	38.00"	50.00"			
Slope Front	~	n/r	n/r	n/r	n/r	~	~
Single Door Upright	~	n/r	~	n/r	v	 ✓ 	v
Double Door Upright	n/r	~	n/r	~	✓	~	v
Single Door Ice•DevIce	~	n/r	~	n/r	n/r	 ✓ 	v
Double Door Ice•Device	n/r	~	n/r	~	n/r	~	v
Ice Transport System	n/r	~	n/r	 ✓ 	v	 ✓ 	v
Ice Pro	n/r	n/r	n/r	n/r	n/r	n/r	n/r



Slope Front	 ✓ 	~	~	~
Single Door Upright	~	~	~	n/r
Double Door Upright	 ✓ 	 ✓ 	n/r	n/r
Single Door Ice•DevIce	n/r	n/r	n/r	n/r
Double Door Ice•Device	n/r	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	n/r	n/r	n/r

Incoterms is a trademark of the International Chamber of Commerce.

Cambro is a registered trademark of Cambro Manufacturing Company in the US.

Bostitch is a registered trademark of Stanley Black and Decker. Saf-T-Ice is a registered trademark of San Jamar, a division of the Coleman Group, Inc. in the US. FLEXI-TOP, HORIZON ELITE, ICE•DEVICE, ICE PRO, MAESTRO PLUS, POWERHINGE, SMARTCART and TOTES are trademarks of Follett LLC.

CHEWBLET, FOLLETT and SMARTGATE are registered trademarks of Follett LLC, registered in the US.



801 Church Lane | Easton, PA 18040, USA 1.610.252.7301 | Fax: +1.610.250.0696 | follettice.com

