


effective February 1 updated September 1

















ice and water dispensers

ice machines





EURO LIST PRICE SCHEDULE

Contents

| TERMS AND POLICIES | 4 |
|--|----|
| WARRANTY | 5 |
| ICE MACHINES | 6 |
| EXW Incoterms [*] 2010 – Wislina, Poland | |
| Maestro Plus ice machine bins – 425 series | |
| Maestro Plus flake ice machines for ice storage bins – 425 series | |
| Maestro Plus Chewblet and Micro Chewblet ice machines for ice storage bins – 425 series | |
| Maestro Plus Micro Chewblet ice machines for drop-in beverage dispensers – 425 series | |
| Horizon Elite Chewblet ice machines for ice storage bins – 1010 series | |
| Water treatment accessories for ice machines | |
| Other accessories for ice machines | 9 |
| EXW Incoterms® 2010 – Easton, PA USA | 10 |
| Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – 425 series | 10 |
| Maestro Plus Chewblet ice machines for Vision dispensers – 425 series | 10 |
| Top kits for RIDE model Maestro Plus 425 series ice machines for use with | |
| countertop ice and beverage dispensers | 11 |
| Water treatment accessories for ice machines | |
| Other accessories for ice machines | 12 |
| VISION LOW-PROFILE ICE AND WATER DISPENSERS | 13 |
| EXW Incoterms* 2010 – Easton, PA USA | |
| Vision low-profile ice and water dispensers – VU155N series | |
| | |
| ICE AND WATER DISPENSERS | |
| EXW Incoterms [*] 2010 – Wislina, Poland | |
| Ice and water and ice-only dispensers – E7 series | |
| Ice and water and ice-only dispensers – E15 series | |
| Accessories for E7 and E15 series ice and water dispensers | |
| Symphony Plus ice and water dispensers – E12 series | |
| Symphony Plus ice-only dispensers – E12 series | |
| EXW Incoterms® 2010 – Easton, PA USA | |
| Symphony Plus ice and water dispensers – E12 series | |
| Symphony Plus ice-only dispensers – E12 series | |
| Symphony Plus ice and water dispensers with removable ice machine – E25 and E50 series | |
| Symphony Plus ice-only dispensers – E25 and E50 series | |
| Symphony Plus base stand options | |
| Water treatment accessories for Symphony Plus ice and water dispensers | |
| Other accessories for Symphony Plus ice and water dispensers | |
| Replacement ice machine for use in existing Follett dispensers | |
| Replacement ice machine ordering matrix | 19 |

2 ■ FEBRUARY 1, 2020 www.follettice.com

www.follettice.com FEBRUARY 1, 2020 ■ 3

Terms and policies

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- All prices in euros
- Products priced with EX Works (EXW) terms
- Other shipping terms available upon request

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused.
- A return authorization number has been issued by customer service within 45 days after shipment.
- Follett receives the equipment at the factory in Pruszcz, Poland within 30 days after issuance of the return authorization number.
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

4 ■ FEBRUARY 1, 2020 www.follettice.com

Warranty

Symphony Plus™ ice and water dispensers, Maestro Plus™ and Horizon Elite™ series ice machines

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

Vision[™] ice and beverage dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

WARRANTY CONDITIONS

- Labor warranty will apply only to equipment sold by the Follett Authorized Distributor in his designated territory.
- Warranty labor must be performed by the local Follett Authorized Distributor or his designated service provider.
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

E7 and E15 Series ice and water dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service agent.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
- Dispenser is used in an application with less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).
- Dispenser is not to be used with softened water.
- Premature internal filter life due to poor supply water is not covered.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett technical service at +1 877 612-5086 (US and Canada), +1 610-252-7301 or Follett Europe technical service at +48 (58) 785-6140, Fax +48 (58) 785-6159.

www.follettice.com FEBRUARY 1, 2020 ■ 5

Ice machines

EXW Incoterms® 2010 - Wislina, Poland

Maestro Plus ice machine bins – 425 series

Flake (UF) or Micro Chewblet $^{\text{\tiny M}}$ (UM) ice machines with 34 kg (75 lb) bin storage for undercounter or freestanding applications.

Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 8515.




Maestro Plus ice machine bin

| | | | | Production ca | pacity lb (kg) | | | | |
|----------------|------------------|------------------|--------------------------------|-------------------------------------|-------------------------------------|------------------------------|----------|----------------------------|------------|
| Item number | Width cm (in) | Depth cm (in) | Height ¹ cm (in) | 32 C air 21 C water (90/70 F) | 21 C air 10 C water (70/50 F) | Condensing unit ² | Voltage | Approx. ship wt kg (lb) | List price |
| UFE425A80 | 59.7 (23.50) | 66.0 (26.00) | 83.8 (33.00) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 88 (194) | € 5,197 |
| UFE425A80P | 59.7 (23.50) | 66.0 (26.00) | 83.8 (33.00) | 148 (325) | 193 (425) | A - SC | 230/50/1 | 93 (205) | € 5,647 |
| UME425A80 | 59.7 (23.50) | 66.0 (26.00) | 83.8 (33.00) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 88 (194) | € 5,197 |
| UME425A80P | 59.7 (23.50) | 66.0 (26.00) | 83.8 (33.00) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 93 (205) | € 5.647 |

¹ 83.8 cm (33.00") with leveling feet for undercounter use. 99.1 cm (39.00") with bullet legs for freestanding application.

² Condensing unit: A - SC = Air - self-contained

Ice Machine Model Number Configurations



Maestro Plus flake ice machines for ice storage bins – 425 series

Flake ice machines for mounting on ice storage bins.

Refer to Follett ice storage, ice transportation and ice handling form# B300 for capacities and sizes of bins available.

For additional product information, request form# 6950 or 6955.



| | | | | Production ca | apacity kg (lb) | | | | |
|----------------|------------------|------------------|-------------------|-------------------------------------|-------------------------------------|---------------------------------|----------|----------------------------|------------|
| Item number | Width cm (in) | Depth cm (in) | Height cm (in) | 32 C air 21 C water (90/70 F) | 21 C air 10 C water (70/50 F) | Condensing unit ¹ | Voltage | Approx. ship wt kg (lb) | List price |
| 425 series | s top moun | t ice machi | nes | | | | | | |
| MFE425ABT | 57.7 (22.70) | 61.6 (24.25) | 54.0 (21.25) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 73 (160) | € 6,033 |
| | 4 66 | 4: 16 | | | | | | | |

¹ Condensing unit: A - SC = Air - self-contained

Maestro Plus Chewblet and Micro Chewblet ice machines for ice storage bins - 425 series

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

Refer to Follett ice storage, ice transportation and ice handling form# B300 for capacities and sizes of bins available.

For additional product information, request form# 6945, 6950 or 6955.





Top mount

RIDE model

| | | | | Production ca | pacity kg (lb) | | | | |
|------------------------------|------------------|------------------|-------------------|-------------------------------------|-------------------------------------|---------------------------------|----------|----------------------------|------------|
| Item number | Width cm (in) | Depth cm (in) | Height cm (in) | 32 C air 21 C water (90/70 F) | 21 C air 10 C water (70/50 F) | Condensing unit ¹ | Voltage | Approx. Ship wt kg (lb) | List price |
| 425 series | s top moun | it ice mach | ines | | | | | | |
| MCE425ABT | 57.7 (22.70) | 61.6 (24.25) | 54.0 (21.25) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 73 (160) | € 6,033 |
| MME425ABT | 57.7 (22.70) | 61.6 (24.25) | 54.0 (21.25) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 73 (160) | € 6,233 |
| 425 series RIDE ice machines | | | | | | | | | |
| MCE425ABS | 18.80 (47.8) | 22.75 (57.8) | 17.10 (43.4) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 73 (160) | € 7,181 |

¹ Condensing unit: A - SC = Air - self-contained

Maestro Plus Micro Chewblet ice machines for drop-in beverage dispensers - 425 series

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

For additional product information, request form# 6945



RIDE model

| ltem number | Width cm (in) | Depth cm (in) | Height cm (in) | Production ca 32 C air 21 C water (90/70 F) | 21 C air 21 C water (70/50 F) | Condensing unit ¹ | Voltage | Approx. Ship wt kg (lb) | List price |
|--|------------------|------------------|-------------------|--|-------------------------------------|---------------------------------|----------|----------------------------|------------|
| 425 series RIDE ice machines | | | | | | | | | |
| MME425AJS | 57.7 (22.70) | 61.6 (24.25) | 54.0 (21.25) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 73 (160) | € 7,381 |
| ¹ Condensing unit: A – SC = Air – self-contained | | | | | | | | | |

Horizon Elite Chewblet ice machines for ice storage bins - 1010 series

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube. Maximum run length of ice transport tube is 22.8 m (75').

For additional product information, request form# 7030. Refer to form# 2925 for capacities and sizes of bins available.





Top mount

Production capacity lb (ka)

| | | | | (| g/ | | | | |
|----------------|------------------|------------------|-------------------|-------------------------------------|-------------------------------------|---------------------------------|----------|---------------------------|------------|
| Item number | Width in (cm) | Depth in (cm) | Height in (cm) | 32 C air 21 C water (90/70 F) | 21 C air 10 C water (70/50 F) | Condensing unit ¹ | Voltage | Approx ship wt lb (kg) | List price |
| 1010 serie | s top mour | nt ice mach | ines | | | | | | |
| HCE1010ABT | 74.0 (29.15) | 59.1 (23.25) | 57.2 (22.50) | 347 (765) | 482 (1061) | A – SC | 230/50/1 | 124 (275) | € 10,240 |
| 1010 serie | s RIDE ice r | nachines | | | | | | | |
| HCE1010ABS | 74.0 (29.15) | 59.1 (23.25) | 57.2 (22.50) | 347 (765) | 482 (1061) | A – SC | 230/50/1 | 124 (275) | € 11,016 |

¹ Condensing unit: A - SC = Air - self-contained

Water treatment accessories for ice machines

| Item number | Description | List price |
|---------------------|---|------------|
| Standard capacity | filter system | |
| 00130229 | Water filter system (one per ice machine) | € 592 |
| 00130245 | Water filter cartridge – primary, single | € 128 |
| 00954297 | Water filter cartridge – primary, carton of 6 | € 622 |
| 00130211 | Water pre-filter cartridge – pre-filter, single | € 20 |
| 00954305 | Water pre-filter cartridge – pre-filter, carton of 12 | € 204 |
| High capacity filte | r system | |
| 00978957 | High capacity water filter system (one per ice machine) | € 719 |
| 00978965 | High capacity water filter cartridge – primary, single | € 230 |
| 00978973 | High capacity water filter cartridge – primary, carton of 6 | € 1,234 |
| 00130211 | Water pre-filter cartridge – pre-filter, single | € 20 |
| 00954305 | Water pre-filter cartridge – pre-filter, carton of 12 | € 204 |
| Other filtration | | |
| 00986059 | Claris hardness removal filtration system | € 617 |
| 00985127 | Replacement filter for Claris system | € 362 |

Other accessories for ice machines

| ltem number | Description | List price |
|----------------|---|--------------|
| AFWALLMTBRKT | Wall mount bracket for Maestro Plus 425A/W series RIDE model ice machines | € 245 |
| 01151935 | Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments | € 83 / meter |
| AFR400STND | Ice machine stand for Maestro Plus 425A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30") | € 551 |
| 01085455 | Wall mount bracket for Horizon Elite 1010A/W and 1410A/W series RIDE model ice machines | € 342 |
| 01085463 | Ice machine stand for Horizon Elite 1010A/W series and 1410A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30") | € 551 |
| 01147826 | SafeCLEAN Plus™, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottles) | € 15 |
| 01149954 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz bottles) | € 77 |
| 01149962 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz bottles) | € 275 |
| 00132068 | SaniSponge [™] , 4 sanitary sponges with plunger | € 10 |
| 01075431 | SaniSponge, 24 sanitary sponges | € 46 |

EXW Incoterms® 2010 - Easton, PA USA

Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – 425 series

Top mount ice machine requires stainless steel top kit, sold separately. See top kit charts on page 11 for top kit numbers.

Ice machines with RIDE remote ice delivery equipment include (10') of insulated ice transport tube and universal RIDE model adapter kit (item# 00182170). Factory approval required for ice transport tube lengths over 6.1 m (20'). See below for approved dispensers.

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 6945.



RIDE model

| Prod | luction | capacity |
|------|---------|----------|
| | ka (l | h) · |

| ltem number | Width cm (in) | Depth cm (in) | Height cm (in) | 32 C air 21 C water (90/70 F) | 21 C air 10 C water (70/50 F) | Condensing unit ¹ | Voltage | Approx. ship wt kg (lb) | List price |
|----------------|------------------|------------------|-------------------|-------------------------------------|-------------------------------------|---------------------------------|----------|----------------------------|------------|
| 425 series | RIDE ice n | nachines | | | | | | | |
| MCE425AHS | 47.8 (18.80) | 57.8 (22.75) | 43.4 (17.10) | 148 (325) | 193 (425) | A - SC | 230/50/1 | 73 (160) | € 7,181 |


¹ Condensing unit: A - SC = Air - self-contained

Maestro Plus Chewblet ice machines for Vision dispensers – 425 series

3 m (10') insulated ice transport tube comes with each Vision dispenser, not with the ice machine. Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Factory approval required for lengths over 6.1 m (20'). One 6.1 m (20') bin signal wire for fill control included with each ice machine.

Maximum of two ice machines per Vision dispenser.

For additional product information, request form# 6945.



RIDE model - Vision

Production capacity kg (lb)

| | | | | 9 | () | | | | |
|----------------|------------------|------------------|-------------------|-------------------------------------|-------------------------------------|---------------------------------|----------|----------------------------|------------|
| Item number | Width cm (in) | Depth cm (in) | Height cm (in) | 32 C air 21 C water (90/70 F) | 21 C air 10 C water (70/50 F) | Condensing unit ¹ | Voltage | Approx. ship wt kg (lb) | List price |
| 425 series | RIDE ice m | nachines | | | | | | | |
| MCE425AVS | 47.8 (18.80) | 57.8 (22.75) | 43.4 (17.10) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 73 (160) | € 7,181 |

¹ Condensing unit: A - SC = Air - self-contained

| Approved for RIDE model – ice a | nd beverage dispensers manuf | actured by others1 |
|--|---------------------------------|--------------------|
| Coca-Cola Freestyle 7000 ^{2, 3} /9000 ³ /9100 ³ | Lancer 4500-22N | Servend MD175 |
| Cornelius DB/DF/ED150BC Series | Lancer 4500-30N | Servend MD200 |
| Cornelius DB/DF/ED175BC Series | Lancer FS-16N | Servend MD250 |
| Cornelius DB/DF/ED200BC Series | Lancer FS-22N | Servend MDH302 |
| Cornelius DB/DF/ED250BC Series | Lancer FS-30N | Servend MDH402 |
| Cornelius DB/DF/ED300BC Series | Lancer FS-44N | Servend SV175 |
| Cornelius IDC215/255 and Pro Fast Gate | Lancer Sensation and TouchPoint | Servend SV200 |
| Cornelius IDC Pro | Pepsi Spire 3.0 4 and 5.0 4 | Servend SV250 |
| Cornelius Flavor Fusion/Overload | Servend MD150 | |

Top kits for RIDE model Maestro Plus 425 series ice machines for use with countertop ice and beverage dispensers

| Top kit accessory | lce machine model number Dispenser | | Dispenser model number | Dispenser series width | List price | | | | | |
|---|---------------------------------------|-----------|---------------------------|---------------------------|------------|--|--|--|--|--|
| Required Maestro Plus 425 series RIDE model stainless steel adapter kits ¹ | | | | | | | | | | |
| MSF30SC ^{2, 3} | Available for all | Coca-Cola | Freestyle 7000 | 30" | € 306 | | | | | |
| MSF26SC ³ | models that end in HS. | Coca-Cola | Freestyle 9100 | 26" | € 286 | | | | | |
| MSP24SC ⁴ | Example: | Pepsi | Spire 3.0 | 24" | € 286 | | | | | |
| MSP30SC ⁴ | MCE425AHS | Pepsi | Spire 5.0 | 30" | € 306 | | | | | |

| Optional Maestro Plus 425 series RIDE model stainless steel adapter kits ¹ | | | | | | | | | |
|---|------------------------|-----------|---------------|-----|---------|--|--|--|--|
| MSC22SC | | Cornelius | DB/DF/ED150BC | 22" | € 1,193 | | | | |
| MSC24SC | | Cornelius | DB/DF/ED175BC | 24" | € 1,250 | | | | |
| MSC30SC | Available for all | Cornelius | DB/DF/ED200BC | 30" | € 1,311 | | | | |
| MSC30SC | models that end in HS. | Cornelius | DB/DF/ED250BC | 30" | € 1,311 | | | | |
| MSC44SC | Example: | Cornelius | DB/DF/ED300BC | 44" | € 1,341 | | | | |
| MSL22SC | MCE425AHS | Lancer | FS-22N | 22" | € 1,193 | | | | |
| MSL30SC | WCL42JAIIJ | Lancer | 4500-30N | 30" | € 1,311 | | | | |
| MSL30SC | | Lancer | FS-30N | 30" | € 1,311 | | | | |

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. Approved dispensers for top mount ice machine applications are listed above.

² Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter 46412 and ice kit 46430 must also be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

Water treatment accessories for ice machines

| Item number | Description | List price |
|-----------------|--|------------|
| Standard capa | acity filter system | |
| 00130229 | Water filter system (one per ice machine) | € 592 |
| 00130245 | Water filter cartridge – primary, single | € 128 |
| 00954297 | Water filter cartridge – primary, carton of 6 | € 622 |
| 00130211 | Water pre-filter cartridge – pre-filter, single | € 20 |
| 00954305 | Water pre-filter cartridge – pre-filter, carton of 12 | € 204 |
| High capacity | filter system | |
| 00978957 | High capacity water filter system (one per ice machine) | € 719 |
| 00978965 | High capacity water filter cartridge – primary, single | € 230 |
| 00978973 | High capacity water filter cartridge – primary, carton of 6 | € 1,234 |
| 00130211 | Water pre-filter cartridge – pre-filter, single | € 20 |
| 00954305 | Water pre-filter cartridge – pre-filter, carton of 12 | € 204 |
| Carbonless hig | gh capacity filter system | |
| 01050442 | Carbonless high capacity water filter system (one per ice machine) | € 638 |
| 01050426 | Carbonless high capacity water filter cartridge – primary, single | € 148 |
| 01050434 | Carbonless high capacity water filter cartridge – primary, carton of 6 | € 740 |
| 00130211 | Water pre-filter cartridge – pre-filter, single | € 20 |
| 00954305 | Water pre-filter cartridge – pre-filter, carton of 12 | € 204 |
| Other filtratio | n | |
| 00986059 | Claris hardness removal filtration system | € 617 |
| 00985127 | Replacement filter for Claris system | € 362 |

Other accessories for ice machines

| Item number | Description | List price |
|----------------|---|--------------|
| 01336494 | Slide-out ice machine accessory for air-cooled machines only – allows RIDE model Maestro Plus 193 kg (425 lb) ice machine to slide out without disconnecting utilities. For use in France only. | € 837 |
| AFWALLMTBRKT | Wall mount bracket for Maestro Plus 425A/W series RIDE model ice machines | € 245 |
| 01151935 | Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments | € 83 / meter |
| AFR400STND | Ice machine stand for Maestro Plus 425A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30") | € 551 |
| 00918045 | Front cover retrofit kit for Maestro 400 series, top mount models only | € 230 |
| 01147826 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottles) | € 15 |
| 01149954 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles) | € 77 |
| 01149962 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles) | € 275 |
| 00132068 | SaniSponge™, 4 sanitary sponges with plunger | € 10 |
| 01075431 | SaniSponge, 24 sanitary sponges | € 46 |
| 00939140 | 9 m (30') bin signal extension cord | € 117 |
| 00939157 | 18 m (60') bin signal extension cord | € 173 |
| 01151943 | Maestro Plus 425 series universal RIDE model adapter kit | € 474 |

Vision low-profile ice and water dispensers

EXW Incoterms® 2010 - Easton, PA USA

Vision low-profile ice and water dispensers – VU155N series

Ice and water dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 10).

Standard equipment includes:

- Water dispense valve only
- 15.24 22.86 cm (6.00" 9.00") legs
- 3 m (10') ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 6975.



Vision VU155N Series ice and water dispenser

| | Max. storage | | | | | | | | | | |
|--|---------------------|------------------|------------------|-------------------|--------------------------|---------------------------|----------|----------------------------|------------|--|--|
| Item number | capacity kg (lb) | Width cm (in) | Depth cm (in) | Height cm (in) | Tower side (facing unit) | Ice/beverage actuation | Voltage | Approx. ship wt kg (lb) | List price | | |
| VU155N series ice and water dispensers | | | | | | | | | | | |
| EVU155N0RP | 68 (150) | 79.4 (31.25) | 69.5 (27.38) | 149.6 (58.88) | Right | Push button | 230/50/1 | 105 (232) | € 10,379 | | |
| EVU155N0LP | 68 (150) | 79.4 (31.25) | 69.5 (27.38) | 149.6 (58.88) | Left | Push button | 230/50/1 | 105 (232) | € 10,379 | | |
| EVU155N0RL | 68 (150) | 79.4 (31.25) | 69.5 (27.38) | 149.6 (58.88) | Right | Sanitary lever | 230/50/1 | 105 (232) | € 10,379 | | |
| EVU155N0LL | 68 (150) | 79.4 (31.25) | 69.5 (27.38) | 149.6 (58.88) | Left | Sanitary lever | 230/50/1 | 105 (232) | € 10,379 | | |
| | | | | | | | | | | | |
| VU155N so | eries ice-only | y dispense | rs | | | | | | | | |
| EVU155NWRP | 68 (150) | 79.4 (31.25) | 69.5 (27.38) | 149.6 (58.88) | Right | Push button | 230/50/1 | 105 (232) | € 10,164 | | |
| EVU155NWLP | 68 (150) | 79.4 (31.25) | 69.5 (27.38) | 149.6 (58.88) | Left | Push button | 230/50/1 | 105 (232) | € 10,164 | | |
| EVU155NWRL | 68 (150) | 79.4 (31.25) | 69.5 (27.38) | 149.6 (58.88) | Right | Sanitary lever | 230/50/1 | 105 (232) | € 10,164 | | |
| EVU155NWLL | 68 (150) | 79.4 (31.25) | 69.5 (27.38) | 149.6 (58.88) | Left | Sanitary lever | 230/50/1 | 105 (232) | € 10,164 | | |

Ice and water dispensers

EXW Incoterms 2010 - Wislina, Poland

Ice and water and ice-only dispensers – E7 series

Countertop ice and water dispensers and ice-only dispensers with integral air-cooled ice machine and with or without internal, 5 micron filter. Produces up to 54.4 kg (120 lb) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 3 kg (7 lb). For additional information request form# 5045.



Note: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).

countertop

| ltem number | Configuration | Width cm (in) | Depth cm (in) | Height cm (in) | Approx. ship wt kg (lb) | List price |
|----------------------|---|------------------|------------------|-------------------|----------------------------|------------|
| E7CI100A-IW-CF-ST-00 | Countertop ice and water, internal filter | 37.1 (14.62) | 56.2 (22.12) | 44.8 (17.62) | 41 (90) | € 5,630 |
| E7CI100A-IW-NF-ST-RD | Countertop ice and water, rear drain, no filter | 37.1 (14.62) | 56.2 (22.12) | 44.8 (17.62) | 41 (90) | € 5,430 |
| E7CI100A-NW-NF-ST-00 | Countertop ice-only, no internal filter | 37.1 (14.62) | 56.2 (22.12) | 44.8 (17.62) | 41 (90) | € 5,430 |
| E7CI100A-NW-NF-ST-RD | Countertop ice-only, rear drain, no filter | 37.1 (14.62) | 56.2 (22.12) | 44.8 (17.62) | 41 (90) | € 5,430 |

Available accessories are listed below.

Ice and water and ice-only dispensers - E15 series

Countertop ice and water dispensers and ice-only dispensers with integral air-cooled ice machine. Produces up to 54.4 kg (120 lb) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 7 kg (15 lb). For additional information request form# 6200.



Note: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).

countertop

| Item numb | er | Configuration | Width cm (in) | Depth cm (in) | Height cm (in) | Approx. ship wt kg (lb) | List price |
|--------------|------------------|---|------------------|------------------|-------------------|----------------------------|------------|
| E15CI | 100A-IW-CF-ST-00 | Countertop ice and water, internal filter | 37.1 (14.62) | 59.7 (23.50) | 57.2 (22.50) | 45 (100) | € 6,210 |
| E15CI | 100A-IW-NF-ST-RD | Countertop ice and water, rear drain, no filter | 37.1 (14.62) | 59.7 (23.50) | 57.2 (22.50) | 45 (100) | € 6,025 |
| E15CI | 100A-NW-NF-ST-00 | Countertop ice-only, no filter | 37.1 (14.62) | 59.7 (23.50) | 57.2 (22.50) | 45 (100) | € 6,025 |
| E15Cl | 100A-NW-NF-ST-RD | Countertop ice-only, rear drain, no filter | 37.1 (14.62) | 59.7 (23.50) | 57.2 (22.50) | 45 (100) | € 6,025 |

Available accessories are listed below.

Accessories for E7 and E15 series ice and water dispensers

| Item number | Description | List price |
|----------------|---|------------|
| 01362623 | Antimicrobial shields for touchscreen, pack of 5 | € 13 |
| 01363761 | Antimicrobial shields for touchscreen, pack of 50 | € 102 |
| 00968107 | Replacement cartridges for E7CI and E15CI series filter | € 77 |
| 00956300 | 10.16 cm (4.00") legs, for countertop models (CI) | € 240 |
| 00981977 | Drip tray drain kit for E7CI (includes 10.16 cm (4.00") legs) | € 372 |
| 00956292 | Base stand, to convert CI to FS, stainless panels | € 658 |
| 00956375 | Drip tray drain kit for E7CI and E15CI when used with base stand (item# 00956292) | € 138 |
| 00956318 | 15.24 cm (6.00") legs, for base stand (item# 00956292) | € 240 |
| 01147826 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottles) | € 15 |
| 01149954 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles) | € 77 |
| 01149962 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles) | € 275 |
| 00986059 | Claris hardness removal filtration system | € 617 |
| 00985127 | Replacement filter for Claris system | € 362 |

Symphony Plus ice and water dispensers – E12 series

Countertop and wall mount ice and water dispensers with 5 kg (12 lb) of storage. Integral ice machine produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. Standard electrical configuration 230/50/1. Lever dispensing.

For additional product information, request form# 6940.



Countertop with integral ice machine

| ltem number | Configuration | Width cm (in) | Depth cm (in) | Height cm (in) | Condenser | Ice machine location | Approx. ship wt kg (lb) | List price |
|----------------------------------|---------------|------------------|------------------|-------------------|------------|----------------------|----------------------------|------------|
| E12 series with lever dispensing | | | | | | | | |
| E12CI425A-L | Countertop | 41.9 (16.12) | 59.7 (23.50) | 82.6 (32.50) | air-cooled | integral | 91 (199) | € 6,559 |

¹ Production data at 21 C air / 10 C water for Symphony Plus series. Available accessories are listed on page 18.

Symphony Plus ice-only dispensers – E12 series

Countertop ice dispensers with 5 kg (12 lb) of storage. Ice-only; no water. Integral ice machine produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Standard electrical configuration 230/50/1. Lever dispensing.

For additional product information, request form# 6940.



Countertop with integral ice machine

| ltem number | Configuration | Width cm (in) | Depth cm (in) | Height cm (in) | Condenser | Ice machine location | Approx. ship wt kg (lb) | List price |
|----------------|---------------|------------------|------------------|-------------------|------------|----------------------|----------------------------|------------|
| E12 series | ice-only wit | h lever dis | pensing | | | | | |
| E12CI425A-LI | Countertop | 41.9 (16.12) | 59.7 (23.50) | 82.6 (32.50) | air-cooled | integral | 91 (199) | € 6,559 |

¹ Production data at 21 C air / 10 C water for Symphony Plus series. Available accessories are listed on page 18.

EXW Incoterms® 2010 - Easton, PA USA

Symphony Plus ice and water dispensers – E12 series

Countertop ice and water dispensers with 5 kg (12 lb) of storage. Integral ice machine produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. Standard electrical configuration 230/50/1. SensorSAFE™ infrared dispensing.

For additional product information, request form# 6940.



Countertop with integral ice machine

| Item number | Configuration | Width cm (in) | Depth cm (in) | Height cm (in) | Condenser | Ice machine location | Approx. ship wt kg (lb) | List price |
|--|---------------|------------------|------------------|-------------------|------------|----------------------|----------------------------|------------|
| E12 series with SensorSAFE infrared dispensing | | | | | | | | |
| E12CI425A-S | Countertop | 41.9 (16.12) | 59.7 (23.50) | 82.6 (32.50) | air-cooled | integral | 91 (199) | € 6,559 |

¹ Production data at 21 C air / 10 C water for Symphony Plus series. Available accessories are listed on page 18.

Symphony Plus ice-only dispensers – E12 series

Countertop ice dispensers with 5 kg (12 lb) of storage. Ice-only; no water. Integral ice machine produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Standard electrical configuration 230/50/1. SensorSAFE infrared dispensing.

For additional product information, request form# 6940.



Countertop with integral ice machine

| Item number | Configuration | Width cm (in) | Depth cm (in) | Height cm (in) | Condenser | Ice machine location | Approx. ship wt kg (lb) | List price |
|----------------|---------------|------------------|------------------|-------------------|------------|----------------------|----------------------------|------------|
| E12 series ic | e-only with | SensorSA | FE infrare | d dispensi | ng | | | |
| E12CI425A-SI | Countertop | 40.9 (16.12) | 59.7 (23.50) | 82.6 (32.50) | air-cooled | integral | 91 (199) | € 6,559 |

¹ Production data at 21 C air / 10 C water for Symphony Plus series. Available accessories are listed on page 18.

Symphony Plus ice and water dispensers with removable ice machine – E25 and E50 series

Countertop ice and water dispensers with 11.3 kg (25 lb) or 22.7 kg (50 lb) of storage. Removable icemaking module produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. Standard electrical configuration 230/50/1. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 7090.



Countertop with removable ice machine behind splash panel

| ltem number | Configuration | Width cm (in) | Depth cm (in) | Height cm (in) | Condenser | Ice machine location | Approx. ship wt kg (lb) | List price |
|----------------|---------------|------------------|------------------|-------------------|------------|----------------------|----------------------------|------------|
| E25 series | with Sensors | SAFE infrai | ed disper | nsing | | | | |
| E25CI425A-S | Countertop | 53.3 (21.00) | 61.0 (24.00) | 91.4 (36.00) | air-cooled | behind splash panel | 99 (219) | € 9,257 |
| E25 series | with lever di | spensing | | | | | | |
| E25CI425A-L | Countertop | 53.3 (21.00) | 61.0 (24.00) | 91.4 (36.00) | air-cooled | behind splash panel | 99 (219) | € 9,257 |
| E50 series | with Sensors | SAFE infrai | red disper | nsing | | | | |
| E50CI425A-S | Countertop | 53.3 (21.00) | 61.0 (24.00) | 101.6 (40.00) | air-cooled | behind splash panel | 99 (219) | € 9,914 |
| E50 series | with lever di | spensing | | | | | | |
| E50CI425A-L | Countertop | 53.3 (21.00) | 61.0 (24.00) | 101.6 (40.00) | air-cooled | behind splash panel | 99 (219) | € 9,914 |

¹ Production data at 21 C air / 10 C water for Symphony series. Available accessories are listed on page 18.

Symphony Plus ice-only dispensers – E25 and E50 series

Countertop dispensers with 11.3 kg (25 lb) or 22.7 kg (50 lb) of storage. Removable icemaking module produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. Standard electrical configuration 230/50/1. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 7090.




Countertop with integral ice machine

| Item number | Configuration | Width cm (in) | Depth cm (in) | Height cm (in) | Condenser | Ice machine location | Approx. ship wt kg (lb) | List price |
|----------------|---|------------------|------------------|-------------------|------------|----------------------|----------------------------|------------|
| E25 series | ice-only wit | h SensorS | AFE infrar | ed dispens | sing | | | |
| E25Cl425A-Sl | Countertop | 53.3 (21.00) | 61.0 (24.00) | 91.4 (36.00) | air-cooled | behind splash panel | 99 (219) | € 9,257 |
| E25 series | ice-only wit | h lever dis | pensing | | | | | |
| E25CI425A-LI | Countertop | 53.3 (21.00) | 61.0 (24.00) | 91.4 (36.00) | air-cooled | behind splash panel | 99 (219) | € 9,257 |
| E50 series | ice-only wit | h SensorS | AFE infrar | ed dispens | sing | | | |
| E50Cl425A-Sl | Countertop | 53.3 (21.00) | 61.0 (24.00) | 101.6 (40.00) | air-cooled | behind splash panel | 99 (219) | € 9,914 |
| E50 series | E50 series ice-only with lever dispensing | | | | | | | |
| E50CI425A-LI | Countertop | 53.3 (21.00) | 61.0 (24.00) | 101.6 (40.00) | air-cooled | behind splash panel | 99 (219) | € 9,914 |
| | lata at 21 C air / essories are listec | | r Symphony s | eries. | | | | |

Symphony Plus base stand options

Stainless steel base stand transforms Follett® countertop dispensers into freestanding dispensers. All bases include stainless steel exterior, and stainless legs with 15.24 cm (6.00") adjustable flanged feet. Available with or without factory installed water filter system.

For additional product information, request form# 7010.





12 Series

25 and 50 Series

| Item number | Description | List price |
|----------------|---|------------|
| 12BASE-00 | Base for 12CI Series, 44.4 cm (17.50") W x 55.9 cm (22.00") D x 83.8 cm (33.00") H, ship wt 36 kg (80 lb) | € 1,015 |
| 12BASE-CF | 12BASE with standard capacity carbon filter system (00130229) installed | € 1,688 |
| 12BASE-HC | 12BASE with high capacity carbon filter system (00978957) installed | € 1,821 |
| 12BASE-CL | 12BASE with carbonless high capacity filter system (01050442) installed | € 1,729 |
| 25AND50BASE-00 | Base for 25CI and 50CI series, 57.8 cm (22.75") W x 61.9 cm (24.38") D x 83.8 cm (33.00") H, ship wt 50 kg (110 lb) | € 1,061 |
| 25AND50BASE-CF | 25AND50BASE with standard capacity carbon filter system (00130229) installed | € 1,729 |
| 25AND50BASE-HC | 25AND50BASE with high capacity carbon filter system (00978957) installed | € 1,867 |
| 25AND50BASE-CL | 25AND50BASE with carbonless high capacity filter system (01050442) installed | € 1,780 |

Water treatment accessories for Symphony Plus ice and water dispensers

| Item number | Description | List price |
|--------------------------|--|------------|
| Standard capacity filte | r system | |
| 00130229 | Water filter system (one per ice machine) | € 592 |
| 00130245 | Water filter cartridge – primary, single | € 128 |
| 00954297 | Water filter cartridge – primary, carton of 6 | € 622 |
| 00130211 | Water pre-filter cartridge – pre-filter, single | € 20 |
| 00954305 | Water pre-filter cartridge – pre-filter, carton of 12 | € 204 |
| High capacity filter sys | tem | |
| 00978957 | High capacity water filter system (one per ice machine) | € 719 |
| 00978965 | High capacity water filter cartridge – primary, single | € 230 |
| 00978973 | High capacity water filter cartridge – primary, carton of 6 | € 1,234 |
| 00130211 | Water pre-filter cartridge – pre-filter, single | € 20 |
| 00954305 | Water pre-filter cartridge – pre-filter, carton of 12 | € 204 |
| Carbonless high capaci | ity filter system | |
| 01050442 | Carbonless high capacity water filter system (one per ice machine) | € 638 |
| 01050426 | Carbonless high capacity water filter cartridge – primary, single | € 148 |
| 01050434 | Carbonless high capacity water filter cartridge – primary, carton of 6 | € 740 |
| 00130211 | Water pre-filter cartridge – pre-filter, single | € 20 |
| 00954305 | Water pre-filter cartridge – pre-filter, carton of 12 | € 204 |
| Other filtration | | |
| 00986059 | Claris hardness removal filtration system | € 617 |
| 00985127 | Replacement filter for Claris system | € 362 |

Other accessories for Symphony Plus ice and water dispensers

| Item number | Description | List price |
|----------------|---|------------|
| AFR400STND | Ice machine stand for Maestro Plus 425A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30") | € 551 |
| AF10LBLEGS | 10.16 cm (4.00") leg kit for 12CI series | € 133 |
| AFCASTERKIT | Caster kit for 25FB and 50FB series only | € 316 |
| 01089572 | Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system ¹ | € 46 |
| 01089580 | Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system | € 112 |

| Item number | Description | List price |
|----------------|--|------------|
| 01147826 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles) | € 15 |
| 01149954 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles) | € 77 |
| 01149962 | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles) | € 275 |
| 01075431 | SaniSponge™, 24 pack of sanitary sponges | € 46 |

¹ Applicable Follett water filter systems include 00130229, 00978957, 01050442

Ice transport tube

- Always replace tubing with like tubing. Example: Braided with braided.
 Contact factory to confirm appropriate tubing for your specific dispenser

Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments 01151935

€83 / meter

Replacement ice machine for use in existing Follett dispensers

| ltem_ | | | | | | | | |
|--------|--------------|--------------|--------------|-----------|--------------|----------|----------|------------|
| number | cm (in) | cm (in) | cm (in) | kg (lb) | Condenser | Voltage | kg (lb) | List price |
| EP425A | 15.30 (38.9) | 19.90 (50.5) | 16.80 (42.7) | 425 (193) | air-cooled | 230/50/1 | 130 (59) | € 5,773 |
| EP425W | 15.30 (38.9) | 19.90 (50.5) | 16.80 (42.7) | 425 (193) | water-cooled | 230/50/1 | 125 (57) | € 5,773 |

Refer to matrix below for correct replacement ice machine.

Replacement ice machine ordering matrix

| Dispenser series | Replacement ice machine item number | Ice machine panel finish |
|---|--|--------------------------|
| Countertop and wall mount dispensers with | top mounted ice machines | |
| E25CT400A and E25HT400A | EP425A | no panels |
| E25CT400W and E25HT400W | EP425W | no panels |
| E50CT400A and E50HT400A | EP425A | no panels |
| F50CT400W and F50HT400W | FP425W | no panels |

| Freestanding dispensers with ice machine in base | | |
|--|--------|-----------|
| E25FB400A | EP425A | no panels |
| E25FB400W | EP425W | no panels |
| E50FB400A | EP425A | no panels |
| E50FB400W | EP425W | no panels |

Incoterms is a trademark of the International Chamber of Commerce.
HORIZON ELITE, MAESTRO PLUS, MICRO CHEWBLET, SAFECLEAN PLUS, SANISPONGE, SENSORSAFE, SYMPHONY PLUS and VISION are trademarks of Follett Products, LLC.
CHEWBLET, FOLLETT and RIDE are registered trademarks of Follett Products, LLC, registered in the US.
Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.



