


| 2021

effective January 1
revised January 12



ice machines



ice and water dispensers



ice and beverage dispensers



ice storage and transport



Contents

TERMS AND POLICIES	5
ICE MACHINES	6
Maestro Plus ice machine bins – 425 series	7
Maestro Plus flake ice machines for ice storage bins – 425 series	8
Maestro Plus Chewblet ice machines for ice storage bins – 425 series	9
Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – 425 series	9
Top kits for top mount model Maestro Plus 425 series ice machines used with countertop ice and beverage dispensers	10
Top kits for RIDE model Maestro Plus and Horizon Elite series ice machines for use with countertop ice and beverage dispensers	10
Maestro Plus Chewblet ice machines for Vision dispensers – 425 series	11
Horizon Elite Chewblet ice machines for ice storage bins – 710, 1010, 1410, 1810, 2110 series	12
Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – 710, 1010, 1410, 1810, 2110 series	14
Horizon Elite Chewblet ice machines for Vision dispensers – 710, 1010, 1410, 1810, 2110 series	16
Horizon Elite Chewblet ice machines for Cornelius® Profile™ 150 BC dispensers – 710, 1010, 1410, 1810, 2110 series	17
Horizon Elite Chewblet ice machines for drop-in beverage dispensers – 710, 1010, 1410, 1810, 2110 series	18
Horizon Elite Chewblet ice machines for marine ice and beverage dispensers – 1010, 1410 series	19
Ice Manager diverter valve system	20
Horizon Elite Chewblet ice machines for Ice Manager diverter valve – 1010, 1410, 1810, 2110 series	21
Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers	22
Top kits for Horizon Elite 710, 1010, 1410, 1810 and 2110 series ice machines for use with countertop ice and beverage dispensers	22
ICE MACHINE ACCESSORIES	24
Water treatment accessories for ice machines	24
Other accessories for ice machines	24
ICE AND WATER DISPENSERS	26
Countertop dispensers – 7 and 15 Series	27
Undercounter dispensers – 7 Series	28
Accessories for 7 and 15 Series ice and water dispensers	28
Symphony Plus ice and water dispensers – 12 series	29
Symphony Plus ice-only dispensers – 12 series	29
Symphony Plus ice and water dispensers with removable ice machine – 25 and 50 series	30
Symphony Plus ice-only dispensers – 25 and 50 series	31
Symphony Plus ice and water dispensers with removable ice machine – 110 series	32
Symphony Plus manual load ice and water dispensers – 110 series	32
Symphony Plus ice-only dispensers – 110 series	33
Symphony Plus base stand options	33
ICE AND WATER DISPENSER ACCESSORIES	34
Water treatment accessories for Symphony Plus ice and water dispensers	34
Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers	34
Other accessories for Symphony Plus ice and water dispensers	34
Replacement ice machine for use in existing Symphony and Symphony Plus dispensers	36
Replacement ice machine ordering matrix	36

ICE AND BEVERAGE DISPENSERS	37
Vision ice and beverage dispensers – VU155B series with integral ice water bath beverage cooling	38
Vision ice and chilled water dispensers – VU155N series	38
Vision ice and water dispensers for marine applications – CVU series	39
Vision ice and beverage dispensers – VU300B series with integral ice water bath beverage cooling	39
Vision ice and beverage dispensers – VU300M series dual-sided for connection to remote mechanical beverage cooling system	40
QuickCARB beverage manifold	40
ICE STORAGE, ICE TRANSPORT AND ICE HANDLING	41
Upright ice storage bins – single door and double door with SmartGATE® ice shield	42
Ice•DevIce ice storage and dispensing systems – single door with cart or bagger.	43
Ice•DevIce ice storage and dispensing systems – low-profile single door with Totes ice carrier	44
Ice•DevIce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts	44
Ice storage and transport systems (ITS)	45
Ice Pro automatic ice bagging and dispensing systems	46
Slope front bins	46
Replacement stainless steel tops for ice storage bins	47
Replacement ABS bin tops for ice storage bins	47
Flexi-Top ice bin top systems	47
Ice handling accessories	48

Terms and policies

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused
- A return authorization number has been issued by customer service within 45 days after shipment
- Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett Products, LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

Ice machines

Compact, reliable Chewblet® extruded ice and flake ice machines in a variety of sizes to meet your needs. Choose from top mount or RIDE® remote ice delivery equipment (extruded only). Follett's unique Ice Manager™ diverter valve system allows the use of ONE Horizon Elite™ (1010 and larger) with TWO storage units each up to 75 ft (22.8 m) away.

Warranty

Maestro Plus™ and Horizon Elite ice machines, Ice Manager diverter valve system

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

Note: Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.

WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the Installation, Operations and Service Manual
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.


Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

Maestro Plus ice machine bins – 425 series

Flake (UF) or Micro Chewblet™ (UM) ice machines with 75 lb (34 kg) of bin storage for undercounter or freestanding applications.

Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 6785 for UFD and UMD models or 8515 for UFC, UFE, UMC, and UME models.



Undercounter ice machine bin

Item number	Width in (cm)	Depth in (cm)	Height ² in (cm)	Production capacity lb (kg)		Condensing unit ³	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
UFC425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	208-230/60/1 ¹	194 (88)	\$9,015
UMC425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	208-230/60/1 ¹	194 (88)	\$9,015
UFD425A80	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	115/60/1	194 (88)	\$9,015
UMD425A80 [†]	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	115/60/1	194 (88)	\$9,015
UFE425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	230/50/1 ¹	194 (88)	\$9,215
UME425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	230/50/1 ¹	194 (88)	\$9,215

[†] ENERGY STAR[®] certified.

¹ Models not for use in the United States. Model ships EXW Incoterms 2010 – Wslina, Poland. A pump kit is also available for this model. Add \$545 to list price and “P” to the end of the item number. Example: UMC425A80P. Pump kit not available for 115 V models.

² 33.00" (83.8 cm) with leveling feet for undercounter use. 39.00" (99.1 cm) with bullet legs for freestanding application.

³ Condensing unit: A – SC = Air – self-contained

Ice Machine Model Number Configurations

HC C 1410 A V S					
Ice machine	Voltage	Series	Condenser	Application	Configuration
MC Maestro Plus Chewblet (425)	C 208-230/60/1 (icemaking head) <i>Self-contained only.</i>	425 up to 425 lb (193 kg)	A Air-cooled, self-contained	V Vision™	S RIDE®
MF Maestro Plus Flake (425)	D 115/60/1 (icemaking head) <i>Self-contained and remote. If remote unit, outdoor condensing unit is 208-230/60/1.</i>	710 up to 759 lb (345 kg)	W Water-cooled, self-contained	H Harmony™ (Countertop ice and beverage dispense)	(remote ice delivery equipment)
HC Horizon Elite Chewblet (710, 1010, 1410, 1810, 2110)	E 230/50/1 (icemaking head) <i>Self-contained only.</i>	1010 up to 1061 lb (482 kg)	R Air-cooled, remote condensing unit	B Ice storage bin	T Top-mount
HM Horizon Elite Micro Chewblet ² (710, 1010, 1410, 1810, 2110)	F 115/60/1 (icemaking head) <i>Self-contained and remote. If remote unit, outdoor condensing unit is 208-230/60/3.</i>	1410 up to 1466 lb (666 kg)	N Air-cooled, no condensing unit for connection to parallel rack system	J Drop-in	
		1810 up to 1784 lb (810 kg)		M Ice Manager™ diverter valve system ¹	
		2110 up to 2039 lb (926 kg)		P Cornelius Profile 150	

¹ Ice Manager diverter valve systems can be used to fill two bins or dispensers with a single ice machine.


² Micro Chewblet™ – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCC1010ABS becomes HMC1010ABS. Add \$235 to list price. Not available on Ice Manager, Marine, or Maestro Plus models.

Maestro Plus flake ice machines for ice storage bins – 425 series

Flake ice machines for mounting on ice storage bins.

Refer to page 41 of the price list for capacities and sizes of bins available.

For additional product information, request form# 7015 for MFD models or 6950 or 6955 for MFE and MFC models.



Top mount

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
MFD425ABT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$7,570
MFC425ABT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$7,570
MFE425ABT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$7,770
MFD425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$7,570
MFC425WBT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$7,570
MFE425WBT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$7,770

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

² Models not for use in the United States.

Maestro Plus Chewblet ice machines for ice storage bins – 425 series

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube. Factory approval required for lengths over 20' (6.1 m).

Refer to page 41 of the price list for capacities and sizes of bins available.

For additional product information, request form# 7015 or 6695 for MCD models or 6945, 6950 or 6955 for MCE and MCC models.



Top mount



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
425 series top mount ice machines									
MCD425ABT [†]	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$7,570
MCC425ABT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$7,570
MCE425ABT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$7,770
MCD425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$7,570
MCC425WBT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$7,570
MCE425WBT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$7,770

425 series RIDE ice machines

MCD425ABS [†]	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$8,370
MCC425ABS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$8,370
MCE425ABS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$8,570
MCD425WBS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$8,370
MCC425WBS ²	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$8,370
MCE425WBS ²	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$8,570

[†] ENERGY STAR[®] certified.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

² Models not for use in the United States.


Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – 425 series

Top mount ice machine **requires stainless steel top kit**, sold separately. See top kit charts on page 10 for top kit numbers.

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube and universal RIDE model adapter kit (item# 01054444). Factory approval required for ice transport tube lengths over 20' (6.1 m). See page 10 for approved dispensers.

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 7015 or 6695 for MCD models or 6945, 6950 or 6955 for MCE and MCC models.



Top mount



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
425 series top mount ice machines									
MCD425AHT †	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$7,570
MCC425AHT ²	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$7,570
MCE425AHT ²	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$7,770
MCD425WHT	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$7,570
425 series RIDE ice machines									
MCD425AHS †	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$8,370
MCC425AHS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$8,370
MCE425AHS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$8,570
MCD425WHS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$8,370

[†] ENERGY STAR[®] certified.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

² Models not for use in the United States.

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,4} / 7100 ^{3,4} / 9000 ⁴ / 9100 ⁴	Lancer 4500-22N	Servend MD175
Cornelius DB/DF/ED150BC Series	Lancer 4500-30N	Servend MD200
Cornelius DB/DF/ED175BC Series	Lancer FS-16N	Servend MD250
Cornelius DB/DF/ED200BC Series	Lancer FS-22N	Servend MDH302
Cornelius DB/DF/ED250BC Series	Lancer FS-30N	Servend MDH402
Cornelius DB/DF/ED300BC Series	Lancer FS-44N	Servend SV175
Cornelius IDC215/255 and Pro Fast Gate	Lancer Sensation and TouchPoint	Servend SV200
Cornelius IDC Pro	Pepsi Spire 3.0 ⁵ / 5.0 ⁵ / 4.1 ⁵	Servend SV250
Cornelius Flavor Fusion/Overload	Servend MD150	

Top kits for top mount model Maestro Plus 425 series ice machines used with countertop ice and beverage dispensers

Top kit accessory item number	Ice machine model	Dispenser	Dispenser model number	Dispenser series width	List price	Specification sheet form number
Maestro Plus top mount applications¹						
MTF24SCP ^{4,6}	MCD425AHT	Coca-Cola	Freestyle 9000	24"	\$690	7015
MTF26SCP ⁴	MCD425AHT	Coca-Cola	Freestyle 9100	26"	\$685	7015
MTF30SCP ^{4,7}	MCD425AHT	Coca-Cola	Freestyle 7000	30"	\$830	7015
MTF30SCP ^{4,8}	MCD425AHT	Coca-Cola	Freestyle 7100	30"	\$830	7015
MTC22SCP	MCD425AHT	Cornelius	DB/DF/ED150BC	22"	\$675	7015
MTC24SCP	MCD425AHT	Cornelius	DB/DF/ED175BC	24"	\$690	7015
MTC30SCP	MCD425AHT	Cornelius	DB/DF/ED200BC	30"	\$830	7015
MTL22SCP	MCD425AHT	Lancer	FS-22N/4500-22N	22"	\$675	7015
MTL30SCP	MCD425AHT	Lancer	4500-30N	30"	\$830	7015
MTL30SCP-STP	MCD425AHT	Lancer	30" Sensation/TouchPoint	30"	\$830	7015
MTL44SCP	MCD425AHT	Lancer	44" Sensation	44"	\$830	7015
MTP24SCP	MCD425AHT	Pepsi	Spire 3.0	24"	\$685	7015
MTP30SCP	MCD425AHT	Pepsi	Spire 5.0 / 4.1	30"	\$830	7015

Top kits for RIDE model Maestro Plus and Horizon Elite series ice machines for use with countertop ice and beverage dispensers

Top kit accessory	Ice machine model	Dispenser	Dispenser model number	Dispenser series width	List price
Required Maestro Plus 425 series RIDE model stainless steel adapter kits¹					
MSF30SC ^{2,4}	Available for all models that end in HS.	Coca-Cola	Freestyle 7000	30"	\$405
MSF26SC ⁴		Coca-Cola	Freestyle 9100	26"	\$385
MSP24SC ⁵	Example: MCD425AHS	Pepsi	Spire 3.0	24"	\$385
MSP30SC ⁵		Pepsi	Spire 5.0 / 4.1	30"	\$405

Optional Maestro Plus and Horizon Elite series RIDE model stainless steel adapter kits¹

MSC22SC	Available for all models that end in HS.	Cornelius	DB/DF/ED150BC	22"	\$1,570
MSC24SC		Cornelius	DB/DF/ED175BC	24"	\$1,640
MSC30SC		Cornelius	DB/DF/ED200BC	30"	\$1,715
MSC30SC	Example: MCD425AHS MCE425AHS HCC1010AHS	Cornelius	DB/DF/ED250BC	30"	\$1,715
MSC44SC		Cornelius	DB/DF/ED300BC	44"	\$1,750
MSL22SC		Lancer	FS-22N	22"	\$1,570
MSL30SC		Lancer	4500-30N	30"	\$1,715
MSL30SC		Lancer	FS-30N	30"	\$1,715

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. Approved dispensers for top mount ice machine applications are listed above.

² Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

³ Top kit MSF30SC required with Coca-Cola Freestyle 7100. Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁴ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁵ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

⁶ Adapter must also be ordered from Coca-Cola. IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

⁷ Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁸ Top adapter IC Code 46753 and ice kit IC Code 46430 must also be ordered from Coca-Cola.


Maestro Plus Chewblet ice machines for Vision dispensers – 425 series

10' (3 m) insulated ice transport tube comes with each Vision dispenser, not with the ice machine.

Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Factory approval required for lengths over 20' (6.1 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine.

Maximum of two ice machines per Vision dispenser.

For additional product information, request form# 6695 for MCD models or 6945 for MCE and MCC models.



RIDE model - Vision

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
425 series RIDE ice machines									
MCD425AVS [†]	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$8,370
MCC425AVS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$8,370
MCE425AVS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$8,570
MCD425WVS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$8,370
MCC425WVS ²	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$8,370
MCE425WVS ²	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$8,570

[†] ENERGY STAR[®] certified.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

² Models not for use in the United States.

Horizon Elite Chewblet ice machines for ice storage bins – 710, 1010, 1410, 1810, 2110 series

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710ABT becomes HMD710ABT. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.

Refer to page 41 of the price list for capacities and sizes of bins available.



Top mount



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series top mount ice machines									
HCD710ABT [†]	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$10,370
HCE710ABT	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	230/50/1	190 (87)	\$10,570
710 series RIDE ice machines									
HCD710ABS [†]	22.70 (57.7)	24.50(62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$11,170
HCE710ABS	22.70 (57.7)	24.50(62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	230/50/1	190 (87)	\$11,370
1010 series top mount ice machines									
HCC1010ABT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$13,185
HCC1010WBT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$13,185
HCD1010RBT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	407 (185)	\$15,285
HCD1010NBT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$12,125
HCE1010ABT ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$13,385
HCE1010WBT ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$13,385
HCF1010RBT [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$15,650
1010 series RIDE ice machines									
HCC1010ABS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$13,985
HCC1010WBS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$13,985
HCD1010RBS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	407 (185)	\$16,085
HCD1010NBS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (89)	\$12,925
HCE1010ABS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$14,185
HCE1010WBS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$14,185
HCF1010RBS [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$16,450
1410 series top mount ice machines									
HCC1410ABT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$16,460
HCC1410WBT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$16,460
HCD1410RBT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	439 (199)	\$18,560
HCD1410NBT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$15,400
HCE1410ABT ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$16,660
HCE1410WBT ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$16,660
HCF1410RBT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	435 (197)	\$18,925

[†] ENERGY STAR[®] certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
1410 series RIDE ice machines									
HCC1410ABS	29.62 (75.2)	25.15 (63.9)	23.50 (59.7)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$17,260
HCC1410WBS	29.62 (75.2)	25.15 (63.9)	23.50 (59.7)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$17,260
HCD1410RBS	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	439 (199)	\$19,360
HCD1410NBS	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$16,200
HCE1410ABS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$17,460
HCE1410WBS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$17,460
HCF1410RBS	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	435 (197)	\$19,725
1810 series top mount ice machines									
HCD1810RBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$23,180
HCD1810NBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$20,020
HCF1810RBT [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$23,545
1810 series RIDE ice machines									
HCD1810RBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$23,980
HCD1810NBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$20,820
HCF1810RBS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$24,345
2110 series top mount ice machines									
HCD2110RBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$24,670
HCD2110NBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$21,510
HCF2110RBT [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$25,035
2110 series RIDE ice machines									
HCD2110RBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$25,470
HCD2110NBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$22,310
HCF2110RBS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$25,835

† ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – 710, 1010, 1410, 1810, 2110 series

Top mount ice machine **requires stainless steel top kit**, sold separately. See top kit charts on page 22 for top kit numbers.


For RIDE model ice machine that automatically fills countertop ice and beverage dispensers, **no stainless steel top required**^{*}. All parts required for installation are included with the ice machine. Refer to specification sheet, for approved applications. See below list for specific model. See page 22 for approved dispensers.

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710AHT becomes HMD710AHT. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.



Top mount

RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)**		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series top mount ice machines									
HCD710AHT [†]	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$10,370
HCE710AHT	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	230/50/1	190 (87)	\$10,570
710 series RIDE ice machines									
HCD710AHS [†]	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$11,170
HCE710AHS	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	230/50/1	190 (87)	\$11,370
1010 series top mount ice machines									
HCC1010AHT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$13,185
HCC1010WHT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$13,185
HCD1010RHT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	407 (185)	\$15,285
HCD1010NHT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$12,125
HCE1010AHT ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$13,385
HCE1010WHT ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$13,385
HCF1010RHT [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$15,650
1010 series RIDE ice machines									
HCC1010AHS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$13,985
HCC1010WHS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$13,985
HCD1010RHS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	407 (185)	\$16,085
HCD1010NHS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (89)	\$12,925
HCE1010AHS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$14,185
HCE1010WHS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$14,185
HCF1010RHS [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$16,450

[†] ENERGY STAR[®] certified.

^{*} Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 22.

^{**} For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)**		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
1410 series top mount ice machines									
HCC1410AHT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$16,460
HCC1410WHT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$16,460
HCD1410RHT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	439 (199)	\$18,560
HCD1410NHT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$15,400
HCE1410AHT ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$16,660
HCE1410WHT ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$16,660
HCF1410RHT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	435 (197)	\$18,925
1410 series RIDE ice machines									
HCC1410AHS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$17,260
HCC1410WHS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$17,260
HCD1410RHS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	439 (199)	\$19,360
HCD1410NHS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$16,200
HCE1410AHS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$17,460
HCE1410WHS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$17,460
HCF1410RHS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	435 (197)	\$19,725
1810 series top mount ice machines									
HCD1810RHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$23,180
HCD1810NHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$20,020
HCF1810RHT [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$23,545
1810 series RIDE ice machines									
HCD1810RHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$23,980
HCD1810NHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$20,820
HCF1810RHS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$24,345
2110 series top mount ice machines									
HCD2110RHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$24,670
HCD2110NHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$21,510
HCF2110RHT [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$25,035
2110 series RIDE ice machines									
HCD2110RHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$25,470
HCD2110NHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$22,310
HCF2110RHS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$25,835

[†] ENERGY STAR[®] certified.

* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 22.

** For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Horizon Elite Chewblet ice machines for Vision dispensers – 710, 1010, 1410, 1810, 2110 series


10' (3 m) insulated ice transport tube comes with each Vision dispenser, not with the ice machine.

Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Maximum run length of ice transport tube is 75' (22.8 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine. For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

Maximum of two ice machines per Vision dispenser.

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710AVS becomes HMD710AVS. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series RIDE ice machines									
HCD710AVS †	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$11,170
HCE710AVS	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	230/50/1	190 (87)	\$11,370
1010 series RIDE ice machines									
HCC1010AVS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$13,985
HCC1010WVS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$13,985
HCD1010RVS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	407 (185)	\$16,085
HCD1010NVS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$12,925
HCE1010AVS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$14,185
HCE1010WVS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$14,185
HCF1010RVS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$16,450
1410 series RIDE ice machines									
HCC1410AVS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$17,260
HCC1410WVS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$17,260
HCD1410RVS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	439 (199)	\$19,360
HCD1410NVS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (95)	\$16,200
HCF1410RVS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	435 (197)	\$19,725
1810 series RIDE ice machines									
HCD1810RVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$23,980
HCD1810NVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$20,820
HCF1810RVS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$24,345
2110 series RIDE ice machines									
HCD2110RVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$25,470
HCD2110NVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$22,310
HCF2110RVS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$25,835

† ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.


⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

Horizon Elite Chewblet ice machines for Cornelius® Profile™ 150 BC dispensers – 710, 1010, 1410, 1810, 2110 series

10' (3 m) insulated ice transport tube comes with each ice machine. Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Maximum run length of ice transport tube is 75' (22.8 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine. For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

Micro Chewblet ice - Not available for use with Cornelius Profile dispensers.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series RIDE ice machines									
HCD710APS †	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$11,170
1010 series RIDE ice machines									
HCC1010APS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$13,985
HCC1010WPS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$13,985
HCD1010RPS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	407 (185)	\$16,085
HCD1010NPS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$12,925
HCF1010RPS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$16,450
1410 series RIDE ice machines									
HCC1410APS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$17,260
HCC1410WPS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$17,260
HCD1410RPS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	439 (199)	\$19,360
HCD1410NPS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (95)	\$16,200
HCF1410RPS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	435 (197)	\$19,725
1810 series RIDE ice machines									
HCD1810RPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$23,980
HCD1810NPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$20,820
HCF1810RPS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$24,345
2110 series RIDE ice machines									
HCD2110RPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$25,470
HCD2110NPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$22,310
HCF2110RPS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$25,835

† ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.


⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

Horizon Elite Chewblet ice machines for drop-in beverage dispensers – 710, 1010, 1410, 1810, 2110 series

Standard equipment includes 10' (3 m) insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710AJS becomes HMD710AJS. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.



1010/1410 RIDE model - drop-in

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series RIDE ice machines									
HCD710AJS [†]	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$11,170
HCE710AJS	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	230/50/1	190 (87)	\$11,370
1010 series RIDE ice machines									
HCC1010AJS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$13,985
HCC1010WJS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$13,985
HCD1010RJS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	407 (185)	\$16,085
HCD1010NJS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$12,925
HCE1010AJS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$14,185
HCE1010WJS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$14,185
HCF1010RJS [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$16,450
1410 series RIDE ice machines									
HCC1410AJS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$17,260
HCC1410WJS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$17,260
HCD1410RJS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	439 (199)	\$19,360
HCD1410NJS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$16,200
HCE1410AJS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$17,460
HCE1410WJS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$17,460
HCF1410RJS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	435 (197)	\$19,725
1810 series RIDE ice machines									
HCD1810RJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$23,980
HCD1810NJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$20,820
HCF1810RJS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$24,345
2110 series RIDE ice machines									
HCD2110RJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$25,470
HCD2110NJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$22,310
HCF2110RJS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$25,835

[†] ENERGY STAR[®] certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Horizon Elite Chewblet ice machines for marine ice and beverage dispensers – 1010, 1410 series

Designed to address United States Public Health Service (USPHS) principles for marine/shipboard use.

No stainless steel top required* for ice and beverage dispenser. All parts required for installation are included with the ice machine. For approved applications, refer to specification sheet form# 7045. See page 22 for approved dispensers.

Standard equipment includes 10' (3 m) insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).


All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 7030.

Note: Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.



RIDE model -
countertop ice and
beverage dispensers



RIDE model -
Vision undercounter
dispensers

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg) **		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
1010 series RIDE ice machines (marine applications) for countertop ice and beverage dispensers									
HCC1010WHM	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC	208-230/60/1	275 (124)	\$15,500
1010 series RIDE ice machines (marine applications) for Vision dispensers									
HCC1010WVM	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC	208-230/60/1	275 (124)	\$15,500
1410 series RIDE ice machines (marine applications) for countertop ice and beverage dispensers									
HCC1410WHM	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC	208-230/60/1	305 (138)	\$19,275
1410 series RIDE ice machines (marine applications) for Vision dispensers									
HCC1410WVM	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC	208-230/60/1	305 (138)	\$19,275

* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 22.

** For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: W – SC = Water – self-contained

Ice Manager diverter valve system

For use with Horizon Elite Chewblet ice machines for automatically filling two dispensers or bins.

Standard equipment includes:

- Diverter valve
- Control panel
- Lane 1 – 10' - 75' (3 m - 22.8 m) insulated transport tube, sensor cable and connection kit for customer specified application
- Lane 2 – 10' - 75' (3 m - 22.8 m) insulated transport tube, sensor cable and connection kit for customer specified application

Note: Maximum length of tubing for each lane is 75' (22.8 m).

For assistance in selecting proper equipment, refer to site survey form# 3635.


Refer to Ice Manager diverter valve system spec sheet form# 3265 for product specifications and approved bins and dispensers.

Item number	Voltage	Approx. ship wt lb (kg)	List price ¹
IMDV2	115/60/1	120 (55)	\$4,960

¹ List price is for base Ice Manager diverter valve system with 10 ft (3 m) of insulated tubing and sensor cable for each lane. For configured list price, add \$42 per ft of additional tubing and sensor cable required. Additional tubing/sensor cable must be specified in 5' (1.6 m) increments.

Follett installation is available - contact factory.

Retrofit kits are available to connect IMDV2 to existing Horizon series ice machines – see form# 3265 for appropriate kit. Contact factory for pricing.



Top kit adapters for select ice and beverage dispensers¹

Item number	Dispenser manufacturer	Dispenser model number ¹	List price
DVF30 ²	Coca-Cola ³	Freestyle 7000	\$405
DVF26	Coca-Cola ³	Freestyle 9100	\$405
DVP24 ⁴	Pepsi	Spire 3.0	\$405
DVP30 ⁴	Pepsi	Spire 5.0 / 4.1	\$405

¹ All ice and beverage dispensers utilize existing top except for Coca-Cola Freestyle 7000 and 9100 and Pepsi Spire 3.0 and 5.0, which require a top kit adapter.

² Top kit DVF30 required with Coca-Cola Freestyle 7000 and also requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.


⁴ IMDV application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires DVP22C for 3.0 and DVP30 for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

Horizon Elite Chewblet ice machines for Ice Manager diverter valve – 1010, 1410, 1810, 2110 series

Standard equipment includes 10' (3 m) insulated ice transport tube to connect ice machine with Ice Manager diverter valve module. Additional tubing/sensor cable to connect diverter valve to receptacle should be ordered with Ice Manager (see page 20).

Micro Chewblet ice – Not available on Ice Manager applications.

For additional product information, request form# 7030 for 1010 and 1410 series self-contained, 7035 for 1010 and 1410 series remote, or 8180 for 1810 and 2110 remote.



Horizon Elite ice machine for use with Ice Manager diverter valve

				Production capacity lb (kg) *		Ice Manager diverter valve			
Item number	Width in (cm)	Depth in (cm)	Height in (cm)	90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)	Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
1010, 1410, 1810, 2110 series RIDE ice machines									
HCC1010AMS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$13,985
HCC1010WMS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$13,985
HCD1010RMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	407 (185)	\$16,085
HCD1010NMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$12,925
HCF1010RMS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$16,450
HCC1410AMS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$17,260
HCC1410WMS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$17,260
HCD1410RMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	439 (199)	\$19,360
HCD1410NMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$16,200
HCF1410RMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	435 (197)	\$19,725
HCD1810RMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$23,980
HCD1810NMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$20,820
HCF1810RMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$24,345
HCD2110RMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$25,470
HCD2110NMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	165 (79)	\$22,310
HCF2110RMS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$25,835

[†] ENERGY STAR[®] certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,4} / 7100 ^{2,3} / 9000 ⁴ / 9100 ⁴	Follett Symphony Plus™ 110CM	Pepsi Spire 3.0 ⁵ / 5.0 ⁵ / 4.1 ⁵	Servend SV250
Cornelius DB/DF/ED150BC Series	Lancer 4500-22N	Servend MD150	
Cornelius DB/DF/ED175BC Series	Lancer 4500-30N	Servend MD175	
Cornelius DB/DF/ED200BC Series	Lancer FS-16N	Servend MD200	
Cornelius DB/DF/ED250BC Series	Lancer FS-22N	Servend MD250	
Cornelius DB/DF/ED300BC Series	Lancer FS-30N	Servend MDH302	
Cornelius IDC215/255 and Pro Fast Gate	Lancer FS-44N	Servend MDH402	
Cornelius IDC Pro	Lancer Sensation/TouchPoint	Servend SV175	
Cornelius Flavor Fusion/Overload	Lancer Bevariety	Servend SV200	

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

³ Top kit MSF30SC required with Coca-Cola Freestyle 7100. Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁴ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁵ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers

Top kit accessory item number	Ice machine model	Dispenser	Dispenser model number	Dispenser series width	List price
Required Horizon Elite RIDE model stainless steel adapter kits¹					
HSF30SC ^{2,3}	Available for all models that end in HS.	Coca-Cola	Freestyle 7000	30"	\$405
HSF26SC ³		Coca-Cola	Freestyle 9100	26"	\$405
MSP24SC ⁴	Example: HCC1010AHS	Pepsi	Spire 3.0	24"	\$385
MSP30SC ⁴		Pepsi	Spire 5.0 / 4.1	30"	\$405

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Top kit HSF30SC required with Coca-Cola Freestyle 7000. Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

Top kits for Horizon Elite 710, 1010, 1410, 1810 and 2110 series ice machines for use with countertop ice and beverage dispensers

Top kit accessory item number	Ice machine model	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back ¹	List price	Specification sheet form number
Self-contained 1010 and 1410 series top mount applications – 22 - 60 inch dispensers²							
H30F30-F ^{3,5}	1010/1410A/W	Coca-Cola	Freestyle 7000	30"	F only	\$830	7030
H30F30-F ^{3,6}	1010/1410A/W	Coca-Cola	Freestyle 7100	30"	F only	\$830	7030
H30C30-F	1010/1410A/W	Cornelius	DB/DF/ED200 series	30"	F only	\$830	7030
H30C30-F	1010/1410A/W	Cornelius	DB/DF/ED250 series	30"	F only	\$830	7030
H30C30-F-FF	1010/1410A/W	Cornelius	Flavor Fusion/Overload	30"	F only	\$1,100	7030
H30C30-F-IDC ⁷	1010/1410A/W	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	\$1,100	7030
H30C44- _	1010/1410A/W	Cornelius	DB/DF/ED300 series	44"	F or B	\$955	7030
H30L30-F	1010/1410A/W	Lancer	4500-30N	30"	F only	\$830	7030
H30L30-F	1010/1410A/W	Lancer	FS-30N	30"	F only	\$830	7030
H30L30-F-STP	1010/1410A/W	Lancer	Bevariety	30"	F only	\$830	7030
H30L30-F-STP	1010/1410A/W	Lancer	30" Sensation/Touchpoint	30"	F only	\$830	7030
H30L44-F-STP	1010/1410A/W	Lancer	44" Sensation	44"	F only	\$830	7030
H30P30-F	1010/1410A/W	Pepsi	Spire 5.0 / 4.1	30"	F only	\$830	7030
H30S44- _	1010/1410A/W	Servend	MDH-302	44"	F or B	\$955	7030

Self-contained 710 and remote 1010, 1410, 1810, 2110 series top mount applications – 22 - 60 inch dispensers²

H22F24-F ^{3,4}	710A/1010/1410/1810/2110R/N	Coca-Cola	Freestyle 9000	24"	F only	\$685	8225/7035/8180
H22F26-F ³	710A/1010/1410/1810/2110R/N	Coca-Cola	Freestyle 9100	26"	F only	\$685	8225/7035/8180
H22F30-F ^{3,5}	710A/1010/1410/1810/2110R/N	Coca-Cola	Freestyle 7000	30"	F only	\$830	8225/7035/8180
H22F30-F ^{3,7}	710A/1010/1410/1810/2110R/N	Coca-Cola	Freestyle 7100	30"	F only	\$830	8225/7035/8180
H22C22-F	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED150 series	22"	F only	\$670	8225/7035/8180
H22C24-F	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED175 series	24.5"	F only	\$685	8225/7035/8180

Top kit accessory item number	Ice machine model	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back ¹	List price	Specification sheet form number
H22C30-F	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED200 series	30"	F only	\$830	8225/7035/8180
H22C30-F	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED250 series	30"	F only	\$830	8225/7035/8180
H22C30-F-FF	710A/1010/1410/1810/2110R/N	Cornelius	Flavor Fusion/Overload	30"	F only	\$1,095	8225/7035/8180
H22C30-F-IDC ⁸	710A/1010/1410/1810/2110R/N	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	\$1,095	8225/7035/8180
H22C44- _	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED300 series	44"	F or B	\$955	8225/7035/8180
H22L22-F	710A/1010/1410/1810/2110R/N	Lancer	FS-22N	22"	F only	\$670	8225/7035/8180
H22L30-F	710A/1010/1410/1810/2110R/N	Lancer	4500-30N	30"	F only	\$830	8225/7035/8180
H22L30-F	710A/1010/1410/1810/2110R/N	Lancer	FS-30N	30"	F only	\$830	8225/7035/8180
H22L30-F-STP	710A/1010/1410/1810/2110R/N	Lancer	Bevariety	30"	F only	\$830	8225/7035/8180
H22L30-F-STP	710A/1010/1410/1810/2110R/N	Lancer	30" Sensation/Touchpoint	30"	F only	\$830	8225/7035/8180
H22L44-F-STP	710A/1010/1410/1810/2110R/N	Lancer	44" Sensation	44"	F only	\$830	8225/7035/8180
H22P24-F ⁹	710A/1010/1410/1810/2110R/N	Pepsi	Spire 3.0	24"	F only	\$685	8225/7035/8180
H22P30-F ⁹	710A/1010/1410/1810/2110R/N	Pepsi	Spire 5.0 / 4.1	30"	F only	\$830	8225/7035/8180
H22S44- _	710A/1010/1410/1810/2110R/N	Servend	MDH-302	44"	F or B	\$955	8225/7035/8180
H22S60- _	710A/1010/1410/1810/2110R/N	Servend	MDH-402	60"	DF, DB	\$1,145	8225/7035/8180
H22S60- _	710A/1010/1410/1810/2110R/N	Servend	MDH-402	60"	RF, LF, RB, LB	\$830	8225/7035/8180

¹ Installation orientations available:

DF – 2 front facing Horizon Elite ice machines

LF – 1 Horizon Elite ice machine - left side - front facing

RB – 1 Horizon Elite ice machine - right side - back facing

RF – 1 Horizon Elite ice machine - right side - front facing

DB – 2 back facing Horizon Elite ice machines

LB – 1 Horizon Elite ice machine - left side - back facing

Note: For any other installation orientations, contact factory.

² All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ Adapter must also be ordered from Coca-Cola. IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

⁵ Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁶ Top adapter IC Code 46753 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁷ Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁸ Contact factory regarding IDC Pro.

⁹ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

Ice machine accessories

Water treatment accessories for ice machines

Item number	Description	Net price
Carbonless high capacity filter system		
01050442	Carbonless high capacity water filter system (one per ice machine) – Horizon Elite and Maestro Plus series ice machines	\$420
01050426	Carbonless high capacity water filter cartridge – primary, single	\$100
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	\$485
00130211	Water pre-filter cartridge – pre-filter, single	\$25
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$135
Standard capacity carbon filter system		
00130229	Water filter system (one per ice machine) – Maestro Plus series ice machines	\$395
00130245	Water filter cartridge – primary, single	\$85
00954297	Water filter cartridge – primary, carton of 6	\$410
00130211	Water pre-filter cartridge – pre-filter, single	\$25
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$135
High capacity carbon filter system		
00978957	High capacity water filter system (one per ice machine) – Horizon Elite series ice machines	\$475
00978965	High capacity water filter cartridge – primary, single	\$160
00978973	High capacity water filter cartridge – primary, carton of 6	\$810
00130211	Water pre-filter cartridge – pre-filter, single	\$25
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$135
Other filtration		
00968107	Filter cartridge, replacement 5 micron particle/carbon for Tempo and 7/15 Series	\$55
00986059	Claris hardness removal filtration system	\$410
00985127	Replacement filter for Claris system	\$245

Other accessories for ice machines

Item number	Description	Net price
01068477	Slide-out ice machine accessory for 115/60/1 air- and water-cooled ice machines (Vision and Harmony applications only) – allows air- and water-cooled RIDE model Maestro Plus 425 lb (193 kg) ice machine to slide-out without disconnecting utilities	\$485
AFWALLMTBRKT	Wall mount bracket for Maestro Plus 425A/W series RIDE model ice machines	\$170
00997098	Wall mount bracket for Horizon Elite 710A, 1010R/N, 1410R/N, 1810R/N and 2110R/N series RIDE model ice machines	\$230
01085455	Wall mount bracket for Horizon Elite 1010A/W and 1410A/W series RIDE model ice machines	\$230
00174896	Insulated polywire transport tube for installations requiring more than the standard 10' (3 m) length, purchased in 5' (1.52 m) increments	\$23 / per ft
AFR400STND	Ice machine stand for Maestro Plus 425A/W series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$360
00997080	Ice machine stand for Horizon Elite 710A, 1010R/N, 1410R/N, 1810R/N and 2110R/N series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$365
01085463	Ice machine stand for Horizon Elite 1010A/W series and 1410A/W series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$365
00193227	Line sets for connecting Horizon Elite 1010R and 1410R series ice machine evaporator units to their remote condensing units. 35 ft (11 m) line set. 3/8" liquid, 5/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$285
00977785	Line sets for connecting Horizon Elite 1810R/N and 2110R/N series ice machine evaporator units to their remote condensing units. 35 ft (11 m) line set. 3/8" liquid, 7/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$375
01262328	Line sets for connecting Horizon Elite 1010R/N and 1410R/N series ice machine evaporator units to their remote condensing units. 50 ft (15 m) line set. 5/8" liquid, 7/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$380
00939140	30' (9 m) bin signal extension cord	\$80
00939157	60' (18 m) bin signal extension cord	\$120
01116177	Kit to convert Horizon Elite 1010, 1410, 1810 and 2110 series ice machine to integrate with Ice Manager diverter valve	\$335

Item number	Description	Net price
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottle)	\$15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$55
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$185
00979674	Nu-Calgon® IMS-III sanitizer, single 16 oz bottle	\$20
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$135
00132068	SaniSponge™, 4 sanitary sponges with plunger	\$15
01075431	SaniSponge, 24 sanitary sponges	\$35
00967265	Timer to control one or two ice machines	\$925
Item number	Description	List price
Micro Chewblet ice	For smaller Chewblet ice (approx. 3/8" long), replace second character of Horizon Elite model number with "M". Example: HCC1010ABS becomes HMC1010ABS. Not available on Ice Manager or Marine models.	\$235

Ice and water dispensers

Follett offers the industry's largest selection, with more than 30 sizes and configurations to meet the needs of virtually any application. Symphony Plus™ ice and water dispensers offer 12, 25, 50 or 90 lb of storage in attractive, space-saving cabinets with customer-valued features, exceptional reliability, and after-the-sale service and support. The 7 and 15 Series ice and water dispensers are the most compact models available.

Warranty

Symphony Plus ice and water dispensers

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km) premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner

7 and 15 Series ice and water dispensers

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty.


The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS


- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual
- Dispenser is used in an application with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology)
- Dispenser is not to be used with softened water
- Premature internal filter life due to poor supply water is not covered
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.


Countertop dispensers – 7 and 15 Series



7 Series countertop



15 Series countertop



Optional base stand for 7 and 15 Series

Countertop dispensers with integral air-cooled ice machine. 7 Series models have a storage capacity of 7 lb (3.2 kg) and are designed to serve up to 50 people. 15 Series models have a storage capacity 15 lb (6.8 kg) and are designed to serve up to 75 people. All models produce up to 125 lb (56.7 kg) of Chewblet® compressed nugget ice in a 24-hour period.

For additional information request form# 3725 for 7CI models, 5045 for E7CI models, 5020 for 15CI models or 6200 for E15CI models

Note: Intended for commercial use only. Follett can't guarantee freight carrier's ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

Note: Ice and water and ice-only dispensers for use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Voltage	Approx. ship wt lb (kg)	List price
7 Series ice and water dispensers, no filter							
7CI100A-IW-NF-ST-00 [†]	Countertop ice and water, no filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	115/60/1	90 (41)	\$6,685
7 Series ice and water dispensers, internal filter							
7CI100A-IW-CF-ST-00 [†]	Countertop ice and water, internal filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	115/60/1	90 (41)	\$7,005
7 Series ice-only dispensers, no filter							
7CI100A-NW-NF-ST-00 [†]	Countertop ice-only, no filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	115/60/1	90 (41)	\$6,685
7 Series ice-only dispensers, internal filter							
7CI100A-NW-CF-ST-00 [†]	Countertop ice-only, internal filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	115/60/1	90 (41)	\$7,005
15 Series ice and water dispensers, no filter							
15CI100A-IW-NF-ST-00 [†]	Countertop ice and water, no filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	115/60/1	100 (46)	\$7,450
15 Series ice and water dispensers, internal filter							
15CI100A-IW-CF-ST-00 [†]	Countertop ice and water, internal filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	115/60/1	100 (46)	\$7,770
15 Series ice-only dispensers, no filter							
15CI100A-NW-NF-ST-00 ^{†,1}	Countertop ice-only, no filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	115/60/1	100 (46)	\$7,450
15 Series ice-only dispensers, internal filter							
15CI100A-NW-CF-ST-00 ^{†,1}	Countertop ice-only, internal filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	115/60/1	100 (46)	\$7,770

[†] ENERGY STAR® certified.

¹ Model also available in 230/50/1 electrical configurations except for sparkling water and ice dispensers. Add \$200 to list price. Use prefix "E" for 230/50. Example: E7CI100A-IW-CF-ST-00. Models not for use in the United States.

Available accessories are listed on page 28.


Undercounter dispensers – 7 Series

Undercounter dispensers with integral air-cooled ice machine. Storage capacity of 7 lb (3.2 kg) and designed to serve up to 50 people. Produces up to 125 lb (56.7 kg) of Chewblet compressed nugget ice in a 24-hour period.

For additional product information, request form# 3995 or 5050 for E7UC models.

Note: Intended for commercial use only. Follett can't guarantee freight carrier's ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

Note: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).



7 Series undercounter

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Voltage	Approx. ship wt lb (kg)	List price
7 Series ice and water dispensers, no filter							
7UC100A-IW-NF-ST-00 ¹	Undercounter ice and water, no filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	115/60/1	117 (53)	\$7,495
7UD100A-IW-NF-ST-00 ¹	Undercounter-ADA ice and water, no filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	115/60/1	117 (53)	\$7,495
7 Series ice and water dispensers, internal filter							
7UC100A-IW-CF-ST-00 ¹	Undercounter ice and water, internal filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	115/60/1	117 (53)	\$7,760
7UD100A-IW-CF-ST-00 ¹	Undercounter-ADA ice and water, internal filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	115/60/1	117 (53)	\$7,760
7 Series ice-only, no filter							
7UC100A-NW-NF-ST-00 ¹	Undercounter ice-only, no filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	115/60/1	117 (53)	\$7,495
7UD100A-NW-NF-ST-00 ¹	Undercounter-ADA ice-only, no filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	115/60/1	117 (53)	\$7,495
7 Series ice-only, internal filter							
7UC100A-NW-CF-ST-00 ¹	Undercounter ice-only, internal filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	115/60/1	117 (53)	\$7,760
7UD100A-NW-CF-ST-00 ¹	Undercounter-ADA ice-only, internal filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	115/60/1	117 (53)	\$7,760

¹ Model also available in 230/50/1 electrical configurations. Add \$200 to list price. Use prefix "E" for 230/50. Example: E7UC100A-IW-CF-ST-00. Models not for use in the United States.

Available accessories are listed on page 28.


Accessories for 7 and 15 Series ice and water dispensers

Item number	Description	Net price
01382167	Touchless SensorSAFE dispensing kit for 7 Series units before serial number E62108. Not available for undercounter, ice-only or sparkling models.	\$300
01362599	Touchless SensorSAFE dispensing kit for 7 Series units after serial number E62108. Not available for undercounter, ice-only or sparkling models.	\$210
01362607	Touchless SensorSAFE dispensing kit for 15 Series. Compatible with 15 Series units after serial number J455503. Not available for ice-only or sparkling models.	\$210
01362623	Antimicrobial shields for touchscreen, pack of 5	\$15
01363761	Antimicrobial shields for touchscreen, pack of 50	\$120
00968107	Filter cartridge, replacement 5 micron particle/carbon for 7/15 Series	\$55
00956300	4.00" (10.16 cm) legs, for countertop (CI)	\$160
00956318	6.00" (15.24 cm) legs, for freestanding (FS)	\$160
00956375	Drip tray drain kit for 7FS, 7UC, 7UD and 15FS models	\$90
00981977	Drip tray drain kit for 7CI and 15CI (includes 4.00" (10.16 cm) legs)	\$240
00979674	Nu-Calgon IMS-III sanitizer, single 16 oz bottle	\$20
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$135
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottle)	\$15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$55
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$185
01147545	Cleaning and sanitizing kit for sparkling water carbonator	\$130
00986059	Claris hardness removal filtration system	\$410
00985127	Replacement filter for Claris system	\$245
Item number	Description	List price
00956292	Base stand, to convert countertop model (CI) to freestanding (FS), stainless panels	\$790
00960732	Extended 3rd year warranty/unit	\$980


Symphony Plus ice and water dispensers – 12 series

Countertop and wall mount ice and water dispensers with 12 lb (5.4 kg) of storage. Integral ice machine produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing. Wall mount models only available with SensorSAFE infrared dispensing.

For additional information request form# 6620 for 12CI models, 6625 for 12HI models, or 6940 for E12CI and C12CI models.



Countertop with integral ice machine



Wall mount with integral ice machine (SensorSAFE dispensing only)

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
12 series with SensorSAFE infrared dispensing									
12CI425A-S ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$8,105
12HI425A-S0-00	Wall mount ²	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$10,285
12HI425A-S0-DP	Wall mount ²	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$10,595

12 series with lever dispensing

12CI425A-L ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	179 (81)	\$8,105
-------------------------	------------	--------------	--------------	--------------	------------	----------	----------	----------	---------


¹ Model also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-S or C12CI425A-S. Models not for use in the United States.

² 12HI425A-S0-DP wall mount unit configured with drain pan. 12HI425A-S0-00 wall mount unit configured without drain pan. Available accessories are listed on page 34.

Symphony Plus ice-only dispensers – 12 series

Countertop ice dispensers with 12 lb (5.4 kg) of storage. Ice-only; no water. Integral ice machine produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6620 for 12CI models or 6940 for E12CI and C12CI models.



Countertop with integral ice machine

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
12 series ice-only with SensorSAFE infrared dispensing									
12CI425A-SI ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$8,105


12 series ice-only with lever dispensing

12CI425A-LI ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$8,105
--------------------------	------------	--------------	--------------	--------------	------------	----------	----------	----------	---------


¹ Model also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-S or C12CI425A-S. Models not for use in the United States.

Available accessories are listed on page 34.


Symphony Plus ice and water dispensers with removable ice machine – 25 and 50 series



Countertop with
removable ice machine
behind splash panel



Wall mount with
removable ice machine
behind splash panel



Freestanding with
removable ice machine
in base

Countertop, freestanding and wall mount ice and water dispensers with 25 lb (11.3 kg) or 50 lb (22.7 kg) of storage. Removable icemaking module produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing. Wall mount models only available with SensorSAFE infrared dispensing.

For additional product information, request form# 6630 for 25CI and 50CI models, 6635 for 25HI and 50HI models, 6650 for 25FB and 50FB models, or 7090 for E25CI and E50CI and C25CI and C50CI models.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
25 series with SensorSAFE infrared dispensing									
25CI425A-S ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	226 (103)	\$11,180
25CI425W-S	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	226 (103)	\$11,180
25HI425A-S0-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	255 (116)	\$13,215
25HI425A-S0-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	255 (116)	\$13,790
25FB425A-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	air-cooled	base mounted	115/60/1	230 (105)	\$12,250
25FB425W-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	water-cooled	base mounted	115/60/1	230 (105)	\$12,250

25 series with lever dispensing									
25CI425A-L ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	226 (103)	\$11,180
25CI425W-L	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	226 (103)	\$11,180
25FB425A-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	air-cooled	base mounted	115/60/1	230 (105)	\$12,250
25FB425W-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	water-cooled	base mounted	115/60/1	230 (105)	\$12,250

50 series with SensorSAFE infrared dispensing									
50CI425A-S ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	226 (103)	\$11,990
50CI425W-S	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	226 (103)	\$11,990
50HI425A-S0-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	255 (116)	\$14,115
50HI425A-S0-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	255 (116)	\$14,700
50FB425A-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	air-cooled	base mounted	115/60/1	230 (105)	\$13,170
50FB425W-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	water-cooled	base mounted	115/60/1	230 (105)	\$13,170

50 series with lever dispensing									
50CI425A-L ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	226 (103)	\$11,990
50CI425W-L	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	226 (103)	\$11,990
50FB425A-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	air-cooled	base mounted	115/60/1	230 (105)	\$13,170
50FB425W-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	water-cooled	base mounted	115/60/1	230 (105)	\$13,170

¹ Model also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-S or C12CI425A-S. Models not for use in the United States.

² 25HI425A-S0-DP and 50HI425A-S0-DP wall mount units configured with drain pan. 25HI425A-S0-00 and 50HI425A-S0-00 wall mount units configured without drain pan.


³ Freestanding models include 6.00" (15.24 cm) adjustable legs.

Available accessories are listed on page 34.

Symphony Plus ice-only dispensers – 25 and 50 series

Countertop ice dispensers with 25 lb (11.3 kg) or 50 lb (22.7 kg) of storage. Integral ice machine produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6630 for 25CI and 50CI models, 6635 for 25HI and 50HI models, or 7090 for E25CI and E50CI and C25CI and C50CI models.



Countertop with
integral ice machine

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
25 series ice-only with SensorSAFE infrared dispensing									
25CI425A-SI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	226 (103)	\$11,180
25CI425W-SI	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	226 (103)	\$11,180
25HI425A-SI-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	255 (116)	\$13,215
25HI425A-SI-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	255 (116)	\$13,790
25 series ice-only with lever dispensing									
25CI425A-LI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	226 (103)	\$11,180
25CI425W-LI	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	226 (103)	\$11,180
50 series ice-only with SensorSAFE infrared dispensing									
50CI425A-SI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	226 (103)	\$11,990
50CI425W-SI	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	226 (103)	\$11,990
50HI425A-SI-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	255 (116)	\$14,115
50HI425A-SI-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	255 (116)	\$14,700
50 series ice-only with lever dispensing									
50CI425A-LI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	226 (103)	\$11,990
50CI425W-LI	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	226 (103)	\$11,990

¹ Model also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-S or C12CI425A-S. Models not for use in the United States.

² 25HI425A-SI-DP and 50HI425A-SI-DP wall mount units configured with drain pan. 25HI425A-SI-00 and 50HI425A-SI-00 wall mount units configured without drain pan
Available accessories are listed on page 34.


Symphony Plus ice and water dispensers with removable ice machine – 110 series

Countertop and freestanding ice and water dispensers with 90 lb (40.8 kg) of storage. Removable icemaking module produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6655 for 110CT models or 6670 for 110FB models.



Countertop with top mounted removable ice machine



Freestanding with removable ice machine in base

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
110 series with SensorSAFE infrared dispensing									
110CT425A-S	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	290 (132)	\$17,385
110CT425W-S	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	water-cooled	top mounted	115/60/1	290 (132)	\$17,385
110FB425A-S	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	290 (132)	\$19,165
110FB425W-S	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	water-cooled	base mounted	115/60/1	290 (132)	\$19,165
110 series with lever dispensing									
110CT425A-L	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	290 (132)	\$17,385
110CT425W-L	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	water-cooled	top mounted	115/60/1	290 (132)	\$17,385
110FB425A-L	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	290 (132)	\$19,165
110FB425W-L	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	water-cooled	base mounted	115/60/1	290 (132)	\$19,165


¹ Freestanding models include 6.00" (15.24 cm) adjustable legs.

Available accessories are listed on page 34.

Symphony Plus manual load ice and water dispensers – 110 series

Countertop manual fill ice and water dispensers with 110 lb (49.9 kg) of storage. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6660.



Countertop, manual fill

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
Manual fill 110 series with SensorSAFE infrared dispensing									
110CM-NI-S ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$5,545
Manual fill 110 series with lever dispensing									
110CM-NI-L ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$5,545

¹ Manual fill configuration, not equipped with ice machine.

Available accessories are listed on page 34.


Symphony Plus ice-only dispensers – 110 series

Countertop and freestanding ice dispensers with 90 lb (40.8 kg) of storage. Models equipped with integral ice machine produce up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station not included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing, integral ice machine or manual fill and countertop or freestanding.


For additional product information, request form# 6655 for CT models, 6660 for CM models, or 6670 for FB models.



Countertop with top mounted removable ice machine



Freestanding with removable ice machine in base



Countertop, manual fill

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
110 series ice-only with SensorSAFE infrared dispensing									
110CT425A-SI	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	290 (132)	\$17,385
110FB425A-SI	Freestanding	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	290 (132)	\$19,165
110CM-NI-SI ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$5,545

110 series ice-only with lever dispensing

110CT425A-LI	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	290 (132)	\$17,385
110FB425A-LI	Freestanding	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	290 (132)	\$19,165
110CM-NI-LI ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$5,545


¹ Manual fill configuration, not equipped with ice machine.

Available accessories are listed on page 34.


Symphony Plus base stand options

Stainless steel base stand transforms Follett® countertop dispensers into freestanding dispensers. All bases include stainless steel exterior, and stainless legs with 6.00" (15.24 cm) adjustable flanged feet. Available with or without factory installed water filter system.

For additional product information, request form# 7010.



12 Series



25, 50, 110 Series

Item number	Description	List price
12BASE-00	Base for 12 CI Series, 17.50" (44.4 cm) W x 22.00" (55.9 cm) D x 33.00" (83.8 cm) H, ship wt 80 lb (36 kg)	\$1,335
12BASE-CF	12BASE-00 with standard capacity carbon filter system (00130229) installed	\$2,150
12BASE-HC	12BASE-00 with high capacity carbon filter system (00978957) installed	\$2,310
12BASE-CL	12BASE-00 with carbonless high capacity filter system (01050442) installed	\$2,205
25AND50BASE-00	Base for 25 and 50 CI series, 22.75" (57.8 cm) W x 24.38" (61.9 cm) D x 33.00" (83.8 cm) H, ship wt 110 lb (50 kg)	\$1,395
25AND50BASE-CF	25AND50BASE-00 with standard capacity carbon filter system (00130229) installed	\$2,205
25AND50BASE-HC	25AND50BASE-00 with high capacity carbon filter system (00978957) installed	\$2,375
25AND50BASE-CL	25AND50BASE-00 with carbonless high capacity filter system (01050442) installed	\$2,265
110BASE-00	Base for 110 CT series, 26.00" (66.0 cm) W x 29.00" (73.7 cm) D x 33.00" (83.8 cm) H, ship wt 140 lb (64 kg)	\$2,235
110BASE-CF	110BASE-00 with standard capacity carbon filter system (00130229) installed	\$3,045
110BASE-HC	110BASE-00 with high capacity carbon filter system (00978957) installed	\$3,210
110BASE-CL	110BASE-00 with carbonless high capacity filter system (01050442) installed	\$3,130

Ice and water dispenser accessories

Water treatment accessories for Symphony Plus ice and water dispensers

Item number	Description	Net price
Carbonless high capacity filter system		
01050442	Carbonless high capacity water filter system (one per ice machine)	\$420
01050426	Carbonless high capacity water filter cartridge – primary, single	\$100
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	\$485
00130211	Water pre-filter cartridge – pre-filter, single	\$25
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$135
Standard capacity carbon filter system		
00130229	Water filter system (one per ice machine)	\$395
00130245	Water filter cartridge – primary, single	\$85
00954297	Water filter cartridge – primary, carton of 6	\$410
00130211	Water pre-filter cartridge – pre-filter, single	\$25
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$135
High capacity carbon filter system		
00978957	High capacity water filter system (one per ice machine)	\$475
00978965	High capacity water filter cartridge – primary, single	\$160
00978973	High capacity water filter cartridge – primary, carton of 6	\$810
00130211	Water pre-filter cartridge – pre-filter, single	\$25
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$135
Other filtration		
00986059	Claris hardness removal filtration system	\$410
00985127	Replacement filter for Claris system	\$245

Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers

Item number	Description	Net price
01089572	Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system ¹	\$35
01089580	Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system	\$80
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	\$15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$55
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$185
00979674	Nu-Calgon® IMS-III sanitizer, single 16 oz bottle	\$20
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$135
01075431	SaniSponge™, 24 sanitary sponges	\$35

¹ Applicable Follett water filter systems include 00130229, 00978957, 01050442

Other accessories for Symphony Plus ice and water dispensers

Item number	Description	Net price
01065168	Chilled water accessory package for 25 and 50 FB series – 115/60/1 models only	\$395
01063205	Chilled water accessory package for 110 CT/CM/FB series – 115/60/1 models only	\$395
01049790	Symphony Plus external drain kit - includes 10 ft (3 m) clear tubing and fitting	\$40
01068477	Slide-out ice machine accessory allows 115/60/1 air- or water-cooled RIDE model Maestro Plus 425 lb (193 kg) ice machine to slide-out without disconnecting utilities	\$485
AFCONDPUMP	Condensate pump	\$195
AFR400STND	Ice machine stand for Maestro Plus MCD/MCC/MCE425A/W – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$360
AF10LBLEGS	4.00" (10.16 cm) leg kit – for 12CI series	\$95
00188417	4.00" (10.16 cm) leg kit – for 25CI and 50CI series	\$100
AFCASTERKIT	Caster kit – for 25FB, 50FB, and 110FB series only	\$220

Item number	Description	Net price
-------------	-------------	-----------

Ice transport tube <ul style="list-style-type: none"> • Always replace tubing with like tubing. Example: Braided with braided. • Contact factory to confirm appropriate tubing for your specific dispenser 		
AFINSLTUBE	Insulated braided ice transport tube, purchased in 5' (1.52 m) increments	\$23 / per ft
00174896	Insulated polywire ice transport tube, purchased in 5' (1.52 m) increments	\$23 / per ft

Replacement ice machine for use in existing Symphony and Symphony Plus dispensers

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production per 24 hr lb (kg)	Condenser	Voltage	Ship wt lb (kg)	List price
R425A	18.84 (47.9)	20.00 (50.8)	17.00 (43.2)	425 (193)	air-cooled	115/60/1	131 (60)	\$7,660
R425W	18.84 (47.9)	22.06 (56.0)	17.00 (43.2)	425 (193)	water-cooled	115/60/1	131 (60)	\$7,660
P425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	115/60/1	130 (59)	\$7,305
CP425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	220/60/1	130 (59)	\$7,450
EP425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	230/50/1	130 (59)	\$7,450
P425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	115/60/1	125 (57)	\$7,305
CP425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	220/60/1	125 (57)	\$7,450
EP425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	230/50/1	125 (57)	\$7,450

Refer to matrix on page 36 for correct replacement ice machine.

Replacement ice machine ordering matrix

Dispenser series	Replacement ice machine item number	Ice machine panel finish
Countertop and wall mount dispensers with top mounted ice machines		
25CT400A, 25HT400A, 50CT400A, 50HT400A	P425A	no panels
25CT400W, 25HT400W, 50CT400W, 50HT400W	P425W	no panels
110CT400A	P425A	no panels
110CT425A	P425A	no panels
110CT400W	P425W	no panels
110CT425W	P425W	no panels
Countertop and wall mount dispensers with ice machine behind front splash panel		
25CI400A, 50CI400A, 25HI400A, 50HI400A	P425A	no panels
25CI400W, 50CI400W	P425W	no panels
25CI425A, 50CI425A, 25HI425A, 50HI425A	P425A	no panels
25CI425W, 50CI425W	P425W	no panels
Countertop and wall mount dispensers with RIDE model ice machines		
C25R5A, H25R5A, C50R5A, H50R5A	R425A	stainless
C25R5W, H25R5W, C50R5W, H50R5W	R425W	stainless
25CR400A, 25HR400A, 50CR400A, 50HR400A	R425A	stainless
25CR400W, 25HR400W, 50CR400W, 50HR400W	R425W	stainless
25CR425A, 25HR425A, 50CR425A, 50HR425A	R425A	stainless
25CR425W, 25HR425W, 50CR425W, 50HR425W	R425W	stainless
C110R5A	R425A	stainless
C110R5W	R425W	stainless
110CR400A	R425A	stainless
110CR400W	R425W	stainless
110CR425A	R425A	stainless
110CR425W	R425W	stainless
Freestanding dispensers with ice machine in base		
25FB400A, 50FB400A	P425A	no panels
25FB400W, 50FB400W	P425W	no panels
25FB425A, 50FB425A	P425A	no panels
25FB425W, 50FB425W	P425W	no panels
110FB400A	P425A	no panels
110FB400W	P425W	no panels
110FB425A	P425A	no panels
110FB425W	P425W	no panels

Ice and beverage dispensers

Attractive low-profile ice and beverage dispensers with below-counter ice storage for a wide variety of foodservice applications. Perfect for beverage islands because visibility is not restricted. Models include QuickCARB™ beverage manifold so changing from carbonated to non-carbonated beverage is as easy as the flip of a lever. Vision ice and water dispensers offer storage under the counter for an upscale ice and water station.

Warranty

Vision™ ice and beverage dispensers

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment old and serviced through a Follett Authorized Distributor in its designated area.

Note: Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.

WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.

Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.


Vision ice and beverage dispensers – VU155B series with integral ice water bath beverage cooling

Ice and beverage dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 11, 16, or 19).

Standard equipment includes:

- Integral ice water bath beverage cooling
- 8 or 10 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add “-LAN” to model number.)
- Keyswitch for valves
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2780.



Vision VU155B8 Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU155B8RP	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Right	Push button	115/60/1	298 (135)	\$18,480
VU155B8LP	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Left	Push button	115/60/1	298 (135)	\$18,480
VU155B8RL	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Right	Sanitary lever	115/60/1	298 (135)	\$18,480
VU155B8LL	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Left	Sanitary lever	115/60/1	298 (135)	\$18,480
VU155B10RP	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Right	Push button	115/60/1	301 (137)	\$20,780
VU155B10LP	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Left	Push button	115/60/1	301 (137)	\$20,780
VU155B10RL	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Right	Sanitary lever	115/60/1	301 (137)	\$20,780
VU155B10LL	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Left	Sanitary lever	115/60/1	301 (137)	\$20,780


Vision ice and chilled water dispensers – VU155N series

Ice and water dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 11, 16 or 19).

Standard equipment includes:

- Water dispense valve only
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2790 for VU155N models or 6975 for EVU155N models.



Vision VU155N Series
ice and water dispenser

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU155N series ice and water dispensers									
VU155N0RP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	115/60/1	231 (105)	\$12,325
VU155N0LP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	115/60/1	231 (105)	\$12,325
VU155N0RL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	115/60/1	231 (105)	\$12,325
VU155N0LL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	115/60/1	231 (105)	\$12,325
EVU155N0RP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	230/50/1	232 (105)	\$12,540
EVU155N0LP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	230/50/1	232 (105)	\$12,540
EVU155N0RL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	230/50/1	232 (105)	\$12,540
EVU155N0LL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	230/50/1	232 (105)	\$12,540

VU155N series ice-only dispensers

EVU155NWRP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	230/50/1	232 (105)	\$12,210
EVU155NWL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	230/50/1	232 (105)	\$12,210
EVU155NWR	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	230/50/1	232 (105)	\$12,210
EVU155NWL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	230/50/1	232 (105)	\$12,210

Vision ice and water dispensers for marine applications – CVU series


Designed to address United States Public Health Service (USPHS) principles for marine/shipboard use. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 11, 16 or 19).

Standard equipment includes:

- Water dispense valve only
- 6.00" - 9.00" (15.24 - 22.86 cm) legs for CVU155 or 4.00" - 6.75" (10.16 - 17.15 cm) legs for CVU300
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

Note: Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.

For additional product information, request form# 3560.



Vision CVU155N Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
CVU155NORP	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Right	Push button	220/60/1	232 (105)	\$14,320
CVU155NOLP	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Left	Push button	220/60/1	232 (105)	\$14,320
CVU155NORL	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Right	Sanitary lever	220/60/1	232 (105)	\$14,320
CVU155NOLL	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Left	Sanitary lever	220/60/1	232 (105)	\$14,320
CVU300NORP	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Right	Push button	220/60/1	232 (105)	\$24,010
CVU300NOLP	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Left	Push button	220/60/1	232 (105)	\$24,010
CVU300NORL	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Right	Sanitary lever	220/60/1	232 (105)	\$24,010
CVU300NOLL	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Left	Sanitary lever	220/60/1	232 (105)	\$24,010


Vision ice and beverage dispensers – VU300B series with integral ice water bath beverage cooling

Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 11, 16 or 19).

Standard equipment includes:

- Integral ice water bath beverage cooling
- 8 or 10 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add "-LAN" to model number.)
- Keyswitch for valves
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2795.



Vision VU300B8 Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU300B8RP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Push button	115/60/1	420 (191)	\$23,870
VU300B8LP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Push button	115/60/1	420 (191)	\$23,870
VU300B8RL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Sanitary lever	115/60/1	420 (191)	\$23,870
VU300B8LL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Sanitary lever	115/60/1	420 (191)	\$23,870
VU300B10RP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Push button	115/60/1	433 (197)	\$24,730
VU300B10LP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Push button	115/60/1	433 (197)	\$24,730
VU300B10RL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Sanitary lever	115/60/1	433 (197)	\$24,730
VU300B10LL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Sanitary lever	115/60/1	433 (197)	\$24,730


Vision ice and beverage dispensers – VU300M series dual-sided for connection to remote mechanical beverage cooling system

Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 11, 16 or 19).

Standard equipment includes:

- 20 or 24 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add "-LAN" to model number.)
- Keyswitch for valves
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2800 and 3760.



Vision VU300M20D Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU300M20DP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Dual	Push button	115/60/1	414 (188)	\$29,745
VU300M20DL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Dual	Sanitary lever	115/60/1	414 (188)	\$29,745
VU300M24DP	300 (136)	43.88 (111.5)	32.38 (82.2)	54.75 (139.0)	Dual	Push button	115/60/1	420 (191)	\$33,180
VU300M24DL	300 (136)	43.88 (111.5)	32.38 (82.2)	54.75 (139.0)	Dual	Sanitary lever	115/60/1	420 (191)	\$33,180

Vision ice and beverage dispenser accessories

Item number	Description	Net price
00137257	4.00" (10.16 cm) stainless steel leg (individual) adjustable to 6.75" (17.15 cm) – VU300 series only	\$45

QuickCARB beverage manifold

Standard on all Vision ice and beverage dispensers – The center valves are plumbed to both carbonated and non-carbonated water supplies, allowing fast, easy beverage changes. For 8, 10 and 20 valve units, the 4 center valves are QuickCARB valves. For 12 and 24 valve units, the 6 center valves are QuickCARB valves.

Ice storage, ice transport and ice handling

Follett offers ice storage, dispensing and transport solutions in capacities and sizes to meet nearly every need. All with features that can make your ice management easier, safer, and more sanitary.

Warranty

Single door upright bins and single door Ice•Device™ chuted bin and cart systems

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for the useful life of the product. Parts and labor for corrosion repair are covered under this warranty.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice storage and transport systems (ITS); double door upright bins; and double door Ice•Device™ chuted bin and cart systems

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice Pro™ automatic ice bagging and dispensing systems

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Slope front bins

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice transport carts; Totes™ ice carriers; ice shovels; ice probes; ice rakes

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in materials and workmanship under normal use and service for a period of 2 years from date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts within this 2 year period are covered under this warranty. Labor required for repair within a 1 year period is covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km) premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.

Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

Upright ice storage bins – single door and double door with SmartGATE® ice shield

Ice storage bins with industry-exclusive SmartGATE ice shield. Complete stainless exterior standard, including stainless back and bottom. All bins include a poly liner and corrosion-resistant ABS/poly top (single door uprights) or stainless top (double door uprights), which is custom cut for ice machine(s). 6.00" (15.24 cm) stainless steel adjustable legs and 82 oz (2.4 L) plastic ice scoop.


For additional product information, request form# 9140 for single door or 9145 for double door uprights.

Accessories for single door and double door upright bins


	Net price
Plastic ice shovel (item# ABICSHOVEL)	\$90
Ice paddle (item# ABICEPADDL46)	\$90
Ice rake, single door uprights (item# AB36RAKE)	\$115
Ice rake, double door uprights (item# ABICERAKE)	\$115
6.00" (15.24 cm) stainless flanged legs (set of 4) (item# ABSPECLEG3)	\$190
10.00" (25.4 cm) stainless flanged legs (set of 4) (item# 00151647)	\$240

List price

Center partition, except single door upright models SG500, 700 and 1000	\$1,885
Reinforced top for single door upright models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H).	\$1,840
Reinforced top for double door upright models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H).	\$2,345
Correctional package, 2 week lead time (item# 00917054)	\$1,850
Flexi-Top ice bin top system for 48.00" (121.9 cm) and 60.00" (152.4 cm) bins only (see page 47) ..	no charge



Single door upright



Double door upright

See page 48 for additional accessory information.

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
Single door uprights							
SG500S-30	460 (209)	30.00 (76.2)	31.00 (78.7)	44.50 (113.0)	31.00 (78.7)	210 (96)	\$4,995
SG700S-30	680 (309)	30.00 (76.2)	31.00 (78.7)	60.00 (152.4)	31.00 (78.7)	212 (97)	\$5,950
SG1000S-36 ²	990 (450)	36.00 (91.4)	31.00 (78.7)	69.50 (176.5)	32.00 (81.3)	257 (117)	\$7,005
SG860S-48	860 (391)	48.00 (121.9)	31.00 (78.7)	46.50 (118.1)	31.00 (78.7)	255 (116)	\$6,585
SG1010S-48	1000 (454)	48.00 (121.9)	31.00 (78.7)	56.00 (142.4)	32.00 (81.3)	268 (122)	\$6,810
SG1175S-48	1185 (538)	48.00 (121.9)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	298 (136)	\$7,110
SG1300S-48	1320 (599)	48.00 (121.9)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	270 (123)	\$7,305
SG1160S-56	1170 (531)	56.00 (142.2)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	296 (135)	\$8,155
SG1350S-56	1360 (617)	56.00 (142.2)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	322 (147)	\$8,605
SG1080S-60	1080 (490)	60.00 (152.4)	31.00 (78.7)	46.50 (118.1)	32.00 (81.3)	355 (161)	\$7,395
SG1325S-60	1325 (602)	60.00 (152.4)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	320 (145)	\$7,695
SG1475S-60	1490 (676)	60.00 (152.4)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	321 (146)	\$8,200
SG1650S-60	1660 (754)	60.00 (152.4)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	340 (155)	\$8,305
SG2000S-60 ³	2000 (908)	60.00 (152.4)	31.00 (78.7)	80.00 (203.2)	32.00 (81.3)	370 (168)	\$9,260
Double door uprights							
SG1850-96	1870 (849)	96.00 (243.8)	31.00 (78.7)	51.00 (129.5)	32.00 (81.3)	450 (205)	\$17,090
SG2100-72	2110 (958)	72.00 (182.9)	40.00 (101.6)	57.00 (144.8)	41.00 (104.1)	486 (221)	\$14,440
SG2250-72	2250 (1022)	72.00 (182.9)	48.00 (121.9)	50.50 (128.3)	49.00 (124.5)	516 (235)	\$14,330
SG2650-72	2650 (1203)	72.00 (182.9)	40.00 (101.6)	66.50 (168.9)	41.00 (104.1)	571 (259)	\$17,305
SG3200-72 ⁴	3240 (1471)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	35.00 (88.9)	762 (346)	\$18,145
SG3900-72 ⁴	3940 (1789)	72.00 (182.9)	48.00 (121.9)	81.50 (207.0)	44.00 (111.8)	835 (379)	\$20,710
SG4600-72 ⁴	4640 (2107)	72.00 (182.9)	48.00 (121.9)	93.00 (236.2)	47.00 (119.4)	901 (409)	\$21,275

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).


² Standard with 6.00" (15.24 cm) flanged legs and available only with stainless steel top. Correctional package not available.

³ 18.00" (45.7 cm) sleeve with window on a 62.00" (157.5 cm) high bin.


⁴ Ships in two sections.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.


Ice•Device ice storage and dispensing systems – single door with cart or bagger




Ice•Device with
SmartCART 75 ice cart



Ice•Device with
SmartCART 125 ice cart



Ice•Device with
Cambro ICS125L cart



Ice•Device with
bagger

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge™ door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include one of the following: SmartCART 75 ice cart with 3 polyethylene Totes ice carriers, each Totes ice carrier holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg); SmartCART 125 ice cart which holds 125 lb (57 kg) of ice; Cambro brand model ICS125L ice cart which holds 125 lb (57 kg) of ice; or a bagger kit with 250 plastic bags of 10 lb (4.5 kg) capacity. Add designator -75 (SmartCART 75), -125 (SmartCART 125), -ICS125L (Cambro) or -BG (bagger kit) to select configuration.

For additional product information, request form# 9720.

Accessories for single door Ice•Device ice storage and dispensing systems

List price

Reinforced top for single door Ice•Device models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H).\$1,840
Correctional package, 2 week lead time (item# 00917054).....\$1,850

See page 48 for additional accessory information.

Item number †	with SC75 cart	with SC125 cart	with Cambro cart	with bagger kit	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30	-75	-125	-ICS125L	-BG	460 (209)	30.00 (76.2)	31.00 (78.7)	63.00 (160.0)	32.00 (81.3)	354 (161)	\$6,910
DEV700SG-30	-75	-125	-ICS125L	-BG	680 (309)	30.00 (76.2)	31.00 (78.7)	78.50 (199.4)	32.00 (81.3)	389 (177)	\$7,800
DEV860SG-48 ²	-75	-125	-ICS125L	-BG	860 (391)	48.00 (121.9)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	452 (205)	\$9,375
DEV1010SG-48	-75	-125	-ICS125L	-BG	1000 (454)	48.00 (121.9)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	453 (206)	\$9,525
DEV1175SG-48	-75	-125	-ICS125L	-BG	1185 (538)	48.00 (121.9)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	483 (219)	\$9,895
DEV1300SG-48	-75	-125	-ICS125L	-BG	1320 (599)	48.00 (121.9)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	476 (216)	\$10,170
DEV1160SG-56	-75	-125	-ICS125L	-BG	1170 (531)	56.00 (142.2)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	472 (214)	\$10,530
DEV1350SG-56	-75	-125	-ICS125L	-BG	1360 (617)	56.00 (142.2)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	521 (236)	\$10,900
DEV1080SG-60 ²	-75	-125	-ICS125L	-BG	1080 (490)	60.00 (152.4)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	490 (222)	\$10,065
DEV1325SG-60	-75	-125	-ICS125L	-BG	1325 (602)	60.00 (152.4)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	518 (235)	\$10,350
DEV1475SG-60	-75	-125	-ICS125L	-BG	1490 (676)	60.00 (152.4)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	518 (235)	\$10,785
DEV1650SG-60	-75	-125	-ICS125L	-BG	1660 (754)	60.00 (152.4)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	532 (241)	\$11,045

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice•Devlce ice storage and dispensing systems – low-profile single door with Totes ice carrier

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and 10.00" (25.4 cm) flanged legs. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include a single polyethylene Totes ice carrier which holds 25 lb (11 kg) of ice.


For additional product information, request form# 9720.

Accessories for single door Ice•Devlce ice storage and dispensing systems

List price

Reinforced top for single door Ice•Devlce models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H).	\$1,840
Correctional package, 2 week lead time (item# 00917054).	\$1,850

See page 48 for additional accessory information.



Ice•Devlce with
Totes ice carrier

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30-LP	460 (209)	30.00 (76.2)	31.00 (78.7)	48.75 (123.8)	31.00 (78.7)	186 (85)	\$5,465
DEV700SG-30-LP	680 (309)	30.00 (76.2)	31.00 (78.7)	64.25 (163.2)	31.00 (78.7)	229 (104)	\$6,395
DEV860SG-48-LP ²	860 (391)	48.00 (121.9)	31.00 (78.7)	50.25 (127.6)	32.00 (81.3)	288 (131)	\$7,970
DEV1010SG-48-LP	1000 (454)	48.00 (121.9)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	277 (126)	\$8,115
DEV1175SG-48-LP	1185 (538)	48.00 (121.9)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	319 (145)	\$8,480
DEV1300SG-48-LP	1320 (599)	48.00 (121.9)	31.00 (78.7)	68.75 (174.6)	32.00 (81.3)	342 (156)	\$8,760
DEV1160SG-56-LP	1170 (531)	56.00 (142.2)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	296 (135)	\$9,120
DEV1350SG-56-LP	1360 (617)	56.00 (142.2)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	353 (161)	\$9,460
DEV1080SG-60-LP ²	1080 (490)	60.00 (152.4)	31.00 (78.7)	50.25 (127.6)	32.00 (81.3)	297 (135)	\$8,660
DEV1325SG-60-LP	1325 (602)	60.00 (152.4)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	373 (170)	\$8,945
DEV1475SG-60-LP	1490 (676)	60.00 (152.4)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	356 (162)	\$9,375
DEV1650SG-60-LP	1660 (754)	60.00 (152.4)	31.00 (78.7)	68.75 (174.6)	32.00 (81.3)	336 (153)	\$9,635

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

Ice•Devlce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts

Labor-saving elevated bins dispense ice out of front chute(s). For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a stainless steel top, which is custom cut for ice machine(s).

Configurations shown below include (2) SmartCART 75 ice carts, each with 3 polyethylene Totes ice carriers, holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg) per cart. Carts can store below bin.

For additional product information, request form# 2320.

Other configurations available for double door Ice•Devlce:


SmartCART 125 ice cart	Same price as below
Cambro brand ICS125L cart.	Same price as below
Bagger kit option.	Same price as below

Accessories for double door Ice•Devlce ice storage and dispensing systems

List price

Center partition	\$1,885
Reinforced top for double door Ice•Devlce models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H).	\$2,345
Correctional package, 2 week lead time (item# 00917054).	\$1,850

See page 48 for additional accessory information.



Double door Ice•Devlce with
(2) SmartCART 75 ice carts

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV2100SG-72-75	2110 (958)	72.00 (182.9)	40.00 (101.6)	75.50 (191.8)	41.00 (104.1)	841 (381)	\$18,950
DEV2250SG-72-75	2250 (1022)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	46.00 (116.8)	863 (344)	\$19,180
DEV2650SG-72-75	2650 (1203)	72.00 (182.9)	40.00 (101.6)	85.50 (217.2)	41.00 (104.1)	943 (428)	\$21,425
DEV3200SG-72-75	3240 (1471)	72.00 (182.9)	48.00 (121.9)	88.50 (224.8)	35.00 (88.9)	1144 (519)	\$22,815
DEV3900SG-72-75	3940 (1789)	72.00 (182.9)	48.00 (121.9)	100.50 (255.3)	44.00 (111.8)	1263 (574)	\$24,795
DEV4600SG-72-75	4640 (2107)	72.00 (182.9)	48.00 (121.9)	112.00 (284.5)	47.00 (119.4)	1276 (579)	\$26,240

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.


Ice storage and transport systems (ITS)

Elevated bin and cart systems use gravity-assist ice removal and castered carts to deliver outstanding labor and safety benefits. For use with Chewblet, cube or flake ice. All are equipped with poly liners, SmartGATE ice shield, and poly door with PowerHinge door hinge component¹. Each unit is standard with bin, base, SmartCART 240 ice cart (1, 2 or 3 depending on the number of bays) with lid and ice paddle. Full stainless exterior and base. Insulated cart is one-piece molded polyethylene with removable poly lid.

For additional product information, request form# 9130.

Accessories for ice storage and transport systems

Set of 6 Totes ice carriers (item# ABICETOTP)	Net price \$460
Plastic ice shovel (item# ABICSHOVEL)	\$90
SmartCART 240 ice cart (item# ROTOCART)	\$1,250
Additional ice paddle (item# ABICEPADDL)	\$90
	List price
Partition (2 and 3 bay models only)	\$2,100
Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.37 cm) to H). 31.00" (78.7 cm) and 60.00" (152.4 cm) wide ITS models	\$1,800
90.00" (228.6 cm) wide ITS models	\$2,290



ITS with (2) SmartCART 240 ice carts

See page 48 for additional accessory information.

Item number †	No. of carts	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. wt lb (kg)	List price
ITS500NS-31 ²	1	382 (174)	31.00 (78.7)	40.00 (101.6)	60.00 (152.4)	32.00 (81.3)	371 (169)	\$12,195
ITS700SG-31	1	652 (296)	31.00 (78.7)	40.00 (101.6)	75.00 (190.5)	32.00 (81.3)	398 (181)	\$12,270
ITS1350SG-60	2	1327 (602)	60.00 (152.4)	40.00 (101.6)	75.00 (190.5)	41.00 (104.1)	712 (324)	\$21,690
ITS2250SG-60	2	2133 (968)	60.00 (152.4)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	822 (374)	\$23,480
ITS1700SG-90	3	1716 (779)	90.00 (228.6)	40.00 (101.6)	70.00 (177.8)	41.00 (104.1)	978 (444)	\$34,710
ITS3250SG-90	3	3255 (1477)	90.00 (228.6)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	1145 (521)	\$39,515

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² ITS500NS-31 has sliding windows only, no SmartGATE ice shield or poly door.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice Pro automatic ice bagging and dispensing systems

Ice storage bin with automatic agitation to store and dispense cube or Chewblet ice (made by Horizon and Horizon Elite series ice machines) into bags, carts, pails or Totes ice carrier. Increased labor-savings, sanitation and safety for foodservice operators. Equipped with user-friendly control panel, lockable clear window, adjustable bag stand and insulated poly-molded ice storage area. SA models include blower and timed dispense mode for semi-automatic bag filling. Foot pedal is standard on 1000 models and optional for 650 models. Each SA model comes standard with 1 wicket of 125, 8 lb (4 kg) bags.

For additional product information, request form# 3630 for E/DB650 or 2345 for E/DB1000.

Accessories for all models

Bostitch® P-7 C-ring pliers for closing bags (item# 00137711)	Net price
Staples, blunt end, box of 2500 (item# 00137729)	\$130
	\$45


Accessories for 650 models

Foot switch (item# 00932517)	Net price
Jug and cooler kit for 650 models allows easy filling of 5 L and 10 L Willow ¹ jugs and larger coolers (item# 00979013)	\$250
	\$1,075

Accessories for 1000 models

Leg extension kit for raises unit by 6.50" (16.51 cm) to accommodate carts up to 36.00" (19.44 cm) and bags up to 40 lb (18 kg) and 33.83" (85.93 cm) high (item# ABLEGEXT)	Net price
Jug and cooler kit for 650 models allows easy filling of 5 L and 10 L Willow ¹ jugs and larger coolers (item# 00979583)	\$420
	\$1,075

Reinforced top for 1000 models (required if ice machine(s) weight exceeds 800 lb (363 kg). Add 2.12" (5.40 cm) to H)	List price
	\$1,835



Ice Pro automatic bagging and dispensing systems

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Voltage	Approx. ship wt lb (kg)	List price
DB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	65.00 (165.1)	34.25 (87.0)	220/60/1	460 (209)	\$21,020
EDB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	65.00 (165.1)	34.25 (87.0)	230-240/50/1	460 (209)	\$18,125
DB1000	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$26,115
DB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$26,950
EDB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	230/50/1	704 (320)	\$23,165

¹ Willow Ware Australia Pty Ltd.

Slope front bins


Small to medium capacity ice storage bins. Bin exterior for all models includes stainless steel front and sides. Bin interior includes polyethylene-lined walls and stainless steel bottom. All bins include stainless top, which is custom cut for ice machine(s) and 6.00" (15.24 cm) plastic adjustable legs.

For additional product information, request form# 9135.

Accessories for slope front bins

6.00" (15.24 cm) stainless steel legs (item# ABSPECLEGS)	Net price
	\$95
Center partition (650, 950 and 1025 models only; not available for 300 and 425 model)	List price
	\$695

See page 48 for additional accessory information.



Slope front bin

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
300-22 ¹	300 (136)	22.00 (55.9)	31.50 (80.0)	40.00 (101.6)	23.00 (58.4)	128 (58)	\$2,200
425-30	430 (195)	30.00 (76.2)	31.50 (80.0)	40.00 (101.6)	31.00 (78.7)	144 (65)	\$3,060
650-44	660 (299)	44.00 (111.8)	31.50 (80.0)	40.00 (101.6)	32.00 (81.2)	178 (81)	\$4,230
950-48	950 (431)	48.00 (121.9)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	207 (94)	\$4,340
1025-52	1030 (467)	52.00 (132.1)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	217 (98)	\$4,455

¹ Model 300-22 only for use with Follett® Maestro Plus 425 (air-cooled) and Horizon Elite 710 series ice machines.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Replacement stainless steel tops for ice storage bins

Order must include complete model number of ice machine to be used in conjunction with bin.

Bin series	Width in (cm)	Depth (at top) in (cm)	Replacement top item number	Net price
Slope front bins				
	30.00 (76.2)	27.50 (69.8)	AB425TOP00	\$380
	44.00 (111.8)	27.50 (69.8)	AB650TOP00	\$520
	48.00 (121.9)	27.50 (69.8)	AB725TOP00	\$565
	52.00 (132.1)	27.50 (69.8)	AB750TOP00	\$605
Single door upright bins and single door Ice•Device ice storage and dispensing systems for bins manufactured before 2007 (except SG1000)				
	30.00 (76.2)	31.00 (78.7)	AB7010TOP0	\$670
	48.00 (121.9)	31.00 (78.7)	AB1010TOPS	\$800
	56.00 (142.2)	31.00 (78.7)	AB1350TOP0	\$860
	60.00 (152.4)	31.00 (78.7)	AB1475TOP0	\$860
SG1000 single door upright				
	36.00 (91.4)	31.00 (78.7)	00979823	\$760
Double door upright bins				
	96.00 (243.8)	31.00 (78.7)	AB1850TOP0	\$1,165
Double door upright bins and double door Ice•Device ice storage and dispensing systems				
	72.00 (182.9)	40.00 (101.6)	AB2650TOP0	\$1,105
	72.00 (182.9)	48.00 (121.9)	AB4600TOP0	\$1,165
Ice transport systems (ITS)				
	31.00 (78.7)	40.00 (101.6)	ABITS70TOP	\$800
	60.00 (152.4)	40.00 (101.6)	ABITS13TOP	\$990
	90.00 (228.6)	40.00 (101.6)	ABITS32TOP	\$1,170
Ice Pro automatic ice bagging and dispensing system				
	30.00 (76.2)	31.00 (78.7)	01341882	\$670
	52.00 (132.1)	34.00 (86.4)	00104828	\$860

Replacement ABS bin tops for ice storage bins

Available EXW Incoterms 2010 – Easton, PA USA only






	Width in (cm)	Depth (at top) in (cm)	Replacement top item number	Net price
Single door upright and single door Ice•Device ice storage and dispensing systems for bins manufactured after 2007				
Full top	30.00 (76.2)	31.00 (78.7)	00168138	\$670
Full top	48.00 (121.9)	31.00 (78.7)	00168146	\$800
Full top	56.00 (142.2)	31.00 (78.7)	00168153	\$860
Full top	60.00 (152.4)	31.00 (78.7)	00168161	\$860

Flexi-Top ice bin top systems

Flexi-Top ice bin top systems make stocking bins simple – eliminates the need to know what specific ice machine will be used before the order. Available for 48.00" (121.9 cm) and 60.00" (152.4 cm) wide single door uprights and Ice•Device ice storage and dispensing systems. Contact factory for more information.





Ice handling accessories

Ice carts and Totes ice carrier ordering guidelines

	SmartCART 75 Item# 00112771 	SmartCART 125 Item# LSC125 	SmartCART 240 Item# ROTOCART 	Cambro ICS125L Item# ICS125L 	Totes Item# ABICETOTP (six) Item# 502263 (single) 
	Perfect for moving small quantities of ice to manually fill storage receptacles. 75 lb (34 kg) capacity. Includes 3 Totes ice carriers. 21.50"W x 34.00"D x 39.00"H (54.6 x 86.4 x 99.1 cm) Ship wt – 53 lb (25 kg) Net Price \$750	Fully insulated poly with 125 lb (57 kg) capacity and flip-up lid makes an excellent working cart for portable bars. 22.50"W x 28.30"D x 33.50"H (57.2 x 71.8 x 85.1 cm) Ship wt – 60 lb (28 kg) Net Price \$770	Fully insulated poly with removable lid. 240 lb (109 kg) capacity for transporting large quantities of ice. 24.25"W x 41.50"D x 35.75"H (61.6 x 105.4 x 90.8 cm) Ship wt – 75 lb (35 kg) Net Price \$1,250	Fully insulated poly with slide back lid with 125 lb (57 kg) capacity. Perfect for sliding under bars. 23.00"W x 31.30"D x 29.25"H (58.4 x 79.5 x 74.3 cm) Ship wt – 70 lb (32 kg) Net Price \$1,045	Comfortable handle, easy distribution of ice from longer side. Limits lifted load to 25 lb (12 kg). 7.12"W x 15.62"D x 15.00"H (18.08 x 39.7 x 38.1 cm) Set of 6 Totes Ship wt – 34 lb (16 kg) Net Price \$460 Single Tote Ship wt – 6 lb (3 kg) Net Price \$85
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model				
Slope Front	✓	✓	✓	✓	✓
Single Door Upright	✓	✓	✓	✓	✓
Double Door Upright	✓	✓	✓	✓	✓
Single Door Ice•Device	✓	✓ ¹	n/r	✓ ¹	✓
Double Door Ice•Device	✓	✓ ¹	n/r	✓ ¹	✓
Ice Transport System	n/r	n/r	✓	n/r	✓
Ice Pro	✓	✓	✓	✓	✓






¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Ice bagging accessory ordering guidelines

	Bagger Kit Item# ABBAGGERKT 	8 lb (3.6 kg) Ice Bag Item# 00116434 	20 lb (9.1 kg) Ice Bag Item# 00138370 	C-ring pliers – Item# 00137711 C-ring – Item# 00137729 
	Bagger kit includes bagger assembly, tape dispenser with tape and 250 plastic bags of 10 lb (5 kg) capacity. 11.00"W x 13.63"D x 29.00"H (27.9 x 34.6 x 73.7 cm) Ship wt – 20 lb (10 kg) Net Price \$640	125 bags per wicket – 8 wickets per case. 1.25 mil. poly bag. 10.5 "W x 4.00"D x 19.00"H (26.7 x 10.16 x 48.3 cm) Ship wt – 24 lb (11 kg) Net Price \$95	125 bags per wicket – 4 wickets per case. 2.25 mil. poly bag. 14.00"W x 4.50"D x 27.00"H (35.6 x 11.43 x 68.6 cm) Ship wt – 27 lb (13 kg) Net Price \$135	Bostitch P-7 C-ring pliers for bag closure. Automatic C-ring feed. Ship wt – 8 lb (4 kg) Net Price \$130 Aluminum blunt-end C-rings for use with Bostitch P-7 C-ring pliers. 2500 per box. Ship wt – 3 lb (2 kg) Net Price \$45
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model			
Slope Front	✓	n/r	n/r	n/r
Single Door Upright	✓	n/r	n/r	n/r
Double Door Upright	✓	n/r	n/r	n/r
Single Door Ice•Device	✓ ¹	n/r	n/r	n/r
Double Door Ice•Device	✓ ¹	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	✓	✓	✓





¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Shovel, scoop and paddle ordering guidelines

	Paddle Item# ABICEPADDL46 46.50" (118.1 cm) or Item# ABICEPADDL 58.50" (147.3 cm)  High density poly paddle breaks ice bridges with ease. Includes bracket. 46.50" (118.1 cm) Ship wt – 9 lb (4 kg) Net Price \$90 58.50" (147.3 cm) Ship wt – 9 lb (4 kg) Net Price \$90	Rake Item# AB36RAKE 38.00" (96.5 cm) or Item# ABICERAKE 50.00" (127.0 cm)  Draws ice to front of bin for easier access. Vinyl handle, aluminum shaft, stainless steel rake head. Includes bracket. 38.00" (96.5 cm) Ship wt – 9 lb (4 kg) Net Price \$115 50.00" (127.0 cm) Ship wt – 9 lb (4 kg) Net Price \$115	Shovel Item# ABICSHOVEL 37.00" (94.0 cm)  Heavy duty poly construction. Efficient removal of ice from bin. Ship wt – 9 lb (4 kg) Net Price \$90	Scoop Item# 00146365 64 oz (1.9 L)  San Jamar® Saf-T-Ice® Guardian scoop® system. Minimizes contact with ice, includes storage rack for scoop. Ship wt – 6 lb (3 kg) Net Price \$100	Scoop Item# ABICESCOOP 82 oz (2.4 L)  Large poly scoop for manual removal of ice from bins. No bracket provided. Ship wt – 3 lb (2 kg) Net Price \$25
--	--	--	--	--	---

Bin series	✓ = May be ordered separately n/r = Not recommended for use with model						
	46.50"	58.50"	38.00"	50.00"			
Slope Front	✓	n/r	n/r	n/r	n/r	✓	✓
Single Door Upright	✓	n/r	✓	n/r	✓	✓	✓
Double Door Upright	n/r	✓	n/r	✓	✓	✓	✓
Single Door Ice•Device	✓	n/r	✓	n/r	n/r	✓	✓
Double Door Ice•Device	n/r	✓	n/r	✓	n/r	✓	✓
Ice Transport System	n/r	✓	n/r	✓	✓	✓	✓
Ice Pro	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Stainless steel leg accessory ordering guidelines

	6.00" (15.24 cm) with flanged feet. Set of (4). Item# ABSPECLEG3  Ship wt – 7 lb (7 kg) Net Price \$190	8.00" (20.32 cm) bullet leg with stabilizer. Set of (4). Item# AB8INLEGSS  Ship wt – 10 lb (5 kg) Net Price \$210	10.00" (25.4 cm) with flanged feet. Set of (4). Item# 00151647  Ship wt – 15 lb (7 kg) Net Price \$240	12.00" (30.5 cm) bullet leg. Set of (4). Item# ABSPECLEG1  Ship wt – 13 lb (6 kg) Net Price \$270
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model			
Slope Front	✓	✓	✓	✓
Single Door Upright	✓	✓	✓	n/r
Double Door Upright	✓	✓	n/r	n/r
Single Door Ice•Device	n/r	n/r	n/r	n/r
Double Door Ice•Device	n/r	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	n/r	n/r	n/r

Incoterms is a trademark of the International Chamber of Commerce.
ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.
Calgon is a licensed tradename distributed by Nu-Calgon, in the United States.
Cambro is a registered trademark of Cambro Manufacturing Company in the US.
Bostitch is a registered trademark of Stanley Black and Decker.
Saf-I-Ice is a registered trademark of San Jamar, a division of the Coleman Group, Inc. in the US.
FLEXI-TOP, HARMONY, HORIZON ELITE, ICE•DEVICE, ICE MANAGER, ICE PRO, MAESTRO PLUS, MICRO CHEWBLET, POWERHINGE, SAFECLEAN PLUS, SANISPONGE, SENSORSAFE, SMARTCART, SYMPHONY PLUS, TOTES and VISION are trademarks of Follett Products, LLC.
CHEWBLET, FOLLETT, RIDE and SMARTGATE are registered trademarks of Follett Products, LLC, registered in the US.



801 Church Lane | Easton, PA 18040, USA
1.610.252.7301 | Fax: +1.610.250.0696 | follettice.com



4025-20210112 | © Follett Products, LLC