

ice storage and transport







Contents

TERMS AND POLICIES	3
ICE STORAGE, ICE TRANSPORT AND ICE HANDLING	4
Upright ice storage bins – single door and double door with SmartGATE® ice shield	
Ice•Device ice storage and dispensing systems – single door with cart or bagger	
Ice•Device ice storage and dispensing systems – low-profile single door with Totes ice carrier	
Ice•Device ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts	
Ice storage and transport systems (ITS).	8
Ice Pro automatic ice bagging and dispensing systems	9
Slope front bins	9
Replacement stainless steel tops for ice storage bins	10
Replacement ABS bin tops for ice storage bins.	10
Flexi-Top ice bin top systems	
Ice handling accessories	11

Terms and policies

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- Pricing is in USD
- Products priced with EX Works (EXW) terms
- Other shipping terms available upon request

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused
- A return authorization number has been issued by customer service within 45 days after shipment
- Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett Products, LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted

Ice storage, ice transport and ice handling

Follett offers ice storage, dispensing and transport solutions in capacities and sizes to meet nearly every need. All with features that can make your ice management easier, safer, and more sanitary.

Warranty

Single door upright bins and single door Ice•Device[™] chuted bin and cart systems

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for the useful life of the product. Parts and labor for corrosion repair are covered under this warranty.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice storage and transport systems (ITS); double door upright bins; and double door Ice•Device[™] chuted bin and cart systems

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice Pro[™] automatic ice bagging and dispensing systems

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Slope front bins

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice transport carts; Totes[™] ice carriers; ice shovels; ice probes; ice rakes

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in materials and workmanship under normal use and service for a period of 2 years from date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts within this 2 year period are covered under this warranty. Labor required for repair within a 1 year period is covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.

Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

Upright ice storage bins - single door and double door with SmartGATE® ice shield

Ice storage bins with industry-exclusive SmartGATE ice shield. Complete stainless exterior standard, including stainless back and bottom. All bins include a poly liner and corrosion-resistant ABS/poly top (single door uprights) or stainless top (double door uprights), which is custom cut for ice machine(s). 6.00" (15.24 cm) stainless steel adjustable legs and 82 oz (2.4 L) plastic ice scoop.


For additional product information, request form# 9140 for single door or 9145 for double door uprights.

Accessories for single door and double door upright bins Plastic ice shovel (item# ABICSHOVEL) Ice paddle (item# ABICEPADDL46) Ice rake, single door uprights (item# AB36RAKE)	\$90 \ \$115
Ice rake, double door uprights (item# ABICERAKE)	
6.00" (15.24 cm) stainless flanged legs (set of 4) (item# ABSPECLEG3) 10.00" (25.4 cm) stainless flanged legs (set of 4) (item# 00151647)	
Center partition, except single door upright models SG500, 700 and 1000	• =
Correctional package, 2 week lead time (item# 00917054)	
Reinforced top for single door upright models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H).	\$1,840
Reinforced top for double door upright models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H).	\$2,345
Flexi-Top ice bin top system for 48.00" (121.9 cm) and 60.00" (152.4 cm) bins only (see page 10) no charge

See page 11 for additional accessory information.



Single door upright



Double door upright

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
Single door up	rights						
SG500S-30	460 (209)	30.00 (76.2)	31.00 (78.7)	44.50 (113.0)	31.00 (78.7)	210 (96)	\$4,995
SG700S-30	680 (309)	30.00 (76.2)	31.00 (78.7)	60.00 (152.4)	31.00 (78.7)	212 (97)	\$5,950
SG1000S-36 ²	990 (450)	36.00 (91.4)	31.00 (78.7)	69.50 (176.5)	32.00 (81.3)	257 (117)	\$7,005
SG860S-48	860 (391)	48.00 (121.9)	31.00 (78.7)	46.50 (118.1)	31.00 (78.7)	255 (116)	\$6,585
SG1010S-48	1000 (454)	48.00 (121.9)	31.00 (78.7)	56.00 (142.4)	32.00 (81.3)	268 (122)	\$6,810
SG1175S-48	1185 (538)	48.00 (121.9)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	298 (136)	\$7,110
SG1300S-48	1320 (599)	48.00 (121.9)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	270 (123)	\$7,305
SG1160S-56	1170 (531)	56.00 (142.2)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	296 (135)	\$8,155
SG1350S-56	1360 (617)	56.00 (142.2)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	322 (147)	\$8,605
SG1080S-60	1080 (490)	60.00 (152.4)	31.00 (78.7)	46.50 (118.1)	32.00 (81.3)	355 (161)	\$7,395
SG1325S-60	1325 (602)	60.00 (152.4)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	320 (145)	\$7,695
SG1475S-60	1490 (676)	60.00 (152.4)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	321 (146)	\$8,200
SG1650S-60	1660 (754)	60.00 (152.4)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	340 (155)	\$8,305
SG2000S-60 ³	2000 (908)	60.00 (152.4)	31.00 (78.7)	80.00 (203.2)	32.00 (81.3)	370 (168)	\$9,260
Double door u	prights						
SG1850-96	1870 (849)	96.00 (243.8)	31.00 (78.7)	51.00 (129.5)	32.00 (81.3)	450 (205)	\$17,090
SG2100-72	2110 (958)	72.00 (182.9)	40.00 (101.6)	57.00 (144.8)	41.00 (104.1)	486 (221)	\$14,440
SG2250-72	2250 (1022)	72.00 (182.9)	48.00 (121.9)	50.50 (128.3)	49.00 (124.5)	516 (235)	\$14,905
SG2650-72	2650 (1203)	72.00 (182.9)	40.00 (101.6)	66.50 (168.9)	41.00 (104.1)	571 (259)	\$17,305
SG3200-724	3240 (1471)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	35.00 (88.9)	762 (346)	\$18,145
SG3900-724	3940 (1789)	72.00 (182.9)	48.00 (121.9)	81.50 (207.0)	44.00 (111.8)	835 (379)	\$20,710
SG4600-724	4640 (2107)	72.00 (182.9)	48.00 (121.9)	93.00 (236.2)	47.00 (119.4)	901 (409)	\$21,275

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).


² Standard with 6.00" (15.24 cm) flanged legs and available only with stainless steel top. Correctional package not available.

³ 18.00" (45.7 cm) sleeve with window on 62.00" (157.5 cm) high bin.

⁴ Ships in two sections.

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice•DevIce ice storage and dispensing systems – single door with cart or bagger



Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge[™] door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include one of the following: SmartCART 75 ice cart with 3 polyethylene Totes ice carriers, each Totes ice carrier holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg); SmartCART 125 ice cart which holds 125 lb (57 kg) of ice; Cambro brand model ICS125L ice cart which holds 125 lb (57 kg) of ice; or a bagger kit with 250 plastic bags of 10 lb (4.5 kg) capacity. Add designator -75 (SmartCART 75), -125 (SmartCART 125), -ICS125L (Cambro) or -BG (bagger kit) to select configuration.

For additional product information, request form# 9720.

Accessories for single door Ice•DevIce ice storage and dispensing systems	List price
Reinforced top for single door Ice•DevIce models (required if ice machine(s) weight exceeds	
1000 lb (454 kg). Add 0.5" (1.27 cm) to H).	\$1,840
Correctional package, 2 week lead time (item# 00917054)	\$1,850

See page 11 for additional accessory information.

Item number †	with SC75 cart	with SC125 cart	with Cambro cart	with bagger kit	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30	-75	-125	-ICS125L	-BG				63.00 (160.0)		-	•
DEV700SG-30	-75	-125	-ICS125L	-BG	. ,	. ,	. ,	78.50 (199.4)	. ,	. ,	
DEV860SG-48 ²	-75	-125	-ICS125L	-BG	860 (391)	48.00 (121.9)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	452 (205)	\$9,375
DEV1010SG-48	-75	-125	-ICS125L	-BG	1000 (454)	48.00 (121.9)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	453 (206)	\$9,525
DEV1175SG-48	-75	-125	-ICS125L	-BG	1185 (538)	48.00 (121.9)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	483 (219)	\$9,895
DEV1300SG-48	-75	-125	-ICS125L	-BG	1320 (599)	48.00 (121.9)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	476 (216)	\$10,170
DEV1160SG-56	-75	-125	-ICS125L	-BG	1170 (531)	56.00 (142.2)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	472 (214)	\$10,530
DEV1350SG-56	-75	-125	-ICS125L	-BG	1360 (617)	56.00 (142.2)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	521 (236)	\$10,900
DEV1080SG-60 ²	-75	-125	-ICS125L	-BG	1080 (490)	60.00 (152.4)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	490 (222)	\$10,065
DEV1325SG-60	-75	-125	-ICS125L	-BG	1325 (602)	60.00 (152.4)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	518 (235)	\$10,350
DEV1475SG-60	-75	-125	-ICS125L	-BG	1490 (676)	60.00 (152.4)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	518 (235)	\$10,785
DEV1650SG-60	-75	-125	-ICS125L	-BG	1660 (754)	60.00 (152.4)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	532 (241)	\$11,045

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice•DevIce ice storage and dispensing systems – low-profile single door with Totes ice carrier

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and 10.00" (25.4 cm) flanged legs. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include a single polyethylene Totes ice carrier which holds 25 lb (11 kg) of ice.

For additional product information, request form# 9720.

Accessories for single door Ice•DevIce ice storage and dispensing systems	List price
Reinforced top for single door Ice•DevIce models (required if ice machine(s) weight exceeds	
1000 lb (454 kg). Add 0.5" (1.27 cm) to H)	\$1,840

Correctional package, 2 week lead time (item# 00917054).....\$1,850

See page 11 for additional accessory information.

Ice•DevIce with Totes ice carrier

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30-LP	460 (209)	30.00 (76.2)	31.00 (78.7)	48.50 (123.2)	31.00 (78.7)	186 (85)	\$5,465
DEV700SG-30-LP	680 (309)	30.00 (76.2)	31.00 (78.7)	64.00 (162.6)	31.00 (78.7)	229 (104)	\$6,395
DEV860SG-48-LP ²	860 (391)	48.00 (121.9)	31.00 (78.7)	50.50 (128.3)	32.00 (81.3)	288 (131)	\$7,970
DEV1010SG-48-LP	1000 (454)	48.00 (121.9)	31.00 (78.7)	60.00 (152.4)	32.00 (81.3)	277 (126)	\$8,115
DEV1175SG-48-LP	1185 (538)	48.00 (121.9)	31.00 (78.7)	66.00 (167.6)	32.00 (81.3)	319 (145)	\$8,480
DEV1300SG-48-LP	1320 (599)	48.00 (121.9)	31.00 (78.7)	69.00 (175.3)	32.00 (81.3)	342 (156)	\$8,760
DEV1160SG-56-LP	1170 (531)	56.00 (142.2)	31.00 (78.7)	60.00 (152.4)	32.00 (81.3)	296 (135)	\$9,120
DEV1350SG-56-LP	1360 (617)	56.00 (142.2)	31.00 (78.7)	66.00 (167.6)	32.00 (81.3)	353 (161)	\$9,460
DEV1080SG-60-LP ²	1080 (490)	60.00 (152.4)	31.00 (78.7)	50.50 (128.3)	32.00 (81.3)	297 (135)	\$8,660
DEV1325SG-60-LP	1325 (602)	60.00 (152.4)	31.00 (78.7)	60.00 (152.4)	32.00 (81.3)	373 (170)	\$8,945
DEV1475SG-60-LP	1490 (676)	60.00 (152.4)	31.00 (78.7)	66.00 (167.6)	32.00 (81.3)	356 (162)	\$9,375
DEV1650SG-60-LP	1660 (754)	60.00 (152.4)	31.00 (78.7)	69.00 (175.3)	32.00 (81.3)	336 (153)	\$9,635

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

Ice•DevIce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts

Labor-saving elevated bins dispense ice out of front chute(s). For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a stainless steel top, which is custom cut for ice machine(s).

Configurations shown below include (2) SmartCART 75 ice carts, each with 3 polyethylene Totes ice carriers, each holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg) per cart. Carts can store below bin.

For additional product information, request form# 2320.

Other configurations available for double door Ice•DevIce:	
SmartCART 125 ice cart	Same price as below
Cambro brand ICS125L cart	Same price as below
Bagger kit option	Same price as below
Accessories for double door Ice•DevIce ice storage and dispensing systems	List price
Center partition	\$1,885
Reinforced top for double door Ice•DevIce models (required if ice machine(s) weight	
1000 lb (454 kg). Add 2.12" (5.38 cm) to H)	\$2,345
Correctional package, 2 week lead time (item# 00917054)	\$1,850

See page 11 for additional accessory information.

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV2100SG-72-75	2110 (958)	72.00 (182.9)	40.00 (101.6)	75.50 (191.8)	41.00 (104.1)	841 (381)	\$18,950
DEV2250SG-72-75	2250 (1022)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	46.00 (116.8)	863 (344)	\$19,180
DEV2650SG-72-75	2650 (1203)	72.00 (182.9)	40.00 (101.6)	85.50 (217.2)	41.00 (104.1)	943 (428)	\$21,425
DEV3200SG-72-75	3240 (1471)	72.00 (182.9)	48.00 (121.9)	88.50 (224.8)	35.00 (88.9)	1144 (519)	\$22,815
DEV3900SG-72-75	3940 (1789)	72.00 (182.9)	48.00 (121.9)	100.50 (255.3)	44.00 (111.8)	1263 (574)	\$24,795
DEV4600SG-72-75	4640 (2107)	72.00 (182.9)	48.00 (121.9)	112.00 (284.5)	47.00 (119.4)	1276 (579)	\$26,240

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.



Double door Ice•DevIce with (2) SmartCART 75 ice carts

Ice storage and transport systems (ITS)

Elevated bin and cart systems use gravity-assist ice removal and castered carts to deliver outstanding labor and safety benefits. For use with Chewblet, cube or flake ice. All are equipped with poly liners, SmartGATE ice shield, and poly door with PowerHinge door hinge component2. Each unit is standard with bin, base, SmartCART 240 ice cart (1, 2 or 3 depending on the number of bays) with lid and ice paddle. Full stainless exterior and base. Insulated cart is one-piece molded polyethylene with removable poly lid.

For additional product information, request form# 9130.

Accessories for ice storage and transport systems	Net price	
Set of 6 Totes ice carriers (item# ABICETOTP)	\$460	
Plastic ice shovel (item# ABICSHOVEL)	\$90	
SmartCART 240 ice cart (item# ROTOCART)	\$1,250	
Additional ice paddle (item# ABICEPADDL)	\$90	
	List price	1
Partition (2 and 3 bay models only)	\$2,100	
Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add	2.12" (5.37 cm) to H).	
31.00" (78.7) cm and 60.00" (152.4 cm) wide ITS models	\$1,800	
90.00" (228.6 cm) wide ITS models	\$2,290	



ITS with (2) SmmartCART 240 ice carts

See page 11 for additional accessory information.

Item number †	No. of carts	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
ITS500NS-31 ²	1	382 (174)	31.00 (78.7)	40.00 (101.6)	60.00 (152.4)	32.00 (81.3)	371 (169)	\$12,195
ITS700SG-31	1	652 (296)	31.00 (78.7)	40.00 (101.6)	75.00 (190.5)	32.00 (81.3)	398 (181)	\$12,270
ITS1350SG-60	2	1327(602)	60.00 (152.4)	40.00 (101.6)	75.00 (190.5)	41.00 (104.1)	712 (324)	\$21,690
ITS2250SG-60	2	2133 (968)	60.00 (152.4)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	822 (374)	\$23,480
ITS1700SG-90	3	1716 (779)	90.00 (228.6)	40.00 (101.6)	70.00 (177.8)	41.00 (104.1)	978 (444)	\$34,710
ITS3250SG-90	3	3255 (1477)	90.00 (228.6)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	1145 (521)	\$39,515

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² ITS500NS-31 has sliding windows only, no SmartGATE ice shield or poly door.

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice Pro automatic ice bagging and dispensing systems

Ice storage bin with automatic agitation to store and dispense cube or Chewblet ice (made by Horizon and Horizon Elite series ice machines) into bags, carts, pails or Totes ice carrier. Increased labor-savings, sanitation and safety for foodservice operators. Equipped with user-friendly control panel, lockable clear window, adjustable bag stand and insulated poly-molded ice storage area. SA models include blower and timed dispense mode for semi-automatic bag filling. Foot pedal is standard on 1000 models and optional for 650 models. Each unit comes standard with 1 wicket of 125, 8 lb (4 kg) bags.

For additional product information, request form# 3630 for E/DB650 or 2345 for E/DB1000.

Accessories for all models Bostitch® P-7 C-ring pliers for closing bags (item# 00137711)	Net price
Staples, blunt end, box of 2500 (item# 00137729)	
Accessories for 650 models	Net price
Foot switch (item# 00932517)	\$250
Jug and cooler kit for 650 models allows easy filling of 5 L and 10 L Willow ¹ jugs and larger coolers (item# 00979013)	\$1,075
Accessories for 1000 models	Net price
Leg extension kit for raises unit by 6.50" (16.51 cm) to accommodate carts up to 36.00" (19.44 cm and bags up to 40 lb (18 kg) and 33.83" (85.93 cm) high (item# ABLEGEXT) Jug and cooler kit for 1000 models allows easy filling of 5 L and 10 L Willow1 jugs and	
larger coolers (item# 00979583)	\$1,075
	List price
Reinforced top for 1000 models (required if ice machine(s) weight exceeds 800 lb (363 kg).	•

Ice Pro automatic bagging and dispensing systems

Reinforced top for 1000 models (required if ice machine(s) weight exceeds 800 lb (363 kg). Add 2.12" (5.40 cm) to H).....\$1,835

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Voltage	Approx. ship wt lb (kg)	List price
DB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	65.00 (165.1)	34.25 (87.0)	220/60/1	460 (209)	\$21,020
EDB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	65.00 (165.1)	34.25 (87.0)	230-240/50/1	460 (209)	\$18,125
DB1000	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$26,115
DB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$26,950
EDB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	230/50/1	704 (320)	\$23,165

¹ Willow Ware Australia Pty Ltd.

Slope front bins

Small to medium capacity ice storage bins. Bin exterior for all models includes stainless steel front and sides. Bin interior includes polyethylene-lined walls and stainless steel bottom. All bins include stainless top, which is custom cut for ice machine(s) and 6.00" (15.24 cm) plastic adjustable legs.

For additional product information, request form# 9135.

Accessories for slope front bins	Net price
6.00" (15.24 cm) stainless steel legs (item# ABSPECLEGS)	\$95
	List price
Center partition (650, 950 and 1025 models only; not available for 300 and 425 model)	\$695

See page 11 for additional accessory information.

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Ship wt lb (kg)	List price
300-22 ¹	300 (136)	22.00 (55.9)	31.50 (80.0)	40.00 (101.6)	23.00 (58.4)	128 (58)	\$2,200
425-30	430 (195)	30.00 (76.2)	31.50 (80.0)	40.00 (101.6)	31.00 (78.7)	144 (65)	\$3,060
650-44	660 (299)	44.00 (111.8)	31.50 (80.0)	40.00 (101.6)	32.00 (81.2)	178 (81)	\$4,230
950-48	950 (431)	48.00 (121.9)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	207 (94)	\$4,340
1025-52	1030 (467)	52.00 (132.1)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	217 (98)	\$4,455

¹ Model 300-22 only for use with Follett^{*} Maestro Plus[™] 425 (air-cooled) and Horizon Elite[™] 710 series ice machines.

t Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.



Slope front bin

Replacement stainless steel tops for ice storage bins

Order must include complete model number of ice machine to be used in conjunction with bin.

Bin series	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	Net price
Slope front bins				
	30.00 (76.2)	27.50 (69.8)	AB425TOP00	\$380
	44.00 (111.8)	27.50 (69.8)	AB650TOP00	\$520
	48.00 (121.9)	27.50 (69.8)	AB725TOP00	\$565
	52.00 (132.1)	27.50 (69.8)	AB750TOP00	\$605
Single door upright b for bins manufacture	ins and single door Ice•Do d before 2007 (except SG	evIce ice storage and d I000)	lispensing systems	
	30.00 (76.2)	31.00 (78.7)	AB7010TOP0	\$670
	48.00 (121.9)	31.00 (78.7)	AB1010TOPS	\$800
	56.00 (142.2)	31.00 (78.7)	AB1350TOP0	\$860
	60.00 (152.4)	31.00 (78.7)	AB1475TOP0	\$860
SG1000 single door u	pright			
	36.00 (91.4)	31.00 (78.7)	00979823	\$760
Double door upright	bins			
	96.00 (243.8)	31.00 (78.7)	AB1850TOP0	\$1,165
Double door upright	bins and double door Ice•	Device ice storage and	d dispensing systems	
	72.00 (182.9)	40.00 (101.6)	AB2650TOP0	\$1,105
	72.00 (182.9)	48.00 (121.9)	AB4600TOP0	\$1,165
Ice transport systems				
	31.00 (78.7)	40.00 (101.6)	ABITS70TOP	\$800
	60.00 (152.4)	40.00 (101.6)	ABITS13TOP	\$990
	90.00 (228.6)	40.00 (101.6)	ABITS32TOP	\$1,170
Ice Pro automatic ice	bagging and dispensing s	ystem		
	30.00 (76.2)	31.00 (78.7)	01341882	\$670

Replacement ABS bin tops for ice storage bins

Available EXW Incoterms 2010 – Easton, PA USA only

	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	Net price
Single door upright and sin	gle door Ice•DevIce	ice storage and dispe	ensing systems for bins man	ufactured after 2007
Full top	30.00 (76.2)	31.00 (78.7)	00168138	\$670
Full top	48.00 (121.9)	31.00 (78.7)	00168146	\$800
Full top	56.00 (142.2)	31.00 (78.7)	00168153	\$860
Full top	60.00 (152.4)	31.00 (78.7)	00168161	\$860

Flexi-Top ice bin top systems

Flexi-Top ice bin top systems make stocking bins simple – eliminates the need to know what specific ice machine will be used before the order. Available for 48.00" (121.9 cm) and 60.00" (152.4 cm) wide single door uprights and Ice•DevIce ice storage and dispensing systems. Contact factory for more information.

Ice handling accessories

ice nanuling acce.									
Ice carts and Totes ice carrier ordering guidelines									
	SmartCART 75 Item# 00112771	SmartCART 125 Item# LSC125	SmartCART 240 Item# ROTOCART	Cambro ICS125L Item# ICS125L	Totes Item# ABICETOTP (six) Item# 502263 (single)				
		000							
	Perfect for moving small quantities of ice to manually fill storage receptacles. 75 lb (34 kg) capacity. Includes 3 Totes ice carriers.	Fully insulated poly with 125 lb (57 kg) capacity and flip-up lid makes an excellent working cart for portable bars.	Fully insulated poly with removable lid. 240 lb (109 kg) capacity for transporting large quantities of ice.	Fully insulated poly with slide back lid with 125 lb (57 kg) capacity. Perfect for sliding under bars.	Comfortable handle, easy distribution of ice from longer side. Limits lifted load to 25 lb (12 kg).				
	21.50"W x 34.00"D x 39.00"H (54.6 x 86.4 x 99.1 cm)	22.50"W x 28.30"D x 33.50"H (57.2 x 71.8 x 85.1 cm)	24.25"W x 41.50"D x 35.75"H (61.6 x 105.4 x 90.8 cm)	23.00"W x 31.30"D x 29.25"H (58.4 x 79.5 x 74.3 cm)	7.12"W x 15.62"D x 15.00"H (18.08 x 39.7 x 38.1 cm)				
	Ship wt – 53 lb (25 kg)	Ship wt – 60 lb (28 kg)	Ship wt – 75 lb (35 kg)	Ship wt – 70 lb (32 kg)	Set of 6 Totes Ship wt – 34 lb (16 kg)				
	Net Price \$750	Net Price \$770	Net Price \$1,250	Net Price \$1,045	Net Price \$460				
					Single Tote Ship wt – 6 lb (3 kg)				
					Net Price \$85				
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model								
Slope Front	v	 ✓ 	 ✓ 	✓	v				
Single Door Upright	 ✓ 	v	~	v	v				
Double Door Upright	 ✓ 	 ✓ 	 ✓ 	v	v				
Single Door Ice•DevIce	 ✓ 	✓ ¹	n/r	✓1	v				
Double Door Ice•Device	 ✓ 	✓ ¹	n/r	✓ ¹	v				
Ice Transport System	n/r	n/r	~	n/r	v				
Ice Pro	 ✓ 	v	✓	v	v				


¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Ice bagging accessory ordering guidelines								
	Bagger Kit Item# ABBAGGERKT	8 lb (3.6 kg) Ice Bag Item# 00116434	20 lb (9.1 kg) Ice Bag Item# 00138370	C-ring pliers – Item# 00137711 C-ring – Item# 00137729				
	ICE	neets tot	Ministra suff					
	Bagger kit includes bagger assembly, tape	125 bags per wicket – 8 wickets per case.	125 bags per wicket – 4 wickets per case.	Bostitch P-7 C-ring pliers for bag closure. Automatic C-ring feed.				
	dispenser with tape and 250 plastic bags of 10 lb	1.25 mil. poly bag.	2.25 mil. poly bag.	Ship wt – 8 lb (4 kg)				
	(5 kg) capacity.			Net Price \$130				
	11.00"W x 13.63"D x 29.00"H (27.9 x 34.6 x 73.7 cm)	10.5 "W x 4.00"D x 19.00"H (26.7 x 10.16 x 48.3 cm)	14.00"W x 4.50"D x 27.00"H (35.6 x 11.43 x 68.6 cm)	Aluminum blunt-end C-rings for use with Bostitch P-7 C-ring pliers. 2500 per box.				
	Ship wt – 20 lb (10 kg)	Ship wt – 24 lb (11 kg)	Ship wt – 27 lb (13 kg)	Ship wt – 3 lb (2 kg)				
	Net Price \$640	Net Price \$95	Net Price \$135	Net Price \$45				
Bin series	🖌 = N	lay be ordered separate	ely n/r = Not recomme	nded for use with model				
Slope Front	 ✓ 	n/r	n/r	n/r				
Single Door Upright	 ✓ 	n/r	n/r	n/r				
Double Door Upright	 ✓ 	n/r	n/r	n/r				
Single Door Ice•DevIce	✓ ¹	n/r	n/r	n/r				
Double Door Ice•Device	✓1	n/r	n/r	n/r				
Ice Transport System	n/r	n/r	n/r	n/r				
Ice Pro	n/r	v	✓	✓				

¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Shovel, scoop and	Shovel, scoop and paddle ordering guidelines									
	Paddle Item# ABICEPADDL46 46.50" (118.1 cm) or Item# ABICEPADDL 58.50" (147.3 cm)	Rake Item# AB36RAKE 38.00" (96.5 cm) or Item# ABICERAKE 50.00" (127.0 cm)	Shovel Item# ABICSHOVEL 37.00" (94.0 cm)	Scoop Item# 00146365 64 oz (1.9 L)	Scoop Item# ABICESCOOP 82 oz (2.4 L)					
	High density poly paddle breaks ice bridges with ease. Includes bracket. 46.50" (118.1 cm) Ship wt – 9 lb (4 kg) Net Price \$90 58.50" (147.3 cm) Ship wt – 9 lb (4 kg) Net Price \$90	Draws ice to front of bin for easier access. Vinyl handle, aluminum shaft, stainless steel rake head. Includes bracket. 38.00" (96.5 cm) Ship wt – 9 lb (4 kg) Net Price \$115 50.00" (127.0 cm) Ship wt – 9 lb (4 kg) Net Price \$115	Heavy duty poly construction. Efficient removal of ice from bin. Ship wt – 9 lb (4 kg) Net Price \$90	San Jamar [®] Saf-T-Ice [®] Guardian scoop [®] system. Minimizes contact with ice, includes storage rack for scoop. Ship wt – 6 lb (3 kg) Net Price \$100	Large poly scoop for manual removal of ice from bins. No bracket provided. Ship wt – 3 lb (2 kg) Net Price \$25					

Bin series		Image: May be ordered separately			ely n/r = Not recom	n/r = Not recommended for use with model		
	46.50"	58.50"	38.00"	50.00"				
Slope Front	~	n/r	n/r	n/r	n/r	 ✓ 	v	
Single Door Upright	v	n/r	~	n/r	v	 ✓ 	 ✓ 	
Double Door Upright	n/r	~	n/r	~	v	 ✓ 	 ✓ 	
Single Door Ice•DevIce	~	n/r	~	n/r	n/r	 ✓ 	v	
Double Door Ice•Device	n/r	~	n/r	~	n/r	 ✓ 	 ✓ 	
Ice Transport System	n/r	~	n/r	~	v	 ✓ 	v	
Ice Pro	n/r	n/r	n/r	n/r	n/r	n/r	n/r	



Slope Front	 ✓ 	 ✓ 	 ✓ 	~
Single Door Upright	~	~	~	n/r
Double Door Upright	<i>v</i>	~	n/r	n/r
Single Door Ice•DevIce	n/r	n/r	n/r	n/r
Double Door Ice•Device	n/r	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	n/r	n/r	n/r

Incoterms is a trademark of the International Chamber of Commerce. Cambro is a registered trademark of Cambro Manufacturing Company in the US. Bostitch is a registered trademark of Stanley Black and Decker.

Saf-Tice is a registered trademark of San Jamar, a division of the Coleman Group, Inc. in the US. FLEXI-TOP, HORIZON ELITE, ICE•DEVICE, ICE PRO, MAESTRO PLUS, POWERHINGE, SMARTCART and TOTES are trademarks of Follett Products, LLC.

CHEWBLET, FOLLETT and SMARTGATE are registered trademarks of Follett Products, LLC, registered in the US.



