



| 2018

effective January 1
updated January 16



ice and water dispensers



ice machines



FOLLETT®

EURO LIST PRICE SCHEDULE

Contents

ICE MACHINES	6
<i>FCA Wislina, Poland Incoterms 2010</i>	6
425 series – Integrated icemaker bin	6
425 series – Maestro Plus flake ice machines for ice storage bin	7
425 series – Maestro Plus Chewblet ice machines for ice storage bins	7
Water treatment accessories for ice machines	8
Other accessories for ice machines	8
<i>FCA Easton, PA USA Incoterms 2010</i>	9
425 series – Maestro Plus flake ice machines for ice storage bin	9
425 series – Maestro Plus Chewblet ice machines for ice storage bins	9
425 series – Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers	10
Top kits for RIDE model Maestro Plus series ice machines for use with countertop ice and beverage dispensers	10
Water treatment accessories for ice machines	11
Other accessories for ice machines	11
VISION LOW-PROFILE ICE AND WATER DISPENSERS	12
<i>FCA Easton, PA USA Incoterms 2010</i>	12
Vision low-profile ice and water dispensers	12
ICE AND WATER DISPENSERS	13
<i>FCA Wislina, Poland Incoterms 2010</i>	13
E7 series ice and water and ice-only dispensers	13
E15 series ice and water and ice-only dispensers	13
Accessories for E7 and E15 series ice and water dispensers	13
Symphony Plus E12 series ice and water dispensers	14
Symphony Plus E12 series ice-only dispensers	14
<i>FCA Easton, PA USA Incoterms 2010</i>	15
Symphony Plus E12 series ice-only dispensers	15
Symphony Plus E25 and E50 series ice and water dispensers with removable ice machine	15
Symphony Plus E25 and E50 series ice-only dispensers	16
Water treatment accessories for Symphony Plus ice and water dispensers	17
Other accessories for Symphony Plus ice and water dispensers	17
Replacement ice machine for use in existing Follett dispensers	18
Replacement ice machine ordering matrix	18

Warranty

Symphony Plus™ ice and water dispensers, Maestro Plus™, Horizon™ and Horizon Elite™ series ice machines, integrated icemaker bin

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

Vision™ ice and beverage dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

WARRANTY CONDITIONS

1. Labor warranty will apply only to equipment sold by the Follett Authorized Distributor in his designated territory.
2. Warranty labor must be performed by the local Follett Authorized Distributor or his designated service provider.
3. Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
4. The equipment has been installed and operated in compliance with instructions provided by Follett.
5. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
6. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
7. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
8. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

E7 and E15 Series ice and water dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
4. Dispenser is used in an application with less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).
5. Dispenser is not to be used with softened water.
6. Premature internal filter life due to poor supply water is not covered.
7. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
8. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
9. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
10. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett technical service at +1 877 612-5086 (US and Canada), +1 610-252-7301 or Follett Europe technical service at +48 (58) 785-6140, Fax +48 (58) 785-6159.

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **All prices in euros**
- **Customers within EU – duty paid**
- **Customers outside EU – duty not paid**
- **Unless otherwise directed, Follett will contract for carriage at the buyer's risk and expense**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

1. The equipment is new and unused.
2. A return authorization number has been issued by customer service within 45 days after shipment.
3. Follett receives the equipment at the factory in Pruszcz, Poland within 30 days after issuance of the return authorization number.
4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

Ice machines

FCA Wislina, Poland Incoterms® 2010


- Customers within EU – duty paid
- Customers outside EU – duty not paid

425 series – Integrated icemaker bin

Flake (UF) or Micro Chewblet™ (UM) ice machines with 34 kg (75 lb) bin storage for undercounter or freestanding applications.

Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 6785.



Integrated ice machine with bin

Item number	Width cm (in)	Depth cm (in)	Height ¹ cm (in)	Production capacity lb (kg)		Condensing unit ²	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
UFE425A80	59.7 (23.50)	66.0 (26.00)	83.8 (33.00)	148 (325)	193 (425)	A – SC	230/50/1	84 (185)	€ 5,095
UME425A80	59.7 (23.50)	66.0 (26.00)	83.8 (33.00)	148 (325)	193 (425)	A – SC	230/50/1	84 (185)	€ 5,095

¹ 83.8 cm (33.00") with leveling feet for undercounter use. 99.1 cm (39.00") with bullet legs for freestanding application.

² Condensing unit: A – SC = Air – self-contained

Ice Machine Model Number Configurations


Ice Machine Model Number Configurations							
Ice machine		Voltage	Series	Condenser		Application	Configuration
MC	Maestro Plus Chewblet (425)	E 230/50/1 (icemaking head) <i>Self-contained only.</i>	425 up to 193 kg (425 lb)	A	Air-cooled, self-contained	H Harmony™ (countertop ice and beverage dispenser)	S RIDE® (remote ice delivery equipment)
MF	Maestro Plus Flake (425)			W	Water-cooled, self-contained	B Ice storage bin	T Top-mount

425 series – Maestro Plus flake ice machines for ice storage bin

Flake ice machines for mounting on ice storage bins.

Refer to Follett ice storage, ice transportation and ice handling form# B300 for capacities and sizes of bins available.

For additional product information, request form# 6950 or 6955.



Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx. ship wt kg (lb)	List price
				32 C air	21 C air				
				21 C water (90/70 F)	10 C water (70/50 F)				
Top mount Maestro Plus ice machines									
MFE425ABT	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	73 (160)	€ 5,915


¹ Condensing unit: A – SC = Air – self-contained

425 series – Maestro Plus Chewblet ice machines for ice storage bins

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

Refer to Follett ice storage, ice transportation and ice handling form# B300 for capacities and sizes of bins available.

For additional product information, request form# 6945, 6950 or 6955.



Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx. Ship wt kg (lb)	List price
				32 C air	21 C air				
				21 C water (90/70 F)	10 C water (70/50 F)				
Top mount Maestro Plus ice machines									
MCE425ABT	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	73 (160)	€ 5,915

RIDE model Maestro Plus ice machines

MCE425ABS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	148 (325)	193 (425)	A – SC	230/50/1	73 (160)	€ 7,040
-----------	--------------	--------------	--------------	-----------	-----------	--------	----------	----------	---------

¹ Condensing unit: A – SC = Air – self-contained

Water treatment accessories for ice machines

Item number	Description	List price
Standard capacity filter system		
00130229	Water filter system (one per ice machine)	€ 580
00130245	Water filter cartridge – primary, single	€ 125
00954297	Water filter cartridge – primary, carton of 6	€ 610
00130211	Water pre-filter cartridge – pre-filter, single	€ 20
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€ 200
High capacity filter system		
00978957	High capacity water filter system (one per ice machine)	€ 705
00978965	High capacity water filter cartridge – primary, single	€ 225
00978973	High capacity water filter cartridge – primary, carton of 6	€ 1,210
00130211	Water pre-filter cartridge – pre-filter, single	€ 20
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€ 200
Other filtration		
00986059	Claris hardness removal filtration system	€ 605
00985127	Replacement filter for Claris system	€ 355

Other accessories for ice machines


Item number	Description	List price
AFWALLMTBRKT	Wall mount bracket for Maestro Plus 425A/W series RIDE model ice machines	€ 240
01151935	Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments	€ 81 / meter
AFR400STND	Ice machine stand for Maestro Plus 425A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€ 540
00132001	SafeCLEAN™, powder – environmentally responsible ice machine cleaner (carton of 24 x 7 oz packets)	€ 255
01147826	SafeCLEAN Plus™, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	€ 15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	€ 75
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	€ 270

425 series – Maestro Plus flake ice machines for ice storage bin

Flake ice machines for mounting on ice storage bins.

Refer to Follett ice storage, ice transportation and ice handling form# B300 for capacities and sizes of bins available.

For additional product information, request form# 6950 or 6955.



Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
Top mount Maestro Plus ice machines									
MFE425WBT	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	185 (408)	221 (486)	W – SC	230/50/1	73 (160)	€ 5,915


¹ Condensing unit: A – SC = Air – self-contained

425 series – Maestro Plus Chewblet ice machines for ice storage bins

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

Refer to Follett ice storage, ice transportation and ice handling form# B300 for capacities and sizes of bins available.

For additional product information, request form# 6945, 6950 or 6955.



Top mount

RIDE model

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
Top mount Maestro Plus ice machines									
MCE425WBT	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	185 (408)	221 (486)	W – SC	230/50/1	73 (160)	€ 5,915

RIDE model Maestro Plus ice machines

MCE425WBS	47.8 (18.88)	52.7 (20.75)	43.4 (17.10)	185 (408)	221 (486)	W – SC	230/50/1	73 (160)	€ 7,040
-----------	--------------	--------------	--------------	-----------	-----------	--------	----------	----------	---------

¹ Condensing unit: A – SC = Air – self-contained


425 series – Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers

Top mount ice machine **requires stainless steel top kit**, sold separately. See top kit charts on page 11 for top kit numbers.

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube and universal RIDE model adapter kit (item# 00182170). Factory approval required for ice transport tube lengths over 6.1 m (20'). See below for approved dispensers.

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 6945.



RIDE model

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
RIDE model Maestro Plus ice machines									
MCE425AHS	47.8 (18.80)	57.8 (22.75)	43.4 (17.10)	148 (325)	193 (425)	A – SC	230/50/1	73 (160)	€ 7,040

¹ Condensing unit: A – SC = Air – self-contained

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,3} and 9000 ³	Lancer 4500-22N	Servend MD175
Cornelius DB/DF/ED150BC Series	Lancer 4500-30N	Servend MD200
Cornelius DB/DF/ED175BC Series	Lancer FS-16N	Servend MD250
Cornelius DB/DF/ED200BC Series	Lancer FS-22N	Servend MDH302
Cornelius DB/DF/ED250BC Series	Lancer FS-30N	Servend MDH402
Cornelius DB/DF/ED300BC Series	Lancer FS-44N	Servend SV175
Cornelius IDC215/255 and Pro Fast Gate	Lancer Sensation and TouchPoint	Servend SV200
Cornelius IDC Pro	Pepsi Spire 3.0 ⁴ and 5.0 ⁴	Servend SV250
Cornelius Flavor Fusion/Overload	Servend MD150	

Top kits for RIDE model Maestro Plus series ice machines for use with countertop ice and beverage dispensers

Top kit accessory	Ice machine model number	Dispenser	Dispenser model number	Dispenser series width	List price
Required Maestro Plus RIDE model stainless steel adapter kits¹					
MSF30SC ^{2,3}	Available for all models that end in HS.	Coca-Cola	Freestyle 7000	30"	€ 300
MSP24SC ⁴	Example: MCE425AHS	Pepsi	Spire 3.0	24"	€ 280
MSP30SC ⁴		Pepsi	Spire 5.0	30"	€ 300

Optional Maestro Plus series RIDE model stainless steel adapter kits¹

MSC22SC	Available for all models that end in HS.	Cornelius	DB/DF/ED150BC	22"	€ 1,170
MSC24SC		Cornelius	DB/DF/ED175BC	24"	€ 1,225
MSC30SC		Cornelius	DB/DF/ED200BC	30"	€ 1,285
MSC30SC		Cornelius	DB/DF/ED250BC	30"	€ 1,285
MSC44SC		Cornelius	DB/DF/ED300BC	44"	€ 1,315
MSL22SC	Example: MCE425AHS	Lancer	FS-22N	22"	€ 1,170
MSL30SC		Lancer	4500-30N	30"	€ 1,285
MSL30SC		Lancer	FS-30N	30"	€ 1,285

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. Approved dispensers for top mount ice machine applications are listed above.

² Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter 46412 and ice kit 46430 must also be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

Water treatment accessories for ice machines

Item number	Description	List price
Standard capacity filter system		
00130229	Water filter system (one per ice machine)	€ 580
00130245	Water filter cartridge – primary, single	€ 125
00954297	Water filter cartridge – primary, carton of 6	€ 610
00130211	Water pre-filter cartridge – pre-filter, single	€ 20
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€ 200
High capacity filter system		
00978957	High capacity water filter system (one per ice machine)	€ 705
00978965	High capacity water filter cartridge – primary, single	€ 225
00978973	High capacity water filter cartridge – primary, carton of 6	€ 1,210
00130211	Water pre-filter cartridge – pre-filter, single	€ 20
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€ 200
Carbonless high capacity filter system		
01050442	Carbonless high capacity water filter system (one per ice machine)	€ 625
01050426	Carbonless high capacity water filter cartridge – primary, single	€ 145
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	€ 725
00130211	Water pre-filter cartridge – pre-filter, single	€ 20
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€ 200
Other filtration		
00986059	Claris hardness removal filtration system	€ 605
00985127	Replacement filter for Claris system	€ 355

Other accessories for ice machines

Item number	Description	List price
AFWALLMTBRKT	Wall mount bracket for Maestro Plus 425A/W series RIDE model ice machines	€ 240
01151935	Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments	€ 81 / meter
AFR400STND	Ice machine stand for Maestro Plus 425A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€ 540
00918045	Maestro front cover retrofit kit, for top mount only	€ 225
00132001	SafeCLEAN, powder – environmentally responsible ice machine cleaner (carton of 24 x 7 oz packets)	€ 255
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	€ 15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	€ 75
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	€ 270
00939140	9 m (30') bin signal extension cord	€ 115
00939157	18 m (60') bin signal extension cord	€ 170
01151943	Maestro Plus universal RIDE model adapter kit	€ 465

Vision low-profile ice and water dispensers

FCA Easton, PA USA Incoterms® 2010


Vision low-profile ice and water dispensers

Ice and water dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 11).

Standard equipment includes:

- Water dispense valve only
- 15.24 - 22.86 cm (6.00" - 9.00") legs
- 3 m (10') ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 6975.



Vision VU155N Series ice and water dispenser

Item number	Max. storage capacity kg (lb)	Width cm (in)	Depth cm (in)	Height cm (in)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt kg (lb)	List price
VU155N series ice and water dispensers									
EVU155NORP	68 (150)	79.4 (31.25)	69.5 (27.38)	149.6 (58.88)	Right	Push button	230/50/1	114 (250)	€ 10,175
EVU155NOLP	68 (150)	79.4 (31.25)	69.5 (27.38)	149.6 (58.88)	Left	Push button	230/50/1	114 (250)	€ 10,175
EVU155NORL	68 (150)	79.4 (31.25)	69.5 (27.38)	149.6 (58.88)	Right	Sanitary lever	230/50/1	114 (250)	€ 10,175
EVU155NOLL	68 (150)	79.4 (31.25)	69.5 (27.38)	149.6 (58.88)	Left	Sanitary lever	230/50/1	114 (250)	€ 10,175
VU155N series ice-only dispensers									
EVU155NWRP	68 (150)	79.4 (31.25)	69.5 (27.38)	149.6 (58.88)	Right	Push button	230/50/1	114 (250)	€ 9,965
EVU155NWLP	68 (150)	79.4 (31.25)	69.5 (27.38)	149.6 (58.88)	Left	Push button	230/50/1	114 (250)	€ 9,965
EVU155NWRL	68 (150)	79.4 (31.25)	69.5 (27.38)	149.6 (58.88)	Right	Sanitary lever	230/50/1	114 (250)	€ 9,965
EVU155NWLL	68 (150)	79.4 (31.25)	69.5 (27.38)	149.6 (58.88)	Left	Sanitary lever	230/50/1	114 (250)	€ 9,965

Ice and water dispensers

FCA Wislina, Poland Incoterms® 2010

- Customers within EU – duty paid
- Customers outside EU – duty not paid

E7 series ice and water and ice-only dispensers

Countertop ice and water dispensers and ice-only dispensers with integral air-cooled ice machine and with or without internal, 5 micron filter. Produces up to 54.4 kg (120 lb) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 3 kg (7 lb). For additional information request form# 5045.

Note: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).



E7 series
countertop

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Approx. ship wt kg (lb)	List price
E7CI100A-IW-CF-ST-00	Countertop ice and water with internal filter	37.1 (14.62)	56.2 (22.12)	44.8 (17.62)	41 (90)	€ 5,520
E7CI100A-IW-NF-ST-RD	Countertop ice and water, rear drain, no internal filter	37.1 (14.62)	56.2 (22.12)	44.8 (17.62)	41 (90)	€ 5,325
E7CI100A-NW-NF-ST-00	Countertop ice-only, no internal filter	37.1 (14.62)	56.2 (22.12)	44.8 (17.62)	41 (90)	€ 5,325
E7CI100A-NW-NF-ST-RD	Countertop ice-only, rear drain, no internal filter	37.1 (14.62)	56.2 (22.12)	44.8 (17.62)	41 (90)	€ 5,325

Available accessories are listed on page 13.

E15 series ice and water and ice-only dispensers

Countertop ice and water dispensers and ice-only dispensers with integral air-cooled ice machine. Produces up to 54.4 kg (120 lb) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 7 kg (15 lb). For additional information request form# 6200.

Note: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).



E15 series
countertop

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Approx. ship wt kg (lb)	List price
E15CI100A-IW-CF-ST-00	Countertop ice and water with internal filter	37.1 (14.62)	59.7 (23.50)	57.2 (22.50)	45 (100)	€ 6,090
E15CI100A-IW-NF-ST-RD	Countertop ice and water, rear drain, no internal filter	37.1 (14.62)	59.7 (23.50)	57.2 (22.50)	45 (100)	€ 5,905
E15CI100A-NW-NF-ST-00	Countertop ice-only, no filter	37.1 (14.62)	59.7 (23.50)	57.2 (22.50)	45 (100)	€ 5,905
E15CI100A-NW-NF-ST-RD	Countertop ice-only, rear drain, no internal filter	37.1 (14.62)	59.7 (23.50)	57.2 (22.50)	45 (100)	€ 5,905

Available accessories are listed on page 13.


Accessories for E7 and E15 series ice and water dispensers

Item number	Description	List price
00968107	Replacement cartridges for E7CI and E15CI series filter	€ 75
00956300	10.16 cm (4.00") legs, for countertop (CI)	€ 235
00981977	Drip tray drain kit for E7CI (includes 10.16 cm (4.00") legs)	€ 365
00956292	Base stand, to convert CI to FS	€ 645
00956375	Drip tray drain kit for E7CI and E15CI when used with base stand (item# 00956292)	€ 135
00956318	15.24 cm (6.00") legs, for base stand (item# 00956292)	€ 235
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	€ 15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	€ 75
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	€ 270
00986059	Claris hardness removal filtration system	€ 605
00985127	Replacement filter for Claris system	€ 355

Symphony Plus E12 series ice and water dispensers

Countertop and wall mount ice and water dispensers with 5 kg (12 lb) of storage. Integral ice machine produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. Standard electrical configuration 230/50/1. Choose appropriate item number for SensorSAFE™ infrared dispensing or lever dispensing.

For additional product information, request form# 6940.



Countertop with integral ice machine

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E12 series with SensorSAFE infrared dispensing								
E12CI425A-S	Countertop	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€ 6,430

E12 series with lever dispensing

E12CI425A-L	Countertop	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€ 6,430
-------------	------------	--------------	--------------	--------------	------------	----------	----------	---------


¹ Production data at 21 C air / 10 C water for Symphony Plus series.

Available accessories are listed on page 17.

Symphony Plus E12 series ice-only dispensers

Countertop ice dispensers with 5 kg (12 lb) of storage. Ice-only; no water. Integral ice machine produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Standard electrical configuration 230/50/1. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6940.



Countertop with integral ice machine

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E12 series ice-only with lever dispensing								
E12CI425A-LI	Countertop	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€ 6,430


¹ Production data at 21 C air / 10 C water for Symphony Plus series.

Available accessories are listed on page 17.

Symphony Plus E12 series ice-only dispensers

Countertop ice dispensers with 5 kg (12 lb) of storage. Ice-only; no water. Integral ice machine produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Standard electrical configuration 230/50/1. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6940.



Countertop with integral ice machine


Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E12 series ice-only with SensorSAFE infrared dispensing								
E12CI425A-SI	Countertop	40.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€ 6,430

¹ Production data at 21 C air / 10 C water for Symphony Plus series.
Available accessories are listed on page 17.

Symphony Plus E25 and E50 series ice and water dispensers with removable ice machine

Countertop ice and water dispensers with 11.3 kg (25 lb) or 22.7 kg (50 lb) of storage. Removable icemaking module produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. Standard electrical configuration 230/50/1. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 7090.



Countertop with removable ice machine behind splash panel

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E25 series with SensorSAFE infrared dispensing								
E25CI425A-S	Countertop	53.3 (21.00)	61.0 (24.00)	91.4 (36.00)	air-cooled	behind splash panel	99 (219)	€ 9,075

E25 series with lever dispensing

E25CI425A-L	Countertop	53.3 (21.00)	61.0 (24.00)	91.4 (36.00)	air-cooled	behind splash panel	99 (219)	€ 9,075
-------------	------------	--------------	--------------	---------------	------------	---------------------	-----------	---------

E50 series with SensorSAFE infrared dispensing

E50CI425A-S	Countertop	53.3 (21.00)	61.0 (24.00)	101.6 (40.00)	air-cooled	behind splash panel	99 (219)	€ 9,720
-------------	------------	--------------	--------------	----------------	------------	---------------------	-----------	---------

E50 series with lever dispensing


E50CI425A-L	Countertop	53.3 (21.00)	61.0 (24.00)	101.6 (40.00)	air-cooled	behind splash panel	99 (219)	€ 9,720
-------------	------------	--------------	--------------	---------------	------------	---------------------	-----------	---------

¹ Production data at 21 C air / 10 C water for Symphony series.
Available accessories are listed on page 17.

Symphony Plus E25 and E50 series ice-only dispensers

Countertop dispensers with 11.3 kg (25 lb) or 22.7 kg (50 lb) of storage. Removable icemaking module produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. Standard electrical configuration 230/50/1. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 7090.



Countertop with
integral ice machine

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E25 series ice-only with SensorSAFE infrared dispensing								
E25CI425A-SI	Countertop	53.3 (21.00)	61.0 (24.00)	91.4 (36.00)	air-cooled	behind splash panel	99 (219)	€ 9,075
E25 series ice-only with lever dispensing								
E25CI425A-LI	Countertop	53.3 (21.00)	61.0 (24.00)	91.4 (36.00)	air-cooled	behind splash panel	99 (219)	€ 9,075
E50 series ice-only with SensorSAFE infrared dispensing								
E50CI425A-SI	Countertop	53.3 (21.00)	61.0 (24.00)	101.6 (40.00)	air-cooled	behind splash panel	99 (219)	€ 9,720
E50 series ice-only with lever dispensing								
E50CI425A-LI	Countertop	53.3 (21.00)	61.0 (24.00)	101.6 (40.00)	air-cooled	behind splash panel	99 (219)	€ 9,720

¹ Production data at 21 C air / 10 C water for Symphony series.

Available accessories are listed on page 17.

Water treatment accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
Standard capacity filter system		
00130229	Water filter system (one per ice machine)	€ 580
00130245	Water filter cartridge – primary, single	€ 125
00954297	Water filter cartridge – primary, carton of 6	€ 610
00130211	Water pre-filter cartridge – pre-filter, single	€ 20
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€ 200
High capacity filter system		
00978957	High capacity water filter system (one per ice machine)	€ 705
00978965	High capacity water filter cartridge – primary, single	€ 225
00978973	High capacity water filter cartridge – primary, carton of 6	€ 1,210
00130211	Water pre-filter cartridge – pre-filter, single	€ 20
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€ 200
Carbonless high capacity filter system		
01050442	Carbonless high capacity water filter system (one per ice machine)	€ 625
01050426	Carbonless high capacity water filter cartridge – primary, single	€ 145
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	€ 725
00130211	Water pre-filter cartridge – pre-filter, single	€ 20
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€ 200
Other filtration		
00986059	Claris hardness removal filtration system	€ 605
00985127	Replacement filter for Claris system	€ 355

Other accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
AFR400STND	Ice machine stand for Maestro Plus 425A/W – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€ 540
AF10LBLEGS	10.16 cm (4.00") leg kit – for 12CI series	€ 130
AFCASTERKIT	Caster kit – for 25FB and 50FB series only	€ 310
01089572	Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system ¹	€ 45
01089580	Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system	€ 110
00132001	SafeCLEAN, powder – environmentally responsible ice machine cleaner (carton of 24 x 7 oz packets)	€ 255
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	€ 15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	€ 75
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	€ 270
01075431	SaniSponge™, 24 pack of sanitary sponges	€ 45

¹ Applicable Follett water filter systems include 00130229, 00978957, 01050442

Base stand accessories – Base stands and base stands with filter systems installed for countertop dispensers. Stainless exterior. Includes 6.00" (15.24 cm) adjustable, flanged legs.

12BASE-00	Base for 12 CI Series, 44.4 cm (17.50") W x 55.9 cm (22.00") D x 83.8 cm (33.00") H, ship wt 36 kg (80 lb)	€ 995
12BASE-CF	12BASE with standard capacity carbon filter system (00130229) installed	€ 1,655
12BASE-HC	12BASE with high capacity carbon filter system (00978957) installed	€ 1,785
12BASE-CL	12BASE with carbonless high capacity filter system (01050442) installed	€ 1,695
25AND50BASE-00	Base for 25 and 50 CI series, 57.8 cm (22.75") W x 61.9 cm (24.38") D x 83.8 cm (33.00") H, ship wt 50 kg (110 lb)	€ 1,040
25AND50BASE-CF	25AND50BASE with standard capacity carbon filter system (00130229) installed	€ 1,695
25AND50BASE-HC	25AND50BASE with high capacity carbon filter system (00978957) installed	€ 1,830
25AND50BASE-CL	25AND50BASE with carbonless high capacity filter system (01050442) installed	€ 1,745

Ice transport tube

- Always replace tubing with like tubing. Example: Braided with braided.
- Contact factory to confirm appropriate tubing for your specific dispenser

01151935	Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments	€ 81 / per m
----------	---	--------------

Replacement ice machine for use in existing Follett dispensers

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production per 24 hr kg (lb)	Condenser	Voltage	Approx. ship wt kg (lb)	List price
EP425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	230/50/1	130 (59)	€ 5,660
EP425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	230/50/1	125 (57)	€ 5,660

Refer to matrix below for correct replacement ice machine.

Replacement ice machine ordering matrix

Dispenser series	Replacement ice machine item number	Ice machine panel finish
Countertop and wall mount dispensers with top mounted ice machines		
E25CT400A and E25HT400A	EP425A	no panels
E25CT400W and E25HT400W	EP425W	no panels
E50CT400A and E50HT400A	EP425A	no panels
E50CT400W and E50HT400W	EP425W	no panels
Freestanding dispensers with ice machine in base		
E25FB400A	EP425A	no panels
E25FB400W	EP425W	no panels
E50FB400A	EP425A	no panels
E50FB400W	EP425W	no panels

Incoterms is a trademark of the International Chamber of Commerce.

Calgon is a licensed tradename distributed by Nu-Calgon, in the United States.

Harmony, Maestro Plus, Micro Chewblet, SafeCLEAN, SafeCLEAN Plus, SensorSAFE, Symphony Plus and Vision are trademarks of Follett LLC.

Chewblet, Follett and RIDE are registered trademarks of Follett LLC, registered in the US.

Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.



Follett LLC
801 Church Lane • Easton, PA 18040, USA
+1 (610) 252-7301 • Fax +1 (610) 250-0696
www.follettice.com

Follett Europe Polska Sp. z o.o.
Mokry Dwór 26C 83-021 Wiślina, Poland
+48 (58) 785-6140 • Fax +48 (58) 785-6159
www.folletteurope.com



Form 2435 01/16/18
© Follett LLC