
effective January 1















ice storage and transport



LIST PRICE SCHEDULE

Contents

CE STORAGE, ICE TRANSPORT AND ICE HANDLING	3
Upright ice storage bins – single door and double door with SmartGATE® ice shield	
Ice•DevIce ice storage and dispensing systems – single door with cart or bagger	
Ice•DevIce ice storage and dispensing systems – low-profile single door with Totes ice carrier	7
Ice•DevIce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts	7
Ice storage and transport systems (ITS)	8
Ice Pro automatic ice bagging and dispensing systems	8
Slope front bins	
Replacement stainless steel tops for ice storage bins	10
Replacement ABS bin tops for ice storage bins	10
Flexi-Top ice bin top systems	10
Ice handling accessories	11

2 ■ JANUARY 1, 2018 www.follettice.com

Ice storage, ice transport and ice handling

Follett offers ice storage, dispensing and transport solutions in capacities and sizes to meet nearly every need. All with features that can make your ice management easier, safer, and more sanitary.

Warranty

Single door upright bins and single door Ice•Device™ chuted bin and cart systems

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for the useful life of the product. Parts and labor for corrosion repair are covered under this warranty.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice storage and transport systems (ITS); double door upright bins; and double door Ice•Device™ chuted bin and cart systems

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice Pro™ automatic ice bagging and dispensing systems

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Slope front bins

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice transport carts; Totes™ ice carriers; ice shovels; ice probes; ice rakes

Follett LLC warrants to the original end user that all parts shall be free from defects in materials and workmanship under normal use and service for a period of 2 years from date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts within this 2 year period are covered under this warranty. Labor required for repair within a 1 year period is covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

WARRANTY CONDITIONS

- **1.** Warranty labor must be performed by the local Follett authorized service agent.
- 2. The equipment has been installed and operated in compliance with instructions provided by Follett.
- 3. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
- 4. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- **5.** Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- **6.** Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

See following page for Terms and Return Policy

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- · Pricing is in USD
- Unless otherwise directed, Follett will contract for carriage at buyer's risk and expense
- FCA Easton, PA USA Incoterms® 2010

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

- 1. The equipment is new and unused.
- 2. A return authorization number has been issued by customer service within 45 days after shipment.
- 3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
- **4.** The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

Upright ice storage bins – single door and double door with SmartGATE® ice shield


Ice storage bins with industry-exclusive SmartGATE ice shield. Complete stainless exterior standard, including stainless back and bottom. All bins include a poly liner and corrosionresistant ABS/poly top (single door uprights) or stainless top (double door uprights), which is custom cut for ice machine(s). 6.00" (15.24 cm) stainless steel adjustable legs and 82 oz (2.4 L) plastic ice scoop.

For additional product information, request form# 9140 for single door or 9145 for double door uprights.

Accessories for single door upright bins



Single door upright



Double door upright

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
Single door u	prights						
SG500S-30	460 (209)	30.00 (76.2)	31.00 (78.7)	44.50 (113.0)	31.00 (78.7)	210 (96)	\$4,275
SG700S-30	680 (309)	30.00 (76.2)	31.00 (78.7)	60.00 (152.4)	31.00 (78.7)	212 (97)	\$5,090
SG1000S-36 ²	990 (450)	36.00 (91.4)	31.00 (78.7)	69.50 (176.5)	32.00 (81.3)	257 (117)	\$5,995
SG860S-48	860 (391)	48.00 (121.9)	31.00 (78.7)	46.50 (118.1)	31.00 (78.7)	255 (116)	\$5,640
SG1010S-48	1000 (454)	48.00 (121.9)	31.00 (78.7)	56.00 (142.4)	32.00 (81.3)	268 (122)	\$5,825
SG1175S-48	1185 (538)	48.00 (121.9)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	298 (136)	\$6,090
SG1300S-48	1320 (599)	48.00 (121.9)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	270 (123)	\$6,255
SG1160S-56	1170 (531)	56.00 (142.2)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	296 (135)	\$6,980
SG1350S-56	1360 (617)	56.00 (142.2)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	322 (147)	\$7,360
SG1080S-60	1080 (490)	60.00 (152.4)	31.00 (78.7)	46.50 (118.1)	32.00 (81.3)	355 (161)	\$6,330
SG1325S-60	1325 (602)	60.00 (152.4)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	320 (145)	\$6,585
SG1475S-60	1490 (676)	60.00 (152.4)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	321 (146)	\$7,020
SG1650S-60	1660 (754)	60.00 (152.4)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	340 (155)	\$7,110
SG2000S-60 ³	2000 (908)	60.00 (152.4)	31.00 (78.7)	80.00 (203.2)	32.00 (81.3)	370 (168)	\$7,930
Double door	uprights						
SG1850-96	1870 (849)	96.00 (243.8)	31.00 (78.7)	51.00 (129.5)	32.00 (81.3)	450 (205)	\$14,920
SG2100-72	2110 (958)	72.00 (182.9)	40.00 (101.6)	57.00 (144.8)	41.00 (104.1)	486 (221)	\$12,605
SG2250-72	2250 (1022)	72.00 (182.9)	48.00 (121.9)	50.50 (128.3)	49.00 (124.5)	516 (235)	\$12,510
SG2650-72	2650 (1203)	72.00 (182.9)	40.00 (101.6)	66.50 (168.9)	41.00 (104.1)	571 (259)	\$15,110
SG3200-72 ⁴	3240 (1471)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	35.00 (88.9)	762 (346)	\$15,840
SG3900-72 ⁴	3940 (1789)	72.00 (182.9)	48.00 (121.9)	81.50 (207.0)	44.00 (111.8)	835 (379)	\$18,080
SG4600-72 ⁴	4640 (2107)	72.00 (182.9)	48.00 (121.9)	93.00 (236.2)	47.00 (119.4)	901 (409)	\$18,580

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² Standard with 6.00" (15.24 cm) flanged legs and available only with stainless steel top. Correctional package not available.


³ 18.00" (45.7 cm) sleeve with window on 62.00" (157.5 cm) high bin.

⁴ Ships in two sections.

[†] Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice•DevIce ice storage and dispensing systems – single door with cart or bagger








Ice•DevIce with SmartCART 125 ice cart



Ice•Devlce with Cambro ICS125L cart



Ice•DevIce with bagger

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge™ door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include one of the following: SmartCART 75 ice cart with 3 polyethylene Totes ice carriers, each Totes ice carrier holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg); SmartCART 125 ice cart which holds 125 lb (57 kg) of ice; Cambro brand model ICS125L ice cart which holds 125 lb (57 kg) of ice; or a bagger kit with 250 plastic bags of 10 lb (4.5 kg) capacity. Add designator -75 (SmartCART 75), -125 (SmartCART 125), -ICS125L (Cambro) or -BG (bagger kit) to select configuration.

For additional product information, request form# 9720.

Accessories for Ice•DevIce ice storage and dispensing systems

Item number †	with SC75 cart	with SC125 cart	with Cambro cart	with bagger kit	Max. bin cap. lb (kg)	Width in (cm)	Depth¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30	-75	-125	-IC125L	-BG	460 (209)	30.00 (76.2)	31.00 (78.7)	63.00 (160.0)	31.00 (78.7)	354 (161)	\$6,060
DEV700SG-30	-75	-125	-IC125L	-BG	680 (309)	30.00 (76.2)	31.00 (78.7)	78.50 (199.4)	31.00 (78.7)	389 (177)	\$6,840
DEV860SG-48 ²	-75	-125	-IC125L	-BG	860 (391)	48.00 (121.9)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	452 (205)	\$8,225
DEV1010SG-48	-75	-125	-IC125L	-BG	1000 (454)	48.00 (121.9)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	453 (206)	\$8,355
DEV1175SG-48	-75	-125	-IC125L	-BG	1185 (538)	48.00 (121.9)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	483 (219)	\$8,680
DEV1300SG-48	-75	-125	-IC125L	-BG	1320 (599)	48.00 (121.9)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	476 (216)	\$8,920
DEV1160SG-56	-75	-125	-IC125L	-BG	1170 (531)	56.00 (142.2)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	472 (214)	\$9,235
DEV1350SG-56	-75	-125	-IC125L	-BG	1360 (617)	56.00 (142.2)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	521 (236)	\$9,560
DEV1080SG-60 ²	-75	-125	-IC125L	-BG	1080 (490)	60.00 (152.4)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	490 (222)	\$8,825
DEV1325SG-60	-75	-125	-IC125L	-BG	1325 (602)	60.00 (152.4)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	518 (235)	\$9,080
DEV1475SG-60	-75	-125	-IC125L	-BG	1490 (676)	60.00 (152.4)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	518 (235)	\$9,460
DEV1650SG-60	-75	-125	-IC125L	-BG	1660 (754)	60.00 (152.4)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	532 (241)	\$9,690

Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

[†] Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice • Device ice storage and dispensing systems – low-profile single door with Totes ice carrier

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and 10.00" (25.4 cm) flanged legs. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include a single polyethylene Totes ice carrier which holds 25 lb (11 kg) of ice.

For additional product information, request form# 9720.

Accessories for Ice•DevIce ice storage and dispensing systems

Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H)...\$1,550 Correctional package, 2 week lead time (item# 00917054)......\$1,625 See page 11 for additional accessory information.



Ice•DevIce with Totes ice carrier

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30-LP	460 (209)	30.00 (76.2)	31.00 (78.7)	48.50 (123.2)	31.00 (78.7)	186 (85)	\$6,060
DEV700SG-30-LP	680 (309)	30.00 (76.2)	31.00 (78.7)	64.00 (162.6)	31.00 (78.7)	229 (104)	\$6,840
DEV860SG-48-LP ²	860 (391)	48.00 (121.9)	31.00 (78.7)	50.50 (128.3)	32.00 (81.3)	288 (131)	\$8,225
DEV1010SG-48-LP	1000 (454)	48.00 (121.9)	31.00 (78.7)	60.00 (152.4)	32.00 (81.3)	277 (126)	\$8,355
DEV1175SG-48-LP	1185 (538)	48.00 (121.9)	31.00 (78.7)	66.00 (167.6)	32.00 (81.3)	319 (145)	\$8,680
DEV1300SG-48-LP	1320 (599)	48.00 (121.9)	31.00 (78.7)	69.00 (175.3)	32.00 (81.3)	342 (156)	\$8,920
DEV1160SG-56-LP	1170 (531)	56.00 (142.2)	31.00 (78.7)	60.00 (152.4)	32.00 (81.3)	296 (135)	\$9,235
DEV1350SG-56-LP	1360 (617)	56.00 (142.2)	31.00 (78.7)	66.00 (167.6)	32.00 (81.3)	353 (161)	\$9,560
DEV1080SG-60-LP ²	1080 (490)	60.00 (152.4)	31.00 (78.7)	50.50 (128.3)	32.00 (81.3)	297 (135)	\$8,825
DEV1325SG-60-LP	1325 (602)	60.00 (152.4)	31.00 (78.7)	60.00 (152.4)	32.00 (81.3)	373 (170)	\$9,080
DEV1475SG-60-LP	1490 (676)	60.00 (152.4)	31.00 (78.7)	66.00 (167.6)	32.00 (81.3)	356 (162)	\$9,460
DEV1650SG-60-LP	1660 (754)	60.00 (152.4)	31.00 (78.7)	69.00 (175.3)	32.00 (81.3)	336 (153)	\$9,690

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

Ice • DevIce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts

Labor-saving elevated bins dispense ice out of front chute(s). For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a stainless steel top, which is custom cut for ice machine(s).

Configurations shown below include (2) SmartCART 75 ice carts, each with 3 polyethylene Totes ice carriers, each holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg) per cart. Carts can store below bin.



For additional product information, request form# 2320.

Other configurations available for double door Ice • DevIce:

SmartCART 125 ice cart	.Same price as below
Cambro brand ICS125L cart	.Same price as below
Bagger kit option	.Same price as below

Double door Ice•DevIce with (2) SmartCART 75 ice carts

Accessories for Ice • DevIce ice storage and dispensing systems

Center partition	,600
Reinforced top – (req'd if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H)\$1	,985
Correctional package, 2 week lead time (item# 00917054)	,625
See page 11 for additional accessory information.	

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV2100SG-72-75	2110 (958)	72.00 (182.9)	40.00 (101.6)	75.50 (191.8)	41.00 (104.1)	841 (381)	\$16,625
DEV2250SG-72-75	2250 (1022)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	46.00 (116.8)	863 (344)	\$16,825
DEV2650SG-72-75	2650 (1203)	72.00 (182.9)	40.00 (101.6)	85.50 (217.2)	41.00 (104.1)	943 (428)	\$18,800
DEV3200SG-72-75	3240 (1471)	72.00 (182.9)	48.00 (121.9)	88.50 (224.8)	35.00 (88.9)	1144 (519)	\$20,015
DEV3900SG-72-75	3940 (1789)	72.00 (182.9)	48.00 (121.9)	100.50 (255.3)	44.00 (111.8)	1263 (574)	\$21,760
DEV4600SG-72-75	4640 (2107)	72.00 (182.9)	48.00 (121.9)	112.00 (284.5)	47.00 (119.4)	1276 (579)	\$23,025

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

[†] Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice storage and transport systems (ITS)

Elevated bin and cart systems use gravity-assist ice removal and castered carts to deliver outstanding labor and safety benefits. For use with Chewblet, cube or flake ice. All are equipped with poly liners, SmartGATE ice shield, and poly door with PowerHinge door hinge component². Each unit is standard with bin, base, SmartCART 240 ice cart (1, 2 or 3 depending on the number of bays) with lid and ice paddle. Full stainless exterior and base. Insulated cart is one-piece molded polyethylene with removable poly lid.

For additional product information, request form# 9130.

Accessories	or ice storage and	transport systems

Set of 6 Totes ice carriers (item# ABICETOTP)	\$775
Partition (2 and 3 bay models only)	\$1,780
Plastic ice shovel (item# ABICSHOVEL)	\$150
SmartCART 240 ice cart (item# ROTOCART)	\$2,115
Additional ice paddle (item# ABICEPADDL)	\$145
See page 11 for additional accessory information.	



ITS with (2) SmartCART 240 ice carts

Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.37 cm) to H).

Item number †	No. of carts	Max. bin cap. lb (kg)	Width in (cm)	Depth¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
ITS500NS-31 ²	1	382 (174)	31.00 (78.7)	40.00 (101.6)	60.00 (152.4)	32.00 (81.3)	371 (169)	\$10,550
ITS700SG-31	1	652 (296)	31.00 (78.7)	40.00 (101.6)	75.00 (190.5)	32.00 (81.3)	398 (181)	\$10,605
ITS1350SG-60	2	1327 (602)	60.00 (152.4)	40.00 (101.6)	75.00 (190.5)	41.00 (104.1)	712 (324)	\$18,760
ITS2250SG-60	2	2133 (968)	60.00 (152.4)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	822 (374)	\$21,280
ITS1700SG-90	3	1716 (779)	90.00 (228.6)	40.00 (101.6)	70.00 (177.8)	41.00 (104.1)	978 (444)	\$30,020
ITS3250SG-90	3	3255 (1477)	90.00 (228.6)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	1145 (521)	\$34,175

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).


Ice Pro automatic ice bagging and dispensing systems

Ice storage bin with automatic agitation to store and dispense cube or Chewblet ice (made by Horizon ice machines) into bags, carts, pails or Totes ice carrier. Increased labor-savings, sanitation and safety for foodservice operators. Equipped with user-friendly control panel, lockable clear window, adjustable bag stand and insulated poly-molded ice storage area. SA models include blower and timed dispense mode for semi-automatic bag filling. Foot pedal is standard on 1000 models and optional for 650 models. Each unit comes standard with 1 wicket of 125, 8 lb (4 kg) bags.

For additional product information, request form# 3630 for E/DB650 or 2345 for E/DB1000.

Accessories for 650 m	ıoaeıs
-----------------------	--------

Foot switch (item# 00932517)\$41	10
Jug and cooler kit 650 allows easy filling of 5 L and 10 L Willow ¹ jugs and	
larger coolers (item# 00979013)	15



Leg extension kit raises unit by 6.50" (16.51 cm) to accommodate carts up to 36.00" (19.44 cm) Reinforced top (required if ice machine(s) weight exceeds 800 lb (363 kg). Add 2.12" (5.40 cm) to H)...\$1,550 Jug and cooler kit 1000 allows easy filling of 5 L and 10 L Willow jugs and larger coolers (item# 00979583)......\$1,815





Ice Pro automatic bagging and dispensing systems

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Voltage	Approx. ship wt lb (kg)	List price
DB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	66.50 (168.9)	34.25 (87.0)	220/60/1	460 (209)	\$17,185
EDB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	66.50 (168.9)	34.25 (87.0)	230-240/50/1	460 (209)	\$17,475
DB1000	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$22,585
DB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$23,305
EDB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	230/50/1	704 (320)	\$21,195

^{*} Willow Ware Australia Pty Ltd.

² ITS500NS-31 has sliding windows only, no SmartGATE ice shield or poly door.

[†] Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Slope front bins

Small to medium capacity ice storage bins. Bin exterior for all models includes stainless steel front and sides. Bin interior includes polyethylene-lined walls and stainless steel bottom. All bins include stainless top, which is custom cut for ice machine(s) and 6.00" (15.24 cm) plastic adjustable legs.

For additional product information, request form# 9135.

Accessories for slope front bins

See page 11 for additional accessory information.



Slope front bin

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Ship wt lb (kg)	List price
300-22 ¹	300 (136)	22.00 (55.9)	31.50 (80.0)	40.00 (101.6)	23.00 (58.4)	128 (58)	\$1,780
425-30	430 (195)	30.00 (76.2)	31.50 (80.0)	40.00 (101.6)	31.00 (78.7)	144 (65)	\$2,470
650-44	660 (299)	44.00 (111.8)	31.50 (80.0)	40.00 (101.6)	32.00 (81.2)	178 (81)	\$3,420
950-48	950 (431)	48.00 (121.9)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	207 (94)	\$3,515
1025-52	1030 (467)	52.00 (132.1)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	217 (98)	\$3,605

¹ Model 300-22 only for use with Follett® Maestro Plus 425 (air-cooled) and Horizon 700 series ice machines.

[†] Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Replacement stainless steel tops for ice storage bins

Order must include complete model number of ice machine to be used in conjunction with bin.

Bin series	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	List price
Slope front bins				
	30.00 (76.2)	27.50 (69.8)	AB425TOP00	\$640
	44.00 (111.8)	27.50 (69.8)	AB650TOP00	\$875
	48.00 (121.9)	27.50 (69.8)	AB725TOP00	\$950
	52.00 (132.1)	27.50 (69.8)	AB750TOP00	\$1,020
Single door upright bins a for bins manufactured be			e and dispensing systems	
	30.00 (76.2)	31.00 (78.7)	AB7010TOP0	\$1,125
	48.00 (121.9)	31.00 (78.7)	AB1010TOPS	\$1,345
	56.00 (142.2)	31.00 (78.7)	AB1350TOP0	\$1,450
	60.00 (152.4)	31.00 (78.7)	AB1475TOP0	\$1,450
SG1000 single door uprig	ht			
	36.00 (91.4)	31.00 (78.7)	00979823	\$1,275
Double door upright bins				
	96.00 (243.8)	31.00 (78.7)	AB1850TOP0	\$1,965
Double door upright bins	and double door	Ice•DevIce ice stora	age and dispensing systen	ns
	72.00 (182.9)	40.00 (101.6)	AB2650TOP0	\$1,865
	72.00 (182.9)	48.00 (121.9)	AB4600TOP0	\$1,965

Ice transport systems (ITS	5)			
	31.00 (78.7)	40.00 (101.6)	ABITS70TOP	\$1,345
	60.00 (152.4)	40.00 (101.6)	ABITS13TOP	\$1,670
	90.00 (228.6)	40.00 (101.6)	ABITS32TOP	\$1,970

DB1000 Ice Pro automatic ice bagging and dispensing system							
52	2.00 (132.1)	34.00 (86.4)	00104828	\$1,450			

Replacement ABS bin tops for ice storage bins

Available FOB Easton, PA USA (UCC) – FCA Easton, PA USA (incoterms 2010) only

	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	List price
Single door upright and s for bins manufactured af		vice ice storage and	l dispensing systems	
Full top	30.00 (76.2)	31.00 (78.7)	00168138	\$1,125
Full top	48.00 (121.9)	31.00 (78.7)	00168146	\$1,345
Full top	56.00 (142.2)	31.00 (78.7)	00168153	\$1,450
Full top	60.00 (152.4)	31.00 (78.7)	00168161	\$1,450

DB650 Ice Pro automatic ice bagging and dispensing system						
Full top	30.00 (76.2)	31.00 (78.7)	00168138	\$1,125		

Flexi-Top ice bin top systems

Flexi-Top ice bin top systems make stocking bins simple – eliminates the need to know what specific ice machine will be used before the order. Available for 48.00" (121.9 cm) and 60.00" (152.4 cm) wide single door uprights and Ice•Devlce ice storage and dispensing systems. Contact factory for more information.

[†] Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice handling accessories

Ice carts and Totes ice carrier ordering guidelines SmartCART 75 SmartCART 125 SmartCART 240 Cambro ICS125L Totes Item# 00112771 Item# LSC125 Item# ROTOCART Item# ICS125L Item# ABICETOTP (six) Item# 502263 (single) Perfect for moving Fully insulated poly with Fully insulated poly with Fully insulated poly Comfortable handle, small quantities of 125 lb (57 kg) capacity removable lid. 240 lb with slide back lid with easy distribution of ice to manually fill and flip-up lid makes an (109 kg) capacity for 125 lb (57 kg) ice from longer side. storage receptacles. excellent working cart transporting large capacity. Perfect for Limits lifted load to 75 lb (34 kg) capacity. for portable bars. quantities of ice. sliding under bars. 25 lb (12 kg). Includes 3 Totes ice carriers. 7.12"W x 15.62"D x 15.00"H 21.50"W x 34.00"D x 39.00"H 22.50"W x 28.30"D x 33.50"H 24.25"W x 41.50"D x 35.75"H 23.00"W x 31.30"D x 29.25"H (18.08 x 39.7 x 38.1 cm) (58.4 x 79.5 x 74.3 cm) (54.6 x 86.4 x 99.1 cm) (57.2 x 71.8 x 85.1 cm) (61.6 x 105.4 x 90.8 cm) Ship wt - 53 lb (25 kg) Ship wt - 60 lb (28 kg) Ship wt - 75 lb (35 kg) Ship wt - 70 lb (32 kg) Set of 6 Totes Ship wt - 34 lb (16 kg) List Price \$1,260 List Price \$1,300 List Price \$2,115 List Price \$1,765 List Price \$775 Single Tote Ship wt - 6 lb (3 kg) List Price \$140 Bin series ✓ = May be ordered separately n/r = Not recommended for use with model Slope Front J J Single Door Upright Double Door Upright Single Door Ice • DevIce n/r Double Door Ice • DevIce n/r Ice Transport System n/r n/r n/r Ice Pro

Ice bagging accessory ordering guidelines Bagger Kit 8 lb (3.6 kg) Ice Bag 20 lb (9.1 kg) Ice Bag C-ring plier - Item# 00137711 Item# ABBAGGERKT Item# 00116434 Item# 00138370 C-ring – Item# 00137729 ICE Bagger kit includes 125 bags per wicket – 125 bags per wicket – Bostitch P-7 C-ring plier for bag closure. bagger assembly, tape 8 wickets per case. 4 wickets per case. Automatic C-ring feed. dispenser with tape and 1.25 mil. poly bag. 2.25 mil. poly bag. Ship wt - 1 lb (0.5 kg) 250 plastic bags of 10 lb (5 kg) capacity. List Price \$205 11.00"W x 13.63"D x 29.00"H 10.5 "W x 4.00"D x 19.00"H 14 00"W x 4 50"D x 27 00"H Aluminum blunt-end C-rings for use (26.7 x 10.16 x 48.3 cm) (35.6 x 11.43 x 68.6 cm) (27.9 x 34.6 x 73.7 cm) with Bostitch P-7 C-ring plier. 2500 per box. Ship wt - 20 lb (10 kg) Ship wt - 16 lb (8 kg) Ship wt - 25 lb (12 kg) Ship wt - 2 lb (1 kg) List Price \$1,075 List Price \$155 List Price \$220 List Price \$62 Bin series ✓ = May be ordered separately n/r = Not recommended for use with model V Slope Front Single Door Upright n/r Double Door Upright n/r n/r n/r Single Door Ice • DevIce n/r n/r n/r Double Door Ice • Device n/r n/r n/r Ice Transport System n/r n/r n/r n/r Ice Pro n/r 1 1

¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Shovel, scoop and paddle ordering guidelines **Scoop** Item# 00146365 **Scoop** Item# ABICESCOOP **Paddle** Rake Shovel Item# ABICEPADDL46 Item# ABICSHOVEL Item# AB36RAKE 38.00" (96.5 cm) 46.50" (118.1 cm) 37.00" (94.0 cm) 64 oz (1.9 L) 82 oz (2.4 L) Item# ABICEPADDL Item# ABICERAKE 58.50" (147.3 cm) 50.00" (127.0 cm) High density poly Draws ice to front of bin San Jamar® Saf-T-Ice® Heavy duty poly Large poly scoop for manual removal of ice from bins. No paddle breaks ice for easier access. Vinyl construction. Efficient Guardian scoop® removal of ice from bin. bridges with ease. handle, aluminum shaft, system. Minimizes Includes bracket. stainless steel rake head contact with ice. bracket provided. Ship wt - 9 lb (4 kg) Includes bracket. includes storage rack 46.50" (118.1 cm) Ship wt – 3 lb (2 kg) List Price \$150 for scoop. 38.00" (96.5 cm) Ship wt - 6 lb (3 kg) List Price \$32 Ship wt -3 lb (2 kg)Ship wt - 6 lb (3 kg) List Price \$145 List Price \$180 List Price \$160 58.50" (147.3 cm)

Bin series		√ =	May be ord	lered separat	tely n/r = Not recomr	n/r = Not recommended for use with model		
	46.50"	58.50"	38.00"	50.00"				
Slope Front	V	n/r	n/r	n/r	n/r	V	V	
Single Door Upright	V	n/r	V	n/r	V	V	V	
Double Door Upright	n/r	V	n/r	~	V	V	V	
Single Door Ice•DevIce	V	n/r	V	n/r	n/r	V	V	
Double Door Ice•DevIce	n/r	~	n/r	V	n/r	V	V	
Ice Transport System	n/r	~	n/r	V	V	V	V	
Ice Pro	n/r	n/r	n/r	n/r	n/r	n/r	n/r	

50.00" (127.0 cm) Ship wt – 3 lb (2 kg)

List Price \$180

Stainless steel leg	accessory ordering gu	idelines		
	6.00" (15.24 cm) with flanged feet. Set of (4). Item# ABSPECLEG3	8.00" (20.32 cm) bullet leg with stabilizer. Set of (4). Item# AB8INLEGSS	10.00" (25.4 cm) with flanged feet. Set of (4). Item# 00151647	12.00" (30.5 cm) bullet leg. Set of (4). Item# ABSPECLEG1
	Ship wt – 6 lb (3 kg)	Ship wt – 10 lb (5 kg)	Ship wt – 15 lb (7 kg)	Ship wt – 13 lb (6 kg)
	List Price \$315	List price \$355	List Price \$395	List Price \$455
Bin series	✓ = May b	e ordered separately n/r =	Not recommended for use w	ith model
Slope Front	✓	✓	✓	·
Single Door Upright	<i>'</i>	~	<i>'</i>	n/r
Double Door Upright	<i>'</i>	~	n/r	n/r
Single Door Ice•DevIce	n/r	n/r	<i>'</i>	n/r
Double Door Ice•Device	n/r	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	n/r	n/r	n/r

Incoterms is a trademark of the International Chamber of Commerce.

Cambro is a registered trademark of Cambro Manufacturing Company in the US. Bostitch is a registered trademark of Stanley Black and Decker.

Saf-T-Ice is a registered trademark of San Jamar, a division of the Coleman Group, Inc. in the US.

Ship wt - 6 lb (3 kg)

List Price \$145

Flexi-Top, Horizon, Ice Device, Ice Pro, Maestro Plus, PowerHinge, SmartCART and Totes are trademarks of Follett LLC.

Chewblet, Follett and SmartGATE are registered trademarks of Follett LLC, registered in the US.



