

Options and accessories for Performance Plus

REF and FZR series undercounter refrigerators and freezers

Integral membrane keypad



Features

Factory-installed integrated keypad and electronic lock provide more product security and ease of use. Multiple user codes provide greater control over access.

- membrane switch keypad installed on façade with electronic lock installed at bottom center of door
- door opens only when authorized code is entered and relocks when closed
- each keypad provides up to 40 user codes
- secure and reliable motor-driven bolt operation with spring-loaded latch
- battery backup allows access during power outage

	Model number with factory installed keypad and electronic lock
REF5P	REF5P-KP-__ *
REF4P	REF4P-KP-__ *
FZR5P	FZR5P-KP-00
FZR4P	FZR4P-KP-00

*Insert GD for optional glass door or 00 for solid door

Integral LCD touchscreen locking system



Features

Touchscreen integral keypad and electronic lock provide more product security and ease of use. Multiple user codes provide greater control over access.

- keypad integral to touchscreen with electronic lock installed at bottom center of door
- door opens only when authorized code is entered and relocks when closed
- each keypad provides up to 40 user codes
- secure and reliable motor-driven bolt operation with spring-loaded latch
- battery backup allows access during power outage

Specifications

- capacitive touchscreen display measures 7.00" diagonally

	Model number with factory installed keypad and electronic lock
REF5P-T	REF5P-T-KP-__ *
REF4P-T	REF4P-T-KP-__ *
REF5BBP-T	REF5BBP-T-KP-__ *
FZR5P-T	FZR5P-T-KP-00
FZR4P-T	FZR4P-T-KP-00
FZR5PLP-T	FZR5PLP-T-KP-00

*Insert GD for optional glass door or 00 for solid door

Job

Item

801 Church Lane | Easton, PA 18040, USA
1.800.523.9361 | 1.610.252.7301 | folletthealthcare.com



10%
TOTAL RECOVERED FIBER
ALL POST-CONSUMER FIBER

Paper certified by:
The Forest Stewardship Council (FSC) and the Sustainable Forestry Initiative (SFI)

FOLLETT®

Glass door




	Model number with factory installed glass door
REF5P	REF5P-__-GD*
REF4P	REF4P-__-GD*
REF5BBP-T	REF5BBP-T-__-GD*
REF5P-T	REF5P-T-__-GD*
REF4P-T	REF4P-T-__-GD*

*Insert KP for unit with keypad or 00 for unit without keypad

Features

- Optional glass door provides visibility to contents without opening door (available on refrigerators only)
- triple-pane, low-E glass pack
 - dimensions of glass window 16.30" x 10.90" (41.4 cm x 27.7 cm)

Universal automated medication dispensing cabinet bracket
Item# 01059096




Features

- Universal door bracket allows Follett® Performance Plus refrigerators and freezers to be used with all automated medication dispensing locking systems.
- brushed aluminum bracket mounts to side of door to create 90 degree angle flush with side of cabinet (attaches with 3 screws onto side of door)
 - facilitates installation of any automated medication dispensing system locks
 - undercounter installations require side clearances for lock boxes (check with your medication dispensing system representative)

Specifications

- shipping weight – 3 lb (2 kg)

Dry (NO/NC) contacts
Item# 01092022



Features

- For connection to remote alarming via dry (NO/NC) contacts (LED control units only)
- includes cable and rear panel connection block

Additional shelves and drawers



	Item number
Shelf	01059484
Drawers	01053644 – 1 drawer accessory kit
	01067750 – 2 drawer accessory kit

Features

Performance Plus offers flexible internal storage options. Drawers and shelves are interchangeable and can be used in combination.

- epoxy-coated wire shelf (requires no additional hardware for installation)
- stainless steel drawer(s) with heavy-duty telescopic stainless steel drawer glides (both drawer kits includes flush front panel)

Specifications

- dimensions for shelf – 18.10" x 19.10" (46.0 cm x 48.5 cm)
- shipping weight for shelf – 5 lb (2 kg)
- dimensions for inside of drawers – 14.63" x 17.82" x 3.00" (37.16 cm x 44.8 cm x 7.62 cm)
- shipping weight for drawers – 12 lb (6 kg)

Stacking kit



Item# 01054006



Item# 01067172

Features

Brackets and wall anchor hardware maximize floor space by allowing any combination of Follett Performance Plus undercounter refrigerators and freezers to be stacked.

- stainless steel kit includes back brackets to secure units together and installation instructions
- stainless steel wall brackets to anchor stacked configuration to wall
- two stainless steel flush front kickplates included in kit

Specifications

- shipping weight – 8 lb (4 kg)

Models stacked	Width in (cm)	Depth with handle in (cm)	Height in (cm)
For 4 cu ft units on 4 cu ft units	23.75 (60.3)	27.50 (69.8)	62.62 (159.0)
For 5 cu ft units on 5 cu ft units	23.75 (60.3)	27.50 (69.8)	68.12 (173.0)
Any combination of one REF/FZR 4 cu ft and REF/FZR 5 cu ft	23.75 (60.3)	27.50 (69.8)	65.37 (166.0)

Stacking kit	Item number
Fits Performance Plus models stacked on Performance Plus models	01054006
Fits REF/FZR series stacked on Performance Plus models	01067172

Caster kit

Item# 01053636



Features

Optional casters provide easy moving for cleaning behind the unit.

- 4 heavy-duty casters (2 locking, 2 non-locking)
- spacers included
- casters add 2.50" (6.35 cm) to height of the unit


NOTE: casters cannot be used with stacked units or 17.00" (43.2 cm) pedestal

Specifications

- shipping weight – 4 lb (2 kg)

Pedestal base

Item# 01059120



Features

17.00" (43.2 cm) tall stainless steel base elevates any Follett undercounter refrigerator or freezer height allowing easy access.


- same footprint as REF or FZR – 23.75" W x 24.00" D (60.3 cm x 61.0 cm)
- all stainless construction
- leveling feet with plastic glides
- ships in separate carton
- includes flush-front kick plate

Specifications

- shipping weight – 63 lb (29 kg)

Seismic bracket

Item# 01059104



Features

Metal brackets with included hardware designed to secure units

Specifications

- shipping weight – 4 lb (2 kg)

Options and accessories for Performance Plus

Follett is a registered trademark of Follett LLC, registered in the US.
Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.