



| 2023

effective 01/01/23  
revised 03/12/24



ice and water dispensers



ice machines



**FOLLETT**®

# EURO LIST PRICE SCHEDULE

# Contents

|   |           |
|---|-----------|
| <b>TERMS AND POLICIES</b> .....   | <b>3</b>  |
| <b>WARRANTY</b> .....   | <b>4</b>  |
| <b>ICE MACHINES</b> .....   | <b>5</b>  |
| EXW Incoterms® 2010 – Wislina, Poland.....  | 5         |
| Maestro Plus ice machine bins – E400 series.....  | 5         |
| Maestro Plus flake ice machines for ice storage bins – E400 series.....                                   | 6         |
| Maestro Plus Chewblet ice machines for ice storage bins – E400 series.....                                | 6         |
| Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – E400 series.....          | 7         |
| Maestro Plus Chewblet ice machines for drop-in beverage dispensers – E400 series.....                     | 7         |
| Horizon Elite Chewblet ice machines for ice storage bins – E710 series.....                               | 8         |
| Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – E710 series.....         | 8         |
| Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers .. | 9         |
| Ice transport tube.....   | 9         |
| Water treatment accessories for ice machines.....   | 10        |
| Other accessories for ice machines.....   | 10        |
| <b>ICE AND WATER DISPENSERS</b> .....   | <b>11</b> |
| EXW Incoterms® 2010 – Wislina, Poland.....  | 11        |
| Symphony Plus ice and water dispensers – E12 series.....  | 11        |
| Symphony Plus ice-only dispensers – E12 series.....   | 11        |
| Water treatment accessories for Symphony Plus ice and water dispensers.....                               | 12        |
| Other accessories for Symphony Plus ice and water dispensers.....   | 12        |

# Terms and policies

## Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **All prices in euros**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

## Return Policy

**Non-standard equipment cannot be returned. Orders for non-standard equipment cannot be cancelled.**

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused.
- A return authorization number has been issued by customer service within 45 days after shipment.
- Follett receives the equipment at the factory in Pruszcz, Poland within 30 days after issuance of the return authorization number.
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

**Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett Products, LLC will not be held responsible.**

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

**Note: 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.**

# Warranty

## Symphony Plus™ ice and water dispensers, Maestro Plus™ and Horizon Elite™ series ice machines

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

### WARRANTY CONDITIONS

- Labor warranty will apply only to equipment sold by the Follett Authorized Distributor in his designated territory.
- Warranty labor must be performed by the local Follett Authorized Distributor or his designated service provider.
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

**This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.**

Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett US and Canada technical service at +1 877 612-5086, +1 610-252-7301 or Follett Europe technical service at +48 (58) 785-6140, Fax +48 (58) 785-6159.

EXW Incoterms® 2010 – Wislina, Poland


## Maestro Plus ice machine bins – E400 series

Flake (UF) or Micro Chewblet™ (UM) ice machines with 34 kg (75 lb) bin storage for undercounter or freestanding applications.

Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 1006.

Available accessories are listed on page 10.



UFE/UME414A80

| Item number | Width cm (in) | Depth cm (in) | Height <sup>1</sup> cm (in) | Production capacity kg (lb)         |                                     | Condensing unit <sup>2</sup> | Voltage  | Approx. ship wt kg (lb) | List price |
|-------------|---------------|---------------|-----------------------------|-------------------------------------|-------------------------------------|------------------------------|----------|-------------------------|------------|
|             |               |               |                             | 32 C air<br>21 C water<br>(90/70 F) | 21 C air<br>10 C water<br>(70/50 F) |                              |          |                         |            |
| UFE414A80   | 59.7 (23.50)  | 66.0 (26.00)  | 83.8 (33.00)                | 148 (325)                           | 193 (425)                           | A – SC                       | 230/50/1 | 88 (194)                | €7,065     |
| UME414A80   | 59.7 (23.50)  | 66.0 (26.00)  | 83.8 (33.00)                | 148 (325)                           | 193 (425)                           | A – SC                       | 230/50/1 | 88 (194)                | €7,065     |

<sup>1</sup> 83.8 cm (33.00") with leveling feet for undercounter use. 99.1 cm (39.00") with bullet legs for freestanding application.

<sup>2</sup> Condensing unit: A – SC = Air – self-contained

## Ice Machine Model Number Configurations

| Ice machine                                 | Voltage  | Series                      | Condenser  | Application  | Configuration                           |
|---|--|-----------------------------|--|--|---|
| MC Maestro Plus Chewblet (414)              | E 230/50/1 (icemaking head)<br><i>Self-contained only.</i> | 400 up to 193 kg (425 lb)   | A Air-cooled, self-contained<br>W Water-cooled, self-contained | H Harmony™ (countertop ice and beverage dispenser) | S RIDE® (remote ice delivery equipment) |
| MM Maestro Plus Micro Chewblet (414)        |  | 710 up to 345 kg (759 lb)   |  | B Ice storage bin                                  | T Top-mount                             |
| MF Maestro Plus Flake (414)                 |  | 1010 up to 482 kg (1061 lb) |  | J Drop-in  |   |
| HC Horizon Elite Chewblet (710, 1010, 1410) |  | 1410 up to 666 kg (1466 lb) |  |  |   |

## Maestro Plus flake ice machines for ice storage bins – E400 series

Flake ice machines for top mount on ice storage bins.

Refer to Follett ice storage, ice transportation and ice handling form# 8590 for capacities and sizes of bins available.

For additional product information, request form# 1002 or 1003.

Available accessories are listed on page 10.



Top mount

| Item number                               | Width cm (in) | Depth cm (in) | Height cm (in) | Production capacity kg (lb)         |                                     | Condensing unit <sup>1</sup> | Voltage  | Approx. ship wt kg (lb) | List price |
|---|---------------|---------------|----------------|-------------------------------------|-------------------------------------|------------------------------|----------|-------------------------|------------|
|   |               |               |                | 32 C air<br>21 C water<br>(90/70 F) | 21 C air<br>10 C water<br>(70/50 F) |                              |          |                         |            |
| <b>E414 series top mount ice machines</b> |               |               |                |                                     |                                     |                              |          |                         |            |
| MFE414ABT                                 | 57.7 (22.70)  | 61.6 (24.25)  | 54.0 (21.25)   | 148 (325)                           | 193 (425)                           | A – SC                       | 230/50/1 | 58 (127)                | €8,201     |

<sup>1</sup> Condensing unit: A – SC = Air – self-contained

## Maestro Plus Chewblet ice machines for ice storage bins – E400 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.

RIDE ice machines include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

Refer to Follett ice storage, ice transportation and ice handling form# 8590 for capacities and sizes of bins available.

For additional product information, request form# 1001, 1002 or 1003.

Available accessories are listed on page 10.



Top mount



RIDE

| Item number                               | Width cm (in) | Depth cm (in) | Height cm (in) | Production capacity kg (lb)         |                                     | Condensing unit <sup>2</sup> | Voltage  | Approx. Ship wt kg (lb) | List price |
|---|---------------|---------------|----------------|-------------------------------------|-------------------------------------|------------------------------|----------|-------------------------|------------|
|   |               |               |                | 32 C air<br>21 C water<br>(90/70 F) | 21 C air<br>10 C water<br>(70/50 F) |                              |          |                         |            |
| <b>E414 series top mount ice machines</b> |               |               |                |                                     |                                     |                              |          |                         |            |
| MCE414ABT <sup>1</sup>                    | 57.7 (22.70)  | 61.6 (24.25)  | 54.0 (21.25)   | 148 (325)                           | 193 (425)                           | A – SC                       | 230/50/1 | 58 (127)                | €8,201     |

**E414 series RIDE ice machines**

|                        |              |              |              |           |           |        |          |          |        |
|------------------------|--------------|--------------|--------------|-----------|-----------|--------|----------|----------|--------|
| MCE414ABS <sup>1</sup> | 18.80 (47.8) | 22.75 (57.8) | 17.10 (43.4) | 148 (325) | 193 (425) | A – SC | 230/50/1 | 58 (127) | €9,762 |
|------------------------|--------------|--------------|--------------|-----------|-----------|--------|----------|----------|--------|

<sup>1</sup> For Micro Chewblet ice, replace the second character of the model number with "M". Example: MME414ABT.

<sup>2</sup> Condensing unit: A – SC = Air – self-contained

## Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – E400 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.


Top mount ice machine **requires stainless steel top kit**, sold separately. See US Price List, form# 4025.

RIDE ice machines include 3 m (10') of insulated ice transport tube and universal RIDE model adapter kit (item# 01054444). Factory approval required for ice transport tube lengths over 6.1 m (20'). See below for approved dispensers.

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 1001, 1002 or 1003.

Available accessories are listed on page 10.



Top mount

RIDE

| Item number                              | Width cm (in) | Depth cm (in) | Height cm (in) | Production capacity kg (lb)         |                                     | Condensing unit <sup>1</sup> | Voltage  | Approx. ship wt kg (lb) | List price |
|--|---------------|---------------|----------------|-------------------------------------|-------------------------------------|------------------------------|----------|-------------------------|------------|
|  |               |               |                | 32 C air<br>21 C water<br>(90/70 F) | 21 C air<br>10 C water<br>(70/50 F) |                              |          |                         |            |
| <b>414 series top mount ice machines</b> |               |               |                |                                     |                                     |                              |          |                         |            |
| MCE414AHT                                | 57.7 (22.70)  | 61.6 (22.25)  | 54.0 (21.25)   | 148 (325)                           | 193 (425)                           | A – SC                       | 230/50/1 | 170 (77)                | €8,201     |
| <b>414 series RIDE ice machines</b>      |               |               |                |                                     |                                     |                              |          |                         |            |
| MCE414AHS                                | 47.8 (18.80)  | 57.8 (22.75)  | 43.4 (17.10)   | 148 (325)                           | 193 (425)                           | A – SC                       | 230/50/1 | 170 (77)                | €9,762     |

<sup>1</sup> Condensing unit: A – SC = Air – self-contained

### Approved for RIDE model – ice and beverage dispensers manufactured by others<sup>1</sup>

|   |  |                |
|---|--|----------------|
| Coca-Cola Freestyle 7000 <sup>2,4</sup> / 7100 <sup>3,4</sup> / 9000 <sup>4</sup> / 9100 <sup>4</sup> | Lancer 4500-22N  | Servend MD175  |
| Cornelius DB/DF/ED150BC Series  | Lancer 4500-30N  | Servend MD200  |
| Cornelius DB/DF/ED175BC Series  | Lancer FS-16N  | Servend MD250  |
| Cornelius DB/DF/ED200BC Series  | Lancer FS-22N  | Servend MDH302 |
| Cornelius DB/DF/ED250BC Series  | Lancer FS-30N  | Servend MDH402 |
| Cornelius DB/DF/ED300BC Series  | Lancer FS-44N  | Servend SV175  |
| Cornelius IDC215/255 and Pro Fast Gate  | Lancer Sensation and TouchPoint                                    | Servend SV200  |
| Cornelius IDC Pro   | Pepsi Spire 3.0 <sup>5</sup> / 5.0 <sup>5</sup> / 4.1 <sup>5</sup> | Servend SV250  |
| Cornelius Flavor Fusion/Overload  | Servend MD150  |                |


## Maestro Plus Chewblet ice machines for drop-in beverage dispensers – E400 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.

RIDE ice machines include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

For additional product information, request form# 1001.

Available accessories are listed on page 10.



RIDE

| Item number                          | Width cm (in) | Depth cm (in) | Height cm (in) | Production capacity kg (lb)         |                                     | Condensing unit <sup>2</sup> | Voltage  | Approx. Ship wt kg (lb) | List price |
|--------------------------------------|---------------|---------------|----------------|-------------------------------------|-------------------------------------|------------------------------|----------|-------------------------|------------|
|                                      |               |               |                | 32 C air<br>21 C water<br>(90/70 F) | 21 C air<br>10 C water<br>(70/50 F) |                              |          |                         |            |
| <b>E414 series RIDE ice machines</b> |               |               |                |                                     |                                     |                              |          |                         |            |
| MCE414AJS <sup>1</sup>               | 57.7 (22.70)  | 61.6 (24.25)  | 54.0 (21.25)   | 148 (325)                           | 193 (425)                           | A – SC                       | 230/50/1 | 58 (127)                | €9,762     |

<sup>1</sup> For Micro Chewblet ice, replace the second character of the model number with "M". Example: MME414ABT.

<sup>2</sup> Condensing unit: A – SC = Air – self-contained

## Horizon Elite Chewblet ice machines for ice storage bins – E710 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.

RIDE ice machines include 3 m (10') of insulated ice transport tube. Maximum run length of ice transport tube is 22.8 m (75').

**Micro Chewblet ice** – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCE710ABT becomes HME710ABT. Add €200 to list price.


For additional product information, request form# 8225.

Refer to form# 2925 for capacities and sizes of bins available.

Available accessories are listed on page 10.



Top mount



RIDE

| Item number                               | Width cm (in) | Depth cm (in) | Height cm (in) | Production capacity kg (lb)         |                                     | Condensing unit <sup>1</sup> | Voltage  | Approx ship wt kg (lb) | List price |
|---|---------------|---------------|----------------|-------------------------------------|-------------------------------------|------------------------------|----------|------------------------|------------|
|   |               |               |                | 32 C air<br>21 C water<br>(90/70 F) | 21 C air<br>10 C water<br>(70/50 F) |                              |          |                        |            |
| <b>E710 series top mount ice machines</b> |               |               |                |                                     |                                     |                              |          |                        |            |
| HCE710ABT                                 | 57.7 (22.70)  | 62.2 (24.50)  | 54.0 (21.25)   | 266 (586)                           | 345 (1759)                          | A – SC                       | 230/50/1 | 87 (190)               | €11,443    |
| <b>E710 series RIDE ice machines</b>      |               |               |                |                                     |                                     |                              |          |                        |            |
| HCE710ABS                                 | 57.7 (22.70)  | 62.2 (24.50)  | 54.0 (21.25)   | 266 (586)                           | 345 (1759)                          | A – SC                       | 230/50/1 | 87 (190)               | €12,174    |

<sup>1</sup> Condensing unit: A – SC = Air – self-contained

## Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – E710 series

Ice machines for RIDE (ice-through-a-tube) configurations.

RIDE model ice machine that automatically fill countertop ice and beverage dispensers, **no stainless steel top required**<sup>\*</sup>. All parts required for installation are included with the ice machine. Refer to specification sheet, for approved applications. See below list for specific model. See "Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers" on page 22 for approved dispensers.


RIDE ice machines include 3 m (10') of insulated ice transport tube. For additional tube lengths, see page 23. Maximum run length of ice transport tube is 22.8 m (75').

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

**Micro Chewblet ice** – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCE710AHS becomes HME710AHS. Add €200 to list price.

For additional product information, request form# 8225.

Available accessories are listed on page 10.



RIDE

| Item number                          | Width in (cm) | Depth in (cm) | Height in (cm) | Production capacity kg (lb)         |                                     | Condensing unit     | Voltage  | Approx. ship wt lb (kg) | List price |
|--------------------------------------|---------------|---------------|----------------|-------------------------------------|-------------------------------------|---------------------|----------|-------------------------|------------|
|                                      |               |               |                | 32 C air<br>21 C water<br>(90/70 F) | 21 C air<br>10 C water<br>(70/50 F) |                     |          |                         |            |
| <b>E710 series RIDE ice machines</b> |               |               |                |                                     |                                     |                     |          |                         |            |
| HCE710AHS <sup>†</sup>               | 57.7 (22.70)  | 62.2 (24.50)  | 54.0 (21.25)   | 266 (586)                           | 345 (1759)                          | A – SC <sup>1</sup> | 115/60/1 | 190 (87)                | €12,174    |

<sup>†</sup> Condensing unit: A – SC = Air – self-contained

**Approved for RIDE model – ice and beverage dispensers manufactured by others<sup>1</sup>**

|   |                              |  |               |
|---|------------------------------|--|---------------|
| Coca-Cola Freestyle 7000 <sup>2</sup> / 7100 <sup>2,3</sup> / 9000 <sup>2</sup> / 9100 <sup>2</sup> | Follett Symphony Plus™ 110CM | Pepsi Spire 3.0 <sup>4</sup> / 5.0 <sup>4</sup> / 4.1 <sup>4</sup> | Servend SV250 |
| Cornelius DB/DF/ED150BC Series  | Lancer 4500-22N              | Servend MD150  |               |
| Cornelius DB/DF/ED175BC Series  | Lancer 4500-30N              | Servend MD175  |               |
| Cornelius DB/DF/ED200BC Series  | Lancer FS-16N                | Servend MD200  |               |
| Cornelius DB/DF/ED250BC Series  | Lancer FS-22N                | Servend MD250  |               |
| Cornelius DB/DF/ED300BC Series  | Lancer FS-30N                | Servend MDH302   |               |
| Cornelius IDC215/255 and Pro Fast Gate  | Lancer FS-44N                | Servend MDH402   |               |
| Cornelius IDC Pro   | Lancer Sensation/TouchPoint  | Servend SV175  |               |
| Cornelius Flavor Fusion/Overload  | Lancer Bevariety             | Servend SV200  |               |

<sup>1</sup> All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

<sup>2</sup> Consult with Coca-Cola and Follett to qualify application prior to ordering.

<sup>3</sup> Top kit MSP30SC required with Coca-Cola Freestyle 7100. Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

<sup>4</sup> RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

**Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers**

| Top kit accessory item number   | Ice machine model                        | Dispenser | Dispenser model number | Dispenser series width | List price |
|---|--|-----------|------------------------|------------------------|------------|
| <b>Required Horizon Elite RIDE model stainless steel adapter kits<sup>1</sup></b> |  |           |                        |                        |            |
| HSF26SC <sup>2</sup>  | Available for all models that end in HS. | Coca-Cola | Freestyle 9100         | 26"                    | €472       |
| MSP24SC <sup>3</sup>  |  | Pepsi     | Spire 3.0              | 24"                    | €449       |
| MSP30SC <sup>3</sup>  | Example: HCE710AHS                       | Pepsi     | Spire 5.0 / 4.1        | 30"                    | €472       |

<sup>1</sup> All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

<sup>2</sup> Consult with Coca-Cola and Follett to qualify application prior to ordering.

<sup>3</sup> RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

**Ice transport tube**

Insulated polywire transport tube for RIDE ice machine installations requiring more than the standard 10' (3 m) length.

| Item number | Description                             | List price |
|-------------|---|------------|
| 01252477    | Ice transport tube kit, 4.6 m (15 ft)   | €265       |
| 01252485    | Ice transport tube kit, 6.1 m (20 ft)   | €531       |
| 01252493    | Ice transport tube kit, 9.2 m (30 ft)   | €1,062     |
| 01252501    | Ice transport tube kit, 12.2 m (40 ft)  | €1,593     |
| 01252519    | Ice transport tube kit, 15.3 m (50 ft)  | €2,123     |
| 01252527    | Ice transport tube kit, 18.3 m (60 ft)  | €2,654     |
| 01413053    | Ice transport tube kit, 22.9 m (75 ft)  | €3,451     |
| 01252543    | Ice transport tube kit, 30.5 m (100 ft) | €4,778     |

## Water treatment accessories for ice machines

| Item number                            | Description   | List price |
|--|---|------------|
| <b>Standard capacity filter system</b> |   |            |
| 00130229                               | Water filter system (one per ice machine)                   | €805       |
| 00130245                               | Water filter cartridge – primary, single                    | €175       |
| 00954297                               | Water filter cartridge – primary, carton of 6               | €845       |
| 00130211                               | Water pre-filter cartridge – pre-filter, single             | €29        |
| 00954305                               | Water pre-filter cartridge – pre-filter, carton of 12       | €278       |
| <b>High capacity filter system</b>     |   |            |
| 00978957                               | High capacity water filter system (one per ice machine)     | €978       |
| 00978965                               | High capacity water filter cartridge – primary, single      | €311       |
| 00978973                               | High capacity water filter cartridge – primary, carton of 6 | €1,678     |
| 00130211                               | Water pre-filter cartridge – pre-filter, single             | €29        |
| 00954305                               | Water pre-filter cartridge – pre-filter, carton of 12       | €278       |

## Other accessories for ice machines

| Item number  | Description  | List price  |
|--------------|--|-------------|
| 01336494     | Slide-out accessory for Maestro Plus 414A series RIDE model ice machines – allows easy access for service and cleaning without disconnecting utilities | €2,707      |
| AFWALLMTBRKT | Wall mount bracket for Maestro Plus 414A series RIDE model ice machines  | €333        |
| 00997098     | Wall mount bracket for Horizon Elite 710A series RIDE model ice machines   | €711        |
| AFR400STND   | Ice machine stand for Maestro Plus 414A series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")   | €748        |
| 00997080     | Ice machine stand for Horizon Elite 710A series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)  | €1,108      |
| 01085455     | Wall mount bracket for Horizon Elite 1010A/W and 1410A/W series RIDE model ice machines  | €465        |
| 01085463     | Ice machine stand for Horizon Elite 1010A/W series and 1410A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")                    | €748        |
| 01161843     | Kit, Micro Chewblet  | €311        |
| 01151935     | Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments  | €112/ meter |
| 208592       | Tubing, 3/8" OD, to connect wall water valve and water filter (meter)  | €4          |
| 01147826     | SafeCLEAN Plus™, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)   | €20         |
| 01149954     | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)   | €103        |
| 01149962     | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)  | €333        |
| 00132068     | SaniSponge™, 4 sanitary sponges with plunger   | €15         |
| 01075431     | SaniSponge, 24 sanitary sponges  | €63         |

# Ice and water dispensers


EXW Incoterms® 2010 – Wislina, Poland

## Symphony Plus ice and water dispensers – E12 series

Countertop ice and water dispensers with 5 kg (12 lb) of storage. Integral ice machine produces up to 176 kg (388 lb) of ice per day<sup>1</sup>. Stainless steel cabinet with accent trim. Water station included. SensorSAFE™ infrared dispensing or lever dispensing.

For additional product information, request form# 1000.

Available accessories are listed on page 12.



E12CI414A-L

| Item number              | Configuration | Dispense   | Width cm (in) | Depth cm (in) | Height cm (in) | Condenser  | Ice machine location | Approx. ship wt kg (lb) | List price |
|--------------------------|---------------|------------|---------------|---------------|----------------|------------|----------------------|-------------------------|------------|
| E12CI414A-S <sup>1</sup> | Countertop    | SensorSAFE | 41.9 (16.12)  | 59.7 (23.50)  | 82.6 (32.50)   | air-cooled | integral             | 91 (199)                | €8,917     |
| E12CI414A-L <sup>1</sup> | Countertop    | Lever      | 41.9 (16.12)  | 59.7 (23.50)  | 82.6 (32.50)   | air-cooled | integral             | 91 (199)                | €8,917     |


<sup>1</sup> Production data at 21 C air / 10 C water for Symphony Plus series.

## Symphony Plus ice-only dispensers – E12 series

Countertop ice dispensers with 5 kg (12 lb) of storage. Ice-only; no water. Integral ice machine produces up to 176 kg (388 lb) of ice per day<sup>1</sup>. Stainless steel cabinet with accent trim. Lever dispensing.

For additional product information, request form# 1000.

Available accessories are listed on page 12.



E12CI414A-LI

| Item number               | Configuration | Dispense | Width cm (in) | Depth cm (in) | Height cm (in) | Condenser  | Ice machine location | Approx. ship wt kg (lb) | List price |
|---------------------------|---------------|----------|---------------|---------------|----------------|------------|----------------------|-------------------------|------------|
| E12CI414A-LI <sup>1</sup> | Countertop    | Lever    | 41.9 (16.12)  | 59.7 (23.50)  | 82.6 (32.50)   | air-cooled | integral             | 91 (199)                | €8,917     |

<sup>1</sup> Production data at 21 C air / 10 C water for Symphony Plus series.

## Water treatment accessories for Symphony Plus ice and water dispensers

| Item number                            | Description   | List price |
|--|---|------------|
| <b>Standard capacity filter system</b> |   |            |
| 00130229                               | Water filter system (one per ice machine)                   | €805       |
| 00130245                               | Water filter cartridge – primary, single                    | €175       |
| 00954297                               | Water filter cartridge – primary, carton of 6               | €845       |
| 00130211                               | Water pre-filter cartridge – pre-filter, single             | €29        |
| 00954305                               | Water pre-filter cartridge – pre-filter, carton of 12       | €278       |
| <b>High capacity filter system</b>     |   |            |
| 00978957                               | High capacity water filter system (one per ice machine)     | €978       |
| 00978965                               | High capacity water filter cartridge – primary, single      | €311       |
| 00978973                               | High capacity water filter cartridge – primary, carton of 6 | €1,678     |
| 00130211                               | Water pre-filter cartridge – pre-filter, single             | €29        |
| 00954305                               | Water pre-filter cartridge – pre-filter, carton of 12       | €278       |

## Other accessories for Symphony Plus ice and water dispensers

| Item number | Description   | List price |
|-------------|---|------------|
| AF10LBLEGS  | 10.16 cm (4.00") leg kit for E12CI series   | €181       |
| 01089572    | Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system <sup>1</sup> | €63        |
| 01089580    | Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system       | €153       |
| 01147826    | SafeCLEAN Plus™, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)                      | €20        |
| 01149954    | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)                      | €103       |
| 01149962    | SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)           | €333       |
| 01075431    | SaniSponge™, 24 pack of sanitary sponges  | €63        |

<sup>1</sup> Applicable Follett water filter systems include 00130229, 00978957, 01050442

### Ice transport tube

- Always replace tubing with like tubing. Example: Braided with braided.
- Contact factory to confirm appropriate tubing for your specific dispenser

|          |   |              |
|----------|---|--------------|
| 01151935 | Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments | €112 / meter |
|----------|---|--------------|

Incoterms is a trademark of the International Chamber of Commerce.

HORIZON ELITE, MAESTRO PLUS, MICRO CHEWBLET, SAFECLEAN PLUS, SANISPONGE, SENSORSAFE and SYMPHONY PLUS are trademarks of Follett Products, LLC. CHEWBLET, FOLLETT and RIDE are registered trademarks of Follett Products, LLC, registered in the US.

Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.

Mokry Dwór 26C 83-021 Wiślina, Poland  
Phone: +48 (58) 785-6140 | Fax: +48 (58) 785-6159  
folletteurope.com

**FOLLETT**®

801 Church Lane | Easton, PA 18040, USA  
1.610.252.7301 | Fax: +1.610.250.0696 | follette.com

2435-20240312° | © Follett Products, LLC