Dual Water Feed Conversion Kit

PN 01602838 and PN 01602846


Installation Instructions

P/N 01602838: Used with Horizon Elite™ 1012/1412 Ice Machines

P/N 01602846: Used with Horizon Elite 1812/2112 Ice Machines

Procedure

1. Remove the front cover of the ice maker.
2. Press the Clean button on the ice makers control panel and wait for the Low Water light to illuminate.
3. Remove the ¼" vent tube from the right side of the water reservoir lid.
4. Remove the (3) water sensing wires from the top of the water reservoir lid (black, orange and yellow)
5. Remove and retain the 4 screws holding the existing water reservoir lid in place.




6. Remove and discard the existing water reservoir lid.

801 Church Lane • Easton, PA 18040, USA
Toll free (877) 612-5086 • +1 (610) 252-7301
www.follettice.com


7. Install the new water reservoir lid with the 4 screws from Step 5.
8. Reinstall the ¼" vent tube on the right side of the water reservoir lid.
9. Reconnect the water sensing wires to the top of the new reservoir lid.
   - Left to Right = Black/Orange/Yellow



10. Remove the water feed line from the front main housing.
    - Use a flat head screwdriver to depress the John Guest fitting and release the line (located behind the gear motor).




11. Install the ¼" white John Guest tee onto the water feed line removed in Step 10.



12. Insert one end of each supplied 12" tube into the tee (ensure each tube is fully seated).

13. Insert one end of water feed into the reservoir (ensure it is fully seated).

14. Insert one end of water feed into the main housing (ensure it is fully seated).



15. Cycle power on the ice machine and ensure the unit goes into **Making Ice** mode.

16. Reinstall the front cover.

Follett is a registered trademark of Follett Products, LLC, registered in the US.
Horizon Elite is a trademark of Follett Products, LLC, registered in the US.

801 Church Lane • Easton, PA 18040, USA
Toll free (877) 612-5086 • +1 (610) 252-7301
www.follettice.com

01602820R00
© Follett Products, LLC 9/26