



| 2018

effective January 1
updated April 10



ice machines



ice and water dispensers



ice and beverage dispensers



ice storage and transport



Contents

ICE MACHINES	4
425 series – Integrated icemaker bin	5
425 series – Maestro Plus flake ice machines for ice storage bin	6
425 series – Maestro Plus Chewblet ice machines for ice storage bins	7
425 series – Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers	7
Top kits for top mount model Maestro Plus 425 series ice machines used with countertop ice and beverage dispensers	8
Top kits for RIDE model Maestro Plus and Horizon series ice machines for use with countertop ice and beverage dispensers	8
425 series – Maestro Plus Chewblet ice machines for Vision dispensers	9
700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for ice storage bins	10
700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for countertop ice and beverage dispensers	12
700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for Vision dispensers	14
700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for Cornelius® Profile™ 150 BC dispensers	15
700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for drop-in beverage dispensers	16
1010, 1410 series – Horizon Elite Chewblet ice machines for marine ice and beverage dispensers	17
Ice Manager diverter valve system	18
1010, 1410, 1650, 2110 series – Horizon and Horizon Elite Chewblet ice machines for Ice Manager diverter valve	19
Top kits for RIDE model Horizon series ice machines for use with countertop ice and beverage dispensers	20
Top kits for Horizon 700 and 1650 series and Horizon Elite 1010, 1410 and 2110 series ice machines for use with countertop ice and beverage dispensers	20
Harmony conversion top kits for Horizon 1000 and 1400 series ice machines used with countertop ice and beverage dispenser	22
ICE MACHINE ACCESSORIES	23
Water treatment accessories for ice machines	23
Other accessories for ice machines	23
ICE AND WATER DISPENSERS	25
7 Series countertop and freestanding dispensers	26
7 Series undercounter dispensers	26
15 Series countertop and freestanding dispensers	27
Accessories for 7 and 15 Series ice and water dispensers	28
Symphony Plus 12 series ice and water dispensers	29
Symphony Plus 12 series ice-only dispensers	29
Symphony Plus 25 and 50 series ice and water dispensers with removable ice machine	30
Symphony Plus 25 and 50 series ice-only dispensers	31
Symphony Plus 110 series ice and water dispensers with removable ice machine	32
Symphony Plus 110 series manual load ice and water dispensers	32
Symphony Plus 110 series ice-only dispensers	33
ICE AND WATER DISPENSER ACCESSORIES	34
Water treatment accessories for Symphony Plus ice and water dispensers	34
Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers	34
Other accessories for Symphony Plus ice and water dispensers	34
Replacement ice machine for use in existing Symphony and Symphony Plus dispensers	35
Replacement ice machine ordering matrix	36
ICE AND BEVERAGE DISPENSERS	37
Vision VU155B 8 or 10 series with integral ice water bath beverage cooling	38
Vision VU155N series ice and chilled water dispensers	38
Vision CVU series low-profile ice and water dispensers for marine applications	39

Vision VU300B 8 or 10 series with integral ice water bath beverage cooling39

Vision VU300M 20 or 24 series dual-sided for connection to remote mechanical beverage cooling system40

QuickCARB beverage manifold40

ICE STORAGE, ICE TRANSPORT AND ICE HANDLING 41

Upright ice storage bins – single door and double door with SmartGATE® ice shield.....43

Ice•DevIce ice storage and dispensing systems – single door with cart or bagger.....44

Ice•DevIce ice storage and dispensing systems – low-profile single door with Totes ice carrier45

Ice•DevIce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts.....45

Ice storage and transport systems (ITS).....46

Ice Pro automatic ice bagging and dispensing systems46

Slope front bins47

Replacement stainless steel tops for ice storage bins.....48

Replacement ABS bin tops for ice storage bins.....48

Flexi-Top ice bin top systems48

Ice handling accessories49

Ice machines

Compact, reliable Chewblet® extruded ice and flake ice machines in a variety of sizes to meet your needs. Choose from top mount or RIDE® remote ice delivery equipment (extruded only). Follett's unique Ice Manager™ diverter valve system allows the use of ONE Horizon™ series (1010 and larger) with TWO storage units each up to 75 ft (22.8 m) away.

Warranty

Maestro Plus™ and Horizon series (Horizon and Horizon Elite) ice machines, Ice Manager diverter valve system, integrated icemaker bin

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
4. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
5. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
6. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
7. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Unless otherwise directed, Follett will contract for carriage at buyer's risk and expense**
- **FCA Easton, PA USA Incoterms® 2010**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

1. The equipment is new and unused.
2. A return authorization number has been issued by customer service within 45 days after shipment.
3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.


Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

425 series – Integrated icemaker bin

Flake (UF) or Micro Chewblet™ (UM) ice machines with 75 lb (34 kg) of bin storage for undercounter or freestanding applications.

Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 6785.



Integrated ice machine with bin

Item number	Width in (cm)	Depth in (cm)	Height ² in (cm)	Production capacity lb (kg)		Condensing unit ³	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
UFC425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	208-230/60/1	185 (84)	\$7,165
UMC425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	208-230/60/1	185 (84)	\$7,165
UFD425A80	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	115/60/1	185 (84)	\$7,165
UMD425A80 [†]	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	115/60/1	185 (84)	\$7,165
UFE425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	230/50/1	185 (84)	\$7,365
UME425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	230/50/1	185 (84)	\$7,365

[†] ENERGY STAR® certified.

¹ Model ships FCA Wislina, Poland Incoterms 2010. Alternate voltage not for use in the United States.

² 33.00" (83.8 cm) with leveling feet for undercounter use. 39.00" (99.1 cm) with bullet legs for freestanding application.

³ Condensing unit: A – SC = Air – self-contained

Ice Machine Model Number Configurations

HC C 1410 A V S					
Ice machine	Voltage	Series	Condenser	Application	Configuration
MC Maestro Plus Chewblet (425)	C 208-230/60/1 (icemaking head) <i>Self-contained only.</i>	425 up to 425 lb (193 kg)	A Air-cooled, self-contained	V Vision™	S RIDE®
MF Maestro Plus Flake (425)	D 115/60/1 (icemaking head) <i>Self-contained and remote. If remote unit, outdoor condensing unit is 208-230/60/1.</i>	700 up to 675 lb (306 kg)	W Water-cooled, self-contained	H Harmony™ (Countertop ice and beverage dispense)	(remote ice delivery equipment)
HC Horizon series Chewblet (700, 1010, 1410, 1650, 2110)	E 230/50/1 (icemaking head) <i>Self-contained only.</i>	1010 up to 1061 lb (482 kg)	R Air-cooled, remote condensing unit	B Ice storage bin	T Top-mount
HM Horizon series Micro Chewblet ² (700, 1010, 1410, 1650, 2110)	F 115/60/1 (icemaking head) <i>Self-contained and remote. If remote unit, outdoor condensing unit is 208-230/60/3.</i>	1410 up to 1466 lb (666 kg)	N Air-cooled, no condensing unit for connection to parallel rack system	J Drop-in	
		1650 up to 1580 lb (717 kg)		M Ice Manager™ diverter valve system ¹	
		2039 up to 2010 lb (925 kg)		P Cornelius Profile 150	

¹ Ice Manager diverter valve systems can be used to fill two bins or dispensers with a single ice machine.


² Micro Chewblet™ – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon model number with "M". Example HCC1010ABS becomes HMC1010ABS. Add \$235 to list price. Not available on Ice Manager, Marine, Maestro or Maestro Plus models.

425 series – Maestro Plus flake ice machines for ice storage bin

Flake ice machines for mounting on ice storage bins.

Refer to page 41 of the price list for capacities and sizes of bins available.

For additional product information, request form# 7015 for MFD models or 6950 or 6955 for MFE and MFC models.



Top mount

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
MFD425ABT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$6,480
MFC425ABT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$6,480
MFE425ABT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$6,680
MFD425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$6,480
MFC425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$6,480
MFE425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$6,680


¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

425 series – Maestro Plus Chewblet ice machines for ice storage bins

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube. Factory approval required for lengths over 20' (6.1 m).

Refer to page 41 of the price list for capacities and sizes of bins available.

For additional product information, request form# 7015 or 6695 for MCD models or 6945, 6950 or 6955 for MCE and MCC models.



Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
Top mount Maestro Plus ice machines									
MCD425ABT †	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$6,480
MCC425ABT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$6,480
MCE425ABT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$6,680
MCD425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$6,480
MCC425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$6,480
MCE425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$6,680

RIDE model Maestro Plus ice machines

MCD425ABS [†]	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$7,280
MCC425ABS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$7,280
MCE425ABS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$7,480
MCD425WBS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$7,280
MCC425WBS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$7,280
MCE425WBS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$7,480

[†] ENERGY STAR[®] certified.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained


425 series – Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers

Top mount ice machine **requires stainless steel top kit**, sold separately. See top kit charts on page 8 for top kit numbers.

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube and universal RIDE model adapter kit (item# 01054444). Factory approval required for ice transport tube lengths over 20' (6.1 m). See page 8 for approved dispensers.

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 7015 or 6695 for MCD models or 6945, 6950 or 6955 for MCE and MCC models.



Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
Top mount Maestro Plus ice machines									
MCD425AHT †	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$6,480
MCC425AHT	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$6,480
MCE425AHT	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$6,680
MCD425WHT	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$6,480

RIDE model Maestro Plus ice machines

MCD425AHS [†]	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$7,280
MCC425AHS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$7,280
MCE425AHS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$7,480
MCD425WHS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$7,280

[†] ENERGY STAR[®] certified.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,3} and 9000 ³	Lancer 4500-22N	Servend MD175
Cornelius DB/DF/ED150BC Series	Lancer 4500-30N	Servend MD200
Cornelius DB/DF/ED175BC Series	Lancer FS-16N	Servend MD250
Cornelius DB/DF/ED200BC Series	Lancer FS-22N	Servend MDH302
Cornelius DB/DF/ED250BC Series	Lancer FS-30N	Servend MDH402
Cornelius DB/DF/ED300BC Series	Lancer FS-44N	Servend SV175
Cornelius IDC215/255 and Pro Fast Gate	Lancer Sensation and TouchPoint	Servend SV200
Cornelius IDC Pro	Pepsi Spire 3.0 ⁴ and 5.0 ⁴	Servend SV250
Cornelius Flavor Fusion/Overload	Servend MD150	

Top kits for top mount model Maestro Plus 425 series ice machines used with countertop ice and beverage dispensers

Top kit accessory	Ice machine model number	Dispenser	Dispenser model number	Dispenser series width	List price	Specification sheet form number
Maestro Plus top mount applications¹						
MTF24SCP ^{3,5}	MCD425AHT	Coca-Cola	Freestyle 9000	24"	\$580	7015
MTF30SCP ^{3,6}	MCD425AHT	Coca-Cola	Freestyle 7000	30"	\$700	7015
MTC22SCP	MCD425AHT	Cornelius	DB/DF/ED150BC	22"	\$570	7015
MTC24SCP	MCD425AHT	Cornelius	DB/DF/ED175BC	24"	\$580	7015
MTC30SCP	MCD425AHT	Cornelius	DB/DF/ED200BC	30"	\$700	7015
MTL22SCP	MCD425AHT	Lancer	FS-22N/4500-22N	22"	\$570	7015
MTL30SCP	MCD425AHT	Lancer	4500-30N	30"	\$700	7015
MTL30SCP-STP	MCD425AHT	Lancer	Sensation/TouchPoint	30"	\$700	7015
MTL44SCP	MCD425AHT	Lancer	Sensation	44"	\$700	7015
MTP24SCP	MCD425AHT	Pepsi	Spire 3.0	24"	\$575	7015
MTP30SCP	MCD425AHT	Pepsi	Spire 5.0	30"	\$700	7015

Top kits for RIDE model Maestro Plus and Horizon series ice machines for use with countertop ice and beverage dispensers

Top kit accessory	Ice machine model number	Dispenser	Dispenser model number	Dispenser series width	List price
Required Maestro Plus series RIDE model stainless steel adapter kits¹					
MSF30SC ^{2,3}	Available for all models that end in HS.	Coca-Cola	Freestyle 7000	30"	\$340
MSP24SC ⁴		Pepsi	Spire 3.0	24"	\$320
MSP30SC ⁴	Example: MCD425AHS	Pepsi	Spire 5.0	30"	\$340

Optional Maestro Plus and Horizon series RIDE model stainless steel adapter kits¹

MSC22SC	Available for all models that end in HS.	Cornelius	DB/DF/ED150BC	22"	\$1,330
MSC24SC		Cornelius	DB/DF/ED175BC	24"	\$1,385
MSC30SC		Cornelius	DB/DF/ED200BC	30"	\$1,450
MSC30SC		Cornelius	DB/DF/ED250BC	30"	\$1,450
MSC44SC	Example: MCD425AHS	Cornelius	DB/DF/ED300BC	44"	\$1,485
MSL22SC	MCE425AHS	Lancer	FS-22N	22"	\$1,330
MSL30SC	HCC1010AHS	Lancer	4500-30N	30"	\$1,450
MSL30SC		Lancer	FS-30N	30"	\$1,450

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. Approved dispensers for top mount ice machine applications are listed above.

² Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter 46412 and ice kit 46430 must also be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

⁵ Adapter must also be ordered from Coca-Cola. KO IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

⁶ Coca-Cola Freestyle 7000 requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.


425 series – Maestro Plus Chewblet ice machines for Vision dispensers

10' (3 m) insulated ice transport tube comes with each Vision dispenser, not with the ice machine.

Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Factory approval required for lengths over 20' (6.1 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine.

Maximum of two ice machines per Vision dispenser.

For additional product information, request form# 6695 for MCD models or 6945 for MCE and MCC models.



RIDE model - Vision

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
RIDE model Maestro Plus ice machines									
MCD425AVS [†]	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$7,280
MCC425AVS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$7,280
MCE425AVS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$7,480
MCD425WVS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$7,280
MCC425WVS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$7,280
MCE425WVS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$7,480

[†] ENERGY STAR® certified.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained


700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for ice storage bins

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).


Micro Chewblet – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon model number with "M". Example HCD700ABT becomes HMD700ABT. Add \$235 to list price.

For additional product information, request form# 4095 for 700 self-contained, 6190 for 700 remote, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, 7040 for 1650, or 8180 for 2110.

Refer to page 41 of the price list for capacities and sizes of bins available.



Top mount



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
Horizon 700 top mount ice machines									
HCD700ABT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – SC ¹	115/60/1	190 (87)	\$8,795
HCD700RBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – R ¹	115/60/1 ³	350 (159)	\$10,635
HCD700NBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	None ²	115/60/1	125 (57)	\$7,475
Horizon 700 RIDE ice machines									
HCD700ABS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – SC ¹	115/60/1	190 (87)	\$9,595
HCD700RBS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – R ¹	115/60/1 ³	350 (159)	\$11,435
HCD700NBS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	None ²	115/60/1	125 (57)	\$8,275
Horizon Elite 1010 top mount ice machines									
HCC1010ABT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$11,290
HCC1010WBT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$11,290
HCD1010RBT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$13,340
HCD1010NBT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$10,180
HCE1010ABT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$11,490
HCE1010WBT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$11,490
HCF1010RBT [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$13,705
Horizon Elite 1010 RIDE ice machines									
HCC1010ABS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,090
HCC1010WBS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,090
HCD1010RBS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,140
HCD1010NBS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (89)	\$10,980
HCE1010ABS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$12,290
HCE1010WBS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$12,290
HCF1010RBS [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$14,505
Horizon Elite 1410 top mount ice machines									
HCC1410ABT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,095
HCC1410WBT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,095
HCD1410RBT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$15,785
HCD1410NBT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$12,625
HCE1410ABT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$14,295
HCE1410WBT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$14,295
HCF1410RBT [†]	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,150

[†] ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
Horizon Elite 1410 RIDE ice machines									
HCC1410ABS	29.62 (75.2)	25.15 (63.9)	23.50 (59.7)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,895
HCC1410WBS	29.62 (75.2)	25.15 (63.9)	23.50 (59.7)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,895
HCD1410RBS	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$16,585
HCD1410NBS	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$13,425
HCE1410ABS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$15,095
HCE1410WBS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$15,095
HCF1410RBS †	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,950
Horizon 1650 top mount ice machines									
HCD1650RBT	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ³	530 (241)	\$19,155
HCD1650NBT	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	None ²	115/60/1	190 (86)	\$15,995
HCF1650RBT	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ⁴	530 (241)	\$19,520
Horizon 1650 RIDE ice machines									
HCD1650RBS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ³	530 (241)	\$19,955
HCD1650NBS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	None ²	115/60/1	190 (86)	\$16,795
HCF1650RBS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ⁴	530 (241)	\$20,320
Horizon Elite 2110 top mount ice machines									
HCD2110RBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$21,025
HCD2110NBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$17,865
HCF2110RBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$21,390
Horizon Elite 2110 RIDE ice machines									
HCD2110RBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$21,825
HCD2110NBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$18,665
HCF2110RBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$22,190

† ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for countertop ice and beverage dispensers

Top mount ice machine **requires stainless steel top kit**, sold separately. See top kit charts on page 20 for top kit numbers.


For RIDE model ice machine that automatically fills countertop ice and beverage dispensers, **no stainless steel top required**^{*}. All parts required for installation are included with the ice machine. Refer to specification sheet, for approved applications. See below list for specific model. See page 20 for approved dispensers.

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

Micro Chewblet – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon model number with "M". Example HCD700AHT becomes HMD700AHT. Add \$235 to list price.

For additional product information, request form# 4095 for 700 self-contained, 6190 for 700 remote, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, 7040 for 1650, or 8180 for 2110.



Top mount

RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)**		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
Horizon 700 top mount ice machines									
HCD700AHT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – SC ¹	115/60/1	190 (87)	\$8,795
HCD700RHT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – R ¹	115/60/1 ³	350 (159)	\$10,635
HCD700NHT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	None ²	115/60/1	125 (57)	\$7,475
Horizon 700 RIDE ice machines									
HCD700AHS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – SC ¹	115/60/1	190 (87)	\$9,595
HCD700RHS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – R ¹	115/60/1 ³	350 (159)	\$11,435
HCD700NHS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	None ²	115/60/1	125 (57)	\$8,275
Horizon Elite 1010 top mount ice machines									
HCC1010AHT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$11,290
HCC1010WHT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$11,290
HCD1010RHT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$13,340
HCD1010NHT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$10,180
HCE1010AHT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$11,490
HCE1010WHT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$11,490
HCF1010RHT [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$13,705
Horizon Elite 1010 RIDE ice machines									
HCC1010AHS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,090
HCC1010WHS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,090
HCD1010RHS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,140
HCD1010NHS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (89)	\$10,980
HCE1010AHS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$12,290
HCE1010WHS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$12,290
HCF1010RHS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$14,505
Horizon Elite 1410 top mount ice machines									
HCC1410AHT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,095
HCC1410WHT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,095
HCD1410RHT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$15,785
HCD1410NHT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$12,625
HCE1410AHT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$14,290

[†] ENERGY STAR[®] certified.

^{*} Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 20.

^{**} For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)**		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
HCE1410WHT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$14,290
HCF1410RHT†	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,150

Horizon Elite 1410 remote ice machines

HCC1410AHS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,895
HCC1410WHS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,895
HCD1410RHS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$16,585
HCD1410NHS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$13,425
HCE1410AHS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$15,095
HCE1410WHS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$15,095
HCF1410RHS†	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,950

Horizon 1650 top mount ice machines

HCD1650RHT	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ³	530 (241)	\$19,155
HCD1650NHT	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	None ²	115/60/1	190 (86)	\$15,995
HCF1650RHT	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ⁴	530 (241)	\$19,520

Horizon 1650 RIDE ice machines

HCD1650RHS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ³	530 (241)	\$19,955
HCD1650NHS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	None ²	115/60/1	190 (86)	\$16,795
HCF1650RHS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ⁴	530 (241)	\$20,320

Horizon Elite 2110 top mount ice machines

HCD2110RHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$21,025
HCD2110NHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$17,865
HCF2110RHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$21,390

Horizon Elite 2110 RIDE ice machines

HCD2110RHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$21,825
HCD2110NHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$18,665
HCF2110RHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$22,190

† ENERGY STAR® certified.

* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 20.

** For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for Vision dispensers


10' (3 m) insulated ice transport tube comes with each Vision dispenser, not with the ice machine.

Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Maximum run length of ice transport tube is 75' (22.8 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine. For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

Maximum of two ice machines per Vision dispenser.

Micro Chewblet – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon model number with "M". Example HCD700AVS becomes HMD700AVS. Add \$235 to list price.

For additional product information, request form# 4095 for 700 self-contained, 6190 for 700 remote, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, 7040 for 1650, or 8180 for 2110.



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
Horizon 700 RIDE ice machines									
HCD700AVS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – SC ¹	115/60/1	190 (87)	\$9,595
HCD700RVS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – R ¹	115/60/1 ³	350 (159)	\$11,435
HCD700NVS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	None ²	115/60/1	125 (57)	\$8,275
Horizon Elite 1010 RIDE ice machines									
HCC1010AVS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,090
HCC1010WVS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,090
HCD1010RVS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,140
HCD1010NVS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$10,980
HCF1010RVS [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$14,505
Horizon Elite 1410 RIDE ice machines									
HCC1410AVS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,895
HCC1410WVS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,895
HCD1410RVS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$16,585
HCD1410NVS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (95)	\$13,425
HCF1410RVS [†]	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,150
Horizon 1650 RIDE ice machines									
HCD1650RVS [†]	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ³	530 (241)	\$19,955
HCD1650NVS [†]	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	None ²	115/60/1	190 (86)	\$16,795
HCF1650RVS [†]	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ⁴	530 (241)	\$20,320
Horizon Elite 2110 RIDE ice machines									
HCD2110RVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$21,825
HCD2110NVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$18,665
HCF2110RVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$22,190

[†] ENERGY STAR[®] certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.


³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for Cornelius® Profile™ 150 BC dispensers

10' (3 m) insulated ice transport tube comes with each ice machine. Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Maximum run length of ice transport tube is 75' (22.8 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine. For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

For additional product information, request form# 4095 for 700 self-contained, 6190 for 700 remote, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, 7040 for 1650, or 8180 for 2110.



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
Horizon 700 RIDE ice machines									
HCD700APS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – SC ¹	115/60/1	190 (87)	\$9,595
HCD700RPS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – R ¹	115/60/1 ³	350 (159)	\$11,435
HCD700NPS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	None ²	115/60/1	125 (57)	\$8,275
Horizon Elite 1010 RIDE ice machines									
HCC1010APS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,090
HCC1010WPS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,090
HCD1010RPS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,140
HCD1010NPS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$10,980
HCF1010RPS [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$14,505
Horizon Elite 1410 RIDE ice machines									
HCC1410APS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,895
HCC1410WPS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,895
HCD1410RPS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$16,585
HCD1410NPS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (95)	\$13,425
HCF1410RPS [†]	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,150
Horizon 1650 RIDE ice machines									
HCD1650RPS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ³	530 (241)	\$19,955
HCD1650NPS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	None ²	115/60/1	190 (86)	\$16,795
HCF1650RPS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ⁴	530 (241)	\$20,320
Horizon Elite 2110 RIDE ice machines									
HCD2110RPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$21,825
HCD2110NPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$18,665
HCF2110RPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$22,190

[†] ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.


⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

700, 1010, 1410, 1650, 2110 series – Horizon Chewblet ice machines for drop-in beverage dispensers

Standard equipment includes 10' (3 m) insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).

Micro Chewblet – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon model number with "M". Example HCD700AJS becomes HMD700AJS. Add \$235 to list price.

For additional product information, request form# 4095 for 700 self-contained, 6190 for 700 remote, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote or 7040 for 1650, or 8180 for 2110.



1010/1410 RIDE model - drop-in

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
Horizon 700 RIDE ice machines									
HCD700AJS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – SC ¹	115/60/1	190 (87)	\$9,595
HCD700RJS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	A – R ¹	115/60/1 ³	350 (159)	\$11,435
HCD700NJS	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	525 (238)	675 (306)	None ²	115/60/1	125 (57)	\$8,275
Horizon Elite 1010 RIDE ice machines									
HCC1010AJS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,090
HCC1010WJS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,090
HCD1010RJS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,140
HCD1010NJS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$10,980
HCE1010AJS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$12,290
HCE1010WJS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$12,290
HCF1010RJS [†]	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$14,505
Horizon Elite 1410 RIDE ice machines									
HCC1410AJS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,895
HCC1410WJS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,895
HCD1410RJS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$16,585
HCD1410NJS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$13,425
HCE1410AJS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$15,095
HCE1410WJS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$15,095
HCF1410RJS [†]	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,150
Horizon 1650 RIDE ice machines									
HCD1650RJS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ³	530 (241)	\$19,955
HCD1650NJS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	None ²	115/60/1	190 (86)	\$16,795
HCF1650RJS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ⁴	530 (241)	\$20,320
Horizon Elite 2110 RIDE ice machines									
HCD2110RJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$21,825
HCD2110NJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$18,665
HCF2110RJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$22,190

[†] ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

1010, 1410 series – Horizon Elite Chewblet ice machines for marine ice and beverage dispensers

Designed to address United States Public Health Service (USPHS) principles for marine/shipboard use.


No stainless steel top required* for ice and beverage dispenser. All parts required for installation are included with the ice machine. For approved applications, refer to specification sheet form# 7045. See page 20 for approved dispensers.

Standard equipment includes 10' (3 m) insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).


All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 7030.

Note: Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.



RIDE model -
countertop ice and
beverage dispensers



RIDE model - Vision

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg) **		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
Horizon Elite 1010 RIDE ice machines (marine applications) for countertop ice and beverage dispensers									
HCC1010WHM	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC	208-230/60/1	275 (124)	\$13,275
Horizon Elite 1010 RIDE ice machines (marine applications) for Vision dispensers									
HCC1010WVM	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC	208-230/60/1	275 (124)	\$13,275
Horizon Elite 1410 RIDE ice machines (marine applications) for countertop ice and beverage dispensers									
HCC1410WHM	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC	208-230/60/1	305 (138)	\$16,510
Horizon Elite 1410 RIDE ice machines (marine applications) for Vision dispensers									
HCC1410WVM	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC	208-230/60/1	305 (138)	\$16,510

* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 20.

** For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: W – SC = Water – self-contained

Ice Manager diverter valve system

For use with Horizon series Chewblet ice machines for automatically filling two dispensers or bins.

Standard equipment includes:

- Diverter valve
- Control panel
- Lane 1 – 10' - 75' (3 m - 22.8 m) insulated transport tube, sensor cable and connection kit for customer specified application
- Lane 2 – 10' - 75' (3 m - 22.8 m) insulated transport tube, sensor cable and connection kit for customer specified application

Note: Maximum length of tubing for each lane is 75' (22.8 m).

For assistance in selecting proper equipment, refer to site survey form# 3635.


Refer to Ice Manager diverter valve system spec sheet form# 3265 for product specifications and approved bins and dispensers.

Item number	Voltage	Approx. ship wt lb (kg)	List price ¹
IMDV2	115/60/1	120 (55)	\$4,165

¹ List price is for base Ice Manager diverter valve system with 10 ft (3 m) of insulated tubing and sensor cable for each lane. For configured list price, add \$30 per ft of additional tubing and sensor cable required. Additional tubing/sensor cable must be specified in 5' (1.6 m) increments.

Follett installation is available - contact factory.

Retrofit kits are available to connect IMDV2 to existing Horizon series ice machines – see form# 3265 for appropriate kit. Contact factory for pricing.



Top kit adapters for select ice and beverage dispensers¹

Item number	Dispenser manufacturer	Dispenser model number ¹	List price
DVF30 ²	Coca-Cola ³	Freestyle 7000	\$340
DVP24 ⁴	Pepsi	Spire 3.0	\$340
DVP30 ⁴	Pepsi	Spire 5.0	\$340

¹ All ice and beverage dispensers utilize existing top except for Coca-Cola Freestyle 7000 and Pepsi Spire 3.0 and 5.0, which require a top kit adapter.

² Top kit DVF30 required with Coca-Cola Freestyle 7000 and also requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.


⁴ IMDV application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires DVP22C for 3.0 and DVP30 for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

1010, 1410, 1650, 2110 series – Horizon and Horizon Elite Chewblet ice machines for Ice Manager diverter valve

Standard equipment includes 10' (3 m) insulated ice transport tube to connect ice machine with Ice Manager diverter valve module. Additional tubing/sensor cable to connect diverter valve to receptacle should be ordered with Ice Manager (see page 18).

Micro Chewblet – Not available on Ice Manager applications.

For additional product information, request form# 7030 for 1010 and 1410 series self-contained, 7035 for 1010 and 1410 series remote, 7040 for 1650 series remote, or 8180 for 2110 remote.



Horizon series ice machine for use with Ice Manager diverter valve

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg) *		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
RIDE model Horizon ice machines									
HCC1010AMS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,090
HCC1010WMS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,090
HCD1010RMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,140
HCD1010NMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$10,980
HCF1010RMS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$14,505
HCC1410AMS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,895
HCC1410WMS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,895
HCD1410RMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$16,585
HCD1410NMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$13,425
HCF1410RMS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,150
HCD1650RMS	19.30 (49.0)	23.77 (60.4)	22.50 (57.2)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ³	530 (241)	\$19,955
HCD1650NMS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	None ²	115/60/1	190 (86)	\$16,795
HCF1650RMS	19.30 (49.0)	23.77 (60.4)	23.50 (59.7)	1350 (612)	1580 (717)	A – R ¹	115/60/1 ⁴	530 (241)	\$20,320
HCD2110RMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$21,825
HCD2110NMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	165 (79)	\$18,665
HCF2110RMS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$22,190

† ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,3} and 9000 ³	Follett Symphony Plus™ 110CM	Servend MD150
Cornelius DB/DF/ED150BC Series	Lancer 4500-22N	Servend MD175
Cornelius DB/DF/ED175BC Series	Lancer 4500-30N	Servend MD200
Cornelius DB/DF/ED200BC Series	Lancer FS-16N	Servend MD250
Cornelius DB/DF/ED250BC Series	Lancer FS-22N	Servend MDH302
Cornelius DB/DF/ED300BC Series	Lancer FS-30N	Servend MDH402
Cornelius IDC215/255 and Pro Fast Gate	Lancer FS-44N	Servend SV175
Cornelius IDC Pro	Lancer Sensation/TouchPoint	Servend SV200
Cornelius Flavor Fusion/Overload	Pepsi Spire 3.0 ⁴ and 5.0 ⁴	Servend SV250

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter 46412 and ice kit 46430 must also be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

Top kits for RIDE model Horizon series ice machines for use with countertop ice and beverage dispensers

Top kit accessory	Ice machine model number	Dispenser	Dispenser model number	Dispenser series width	List price
Required Horizon series RIDE model stainless steel adapter kits¹					
HSF30SC ^{2,3}	Available for all models that end in HS.	Coca-Cola	Freestyle 7000	30"	\$340
MSP24SC ⁴		Pepsi	Spire 3.0	24"	\$320
MSP30SC ⁴	Example: HCC1010AHS	Pepsi	Spire 5.0	30"	\$340

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Top kit HSF30SC required with Coca-Cola Freestyle 7000. Top adapter 46412 and ice kit 46430 must also be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

Top kits for Horizon 700 and 1650 series and Horizon Elite 1010, 1410 and 2110 series ice machines for use with countertop ice and beverage dispensers

Top kit accessory	Ice machine model series	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back ¹	List price	Specification sheet form number
Horizon 700 series top mount applications – 22 - 60 inch dispensers²							
HTF24SC-7 ^{3,4}	700A/W/R/N	Coca-Cola	Freestyle 9000	24"	F only	\$575	4095 / 6190
HTF30SC-7F ^{3,5}	700A/W/R/N	Coca-Cola	Freestyle 7000	30"	F only	\$700	4095 / 6190
HTC22SC-7F	700A/W/R/N	Cornelius	DB/DF/ED150 series	22"	F only	\$565	4095 / 6190
HTC24SC-7F	700A/W/R/N	Cornelius	DB/DF/ED175 series	24.5"	F only	\$575	4095 / 6190
HTC30SC-7F	700A/W/R/N	Cornelius	DB/DF/ED200 series	30"	F only	\$700	4095 / 6190
HTC30SC-7F	700A/W/R/N	Cornelius	DB/DF/ED250 series	30"	F only	\$700	4095 / 6190
HTC30SC-7F-FF	700A/W/R/N	Cornelius	Flavor Fusion/Overload	30"	F only	\$920	4095 / 6190
HTC30SC-7F-IDC ⁶	700A/W/R/N	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	\$920	4095 / 6190
HTC44SC-7 _	700A/W/R/N	Cornelius	DB/DF/ED300 series	44"	F or B	\$800	4095 / 6190
HTL22SC-7F	700A/W/R/N	Lancer	FS-22N	22"	F only	\$565	4095 / 6190
HTL30SC-7F	700A/W/R/N	Lancer	4500-30N	30"	F only	\$700	4095 / 6190
HTL30SC-7F	700A/W/R/N	Lancer	FS-30N	30"	F only	\$700	4095 / 6190
HTL22SC-7F ⁷	700A/W/R/N	Lancer	FS-44N	44"	F only	\$565	4095 / 6190
HTL30SC-7F-STP	700A/W/R/N	Lancer	Sensation/Touchpoint	30"	F only	\$700	4095 / 6190
HTL44SC-7F	700A/W/R/N	Lancer	Sensation	44"	F only	\$700	4095 / 6190
HTP24SC-7F ⁸	700A/W/R/N	Pepsi	Spire 3.0	24"	F only	\$700	4095 / 6190
HTP30SC-7F ⁸	700A/W/R/N	Pepsi	Spire 5.0	30"	F only	\$700	4095 / 6190
HTS44SC-7 _	700A/W/R/N	Servend	MDH-302	44"	F or B	\$800	4095 / 6190
HTS60SC-7 _	700A/W/R/N	Servend	MDH-402	60"	DF, DB	\$970	4095 / 6190
HTS60SC-7 _	700A/W/R/N	Servend	MDH-402	60"	RF, LF, RB, LB	\$700	4095 / 6190
Horizon Elite 1010, 1410 and 2110 series top mount applications – 22 - 60 inch dispensers²							
H30F30-F ^{3,6}	1010/1410A/W	Coca-Cola	Freestyle 7000	30"	F only	\$700	7030
H30C30-F	1010/1410A/W	Cornelius	DB/DF/ED200 series	30"	F only	\$700	7030

Top kit accessory	Ice machine model series	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back ¹	List price	Specification sheet form number
H30C30-F	1010/1410A/W	Cornelius	DB/DF/ED250 series	30"	F only	\$700	7030
H30C30-F-FF	1010/1410A/W	Cornelius	Flavor Fusion/Overload	30"	F only	\$925	7030
H30C30-F-IDC ⁶	1010/1410A/W	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	\$925	7030
H30C44- _	1010/1410A/W	Cornelius	DB/DF/ED300 series	44"	F or B	\$800	7030
H30L30-F	1010/1410A/W	Lancer	4500-30N	30"	F only	\$700	7030
H30L30-F	1010/1410A/W	Lancer	FS-30N	30"	F only	\$700	7030
H30L30-F-STP	1010/1410A/W	Lancer	Sensation/Touchpoint	30"	F only	\$700	7030
H30L44-F-STP	1010/1410A/W	Lancer	Sensation	44"	F only	\$700	7030
H30P30-F	1010/1410A/W	Pepsi	Spire 5.0	30"	F only	\$700	7030
H30S44- _	1010/1410A/W	Servend	MDH-302	44"	F or B	\$800	7030
H22F24-F ^{3,4}	1010/1410/2110R/N	Coca-Cola	Freestyle 9000	24"	F only	\$575	7035 / 8180
H22F30-F ^{3,5}	1010/1410/2110R/N	Coca-Cola	Freestyle 7000	30"	F only	\$700	7035 / 8180
H22C22-F	1010/1410/2110R/N	Cornelius	DB/DF/ED150 series	22"	F only	\$565	7035 / 8180
H22C24-F	1010/1410/2110R/N	Cornelius	DB/DF/ED175 series	24.5"	F only	\$575	7035 / 8180
H22C30-F	1010/1410/2110R/N	Cornelius	DB/DF/ED200 series	30"	F only	\$700	7035 / 8180
H22C30-F	1010/1410/2110R/N	Cornelius	DB/DF/ED250 series	30"	F only	\$700	7035 / 8180
H22C30-F-FF	1010/1410/2110R/N	Cornelius	Flavor Fusion/Overload	30"	F only	\$920	7035 / 8180
H22C30-F-IDC ⁶	1010/1410/2110R/N	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	\$920	7035 / 8180
H22C44- _	1010/1410/2110R/N	Cornelius	DB/DF/ED300 series	44"	F or B	\$800	7035 / 8180
H22L22-F	1010/1410/2110R/N	Lancer	FS-22N	22"	F only	\$565	7035 / 8180
H22L30-F	1010/1410/2110R/N	Lancer	4500-30N	30"	F only	\$700	7035 / 8180
H22L30-F	1010/1410/2110R/N	Lancer	FS-30N	30"	F only	\$700	7035 / 8180
H22L30-F-STP	1010/1410/2110R/N	Lancer	Sensation/Touchpoint	30"	F only	\$700	7035 / 8180
H22L44-F-STP	1010/1410/2110R/N	Lancer	Sensation	44"	F only	\$700	7035 / 8180
H22P24-F ⁸	1010/1410/2110R/N	Pepsi	Spire 3.0	24"	F only	\$575	7035 / 8180
H22P30-F ⁸	1010/1410/2110R/N	Pepsi	Spire 5.0	30"	F only	\$700	7035 / 8180
H22S44- _	1010/1410/2110R/N	Servend	MDH-302	44"	F or B	\$800	7035 / 8180
H22S60- _	1010/1410/2110R/N	Servend	MDH-402	60"	DF, DB	\$970	7035 / 8180
H22S60- _	1010/1410/2110R/N	Servend	MDH-402	60"	RF, LF, RB, LB	\$700	7035 / 8180

Horizon 1650 series top mount applications – 22 - 60 inch dispensers²

HTF24RC-14 ^{3,4}	1650R/N	Coca-Cola	Freestyle 9000	24"	F only	\$575	7040
HTF30RC-F ^{3,5}	1650R/N	Coca-Cola	Freestyle 7000	30"	F only	\$700	7040
HTC22RC- _	1650R/N	Cornelius	DB/DF/ED150 series	22"	F only	\$565	7040
HTC30RC- _	1650R/N	Cornelius	DB/DF/ED200 series	30"	F only	\$700	7040
HTC30RC- _	1650R/N	Cornelius	DB/DF/ED250 series	30"	F only	\$700	7040
HTC44RC- _	1650R/N	Cornelius	DB/DF/ED300 series	44"	F or B	\$800	7040
HTC30RC-14 _ -FF	1650R/N	Cornelius	Flavor Fusion/Overload	30"	F only	\$920	7040
HTC30RC-14 _ -IDC ⁶	1650R/N	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	\$920	7040
HTL22RC- _	1650R/N	Lancer	FS-22N	22"	F only	\$565	7040
HTL30RC- _	1650R/N	Lancer	4500-30N	30"	F or B	\$700	7040
HTL30RC- _	1650R/N	Lancer	FS-30N	30"	F or B	\$700	7040
HTL30RC-F-STP	1650R/N	Lancer	Sensation/Touchpoint	30"	F only	\$700	7040
HTL44RC-F	1650R/N	Lancer	Sensation	44"	F only	\$700	7040
HTL22RC- _ ⁷	1650R/N	Lancer	FS-44N	44"	F only	\$565	7040
HTP24RC-F ⁸	1650R/N	Pepsi	Spire 3.0	24"	F only	\$700	7040
HTP30RC-F ⁸	1650R/N	Pepsi	Spire 5.0	30"	F only	\$700	7040
HTS44RC- _	1650R/N	Servend	MDH-302	44"	F or B	\$800	7040
HTS60RC- _	1650R/N	Servend	MDH-402	60"	DF, DB	\$970	7040
HTS60RC- _	1650R/N	Servend	MDH-402	60"	RF, LF, RB, LB	\$700	7040

¹ Installation orientations available:

DF – 2 front facing Horizon ice machines

LF – 1 Horizon ice machine - left side - front facing

RB – 1 Horizon ice machine - right side - back facing

RF – 1 Horizon ice machine - right side - front facing

DB – 2 back facing Horizon ice machines

LB – 1 Horizon ice machine - left side - back facing

Note: For any other installation orientations, contact factory.

² All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ Adapter must also be ordered from Coca-Cola. KO IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

⁵ Coca-Cola Freestyle 7000 requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.

⁶ Contact factory regarding IDC Pro.

⁷ Two 22" wide tops and two ice machines are required for each FS-44N dispenser.

⁸ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

Harmony conversion top kits for Horizon 1000 and 1400 series ice machines used with countertop ice and beverage dispenser

Top kit accessory	Ice machine model series	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back ¹	List price	Specification sheet form number
Horizon top mount applications – 22 - 60 inch dispensers²							
HTF30SC-10F ^{3,4}	1000A/W	Coca-Cola	Freestyle 7000	30"	F only	\$700	3810
HTC30SC-10 _	1000A/W	Cornelius	DB/DF/ED200 series	30"	F only	\$700	3810
HTC30SC-10 _	1000A/W	Cornelius	DB/DF/ED250 series	30"	F only	\$700	3810
HTC30SC-10 _ -FF	1000A/W	Cornelius	Flavor Fusion/Overload	30"	F only	\$920	3810
HTC30SC-10 _ -IDC	1000A/W	Cornelius	IDC 215/255	30"	F only	\$920	3810
HTC44SC-10 _	1000A/W	Cornelius	DB/DF/ED300 series	44"	F or B	\$800	3810
HTL30SC-10 _	1000A/W	Lancer	4500-30N	30"	F only	\$700	3810
HTL30SC-10 _	1000A/W	Lancer	FS-30N	30"	F only	\$700	3810
HTL30SC-10F-STP	1000A/W	Lancer	Sensation/Touchpoint	30"	F only	\$700	3810
HTS44SC-10 _	1000A/W	Servend	MDH-302	44"	F or B	\$800	3810
HTF24RC- _ -F ^{3,5}	1000/1400R/N	Coca-Cola	Freestyle 9000	24"	F only	\$575	3815
HTF30RC-F ^{3,4}	1000/1400R/N	Coca-Cola	Freestyle 7000	30"	F only	\$700	3815
HTC22RC- _	1000/1400R/N	Cornelius	DB/DF/ED150 series	22"	F only	\$565	3815
HTC30RC- _	1000/1400R/N	Cornelius	DB/DF/ED200 series	30"	F only	\$700	3815
HTC30RC- _	1000/1400R/N	Cornelius	DB/DF/ED250 series	30"	F only	\$700	3815
HTC30RC- _ -FF	1000/1400R/N	Cornelius	Flavor Fusion/Overload	30"	F only	\$920	3815
HTC30RC- _ -IDC	1000/1400R/N	Cornelius	IDC 215/255	30"	F only	\$920	3815
HTC44RC- _	1000/1400R/N	Cornelius	DB/DF/ED300 series	44"	F or B	\$800	3815
HTL22RC- _	1000/1400R/N	Lancer	FS-22N	22"	F only	\$565	3815
HTL30RC- _	1000/1400R/N	Lancer	4500-30N	30"	F or B	\$700	3815
HTL30RC- _	1000/1400R/N	Lancer	FS-30N	30"	F or B	\$700	3815
HTL22RC- _ ⁶	1000/1400R/N	Lancer	FS-44N	44"	F only	\$565	3815
HTL30RC-F-STP	1000/1400R/N	Lancer	Sensation/Touchpoint	30"	F only	\$700	3815
HTS44RC- _	1000/1400R/N	Servend	MDH-302	44"	F or B	\$800	3815
HTS60RC- _	1000/1400R/N	Servend	MDH-402	60"	DF, DB	\$970	3815
HTS60RC- _	1000/1400R/N	Servend	MDH-402	60"	RF, LF, RB, LB	\$700	3815
HTF30SC-14F ^{3,4}	1400A/W	Coca-Cola	Freestyle 7000	30"	F only	\$700	3810
HTC30SC-14 _	1400A/W	Cornelius	DB/DF/ED200 series	30"	F only	\$700	3810
HTC30SC-14 _	1400A/W	Cornelius	DB/DF/ED250 series	30"	F only	\$700	3810
HTC30SC-14 _ -FF	1400A/W	Cornelius	Flavor Fusion/Overload	30"	F only	\$920	3810
HTC30SC-14 _ -IDC	1400A/W	Cornelius	IDC 215/255	30"	F only	\$920	3810
HTC44SC-14 _	1400A/W	Cornelius	DB/DF/ED300 series	44"	F or B	\$800	3810
HTL30SC-14 _	1400A/W	Lancer	4500-30N	30"	F only	\$700	3810
HTL30SC-14 _	1400A/W	Lancer	FS-30N	30"	F only	\$700	3810
HTL30SC-14F-STP	1400A/W	Lancer	Sensation/Touchpoint	30"	F only	\$700	3810
HTS44SC-14 _	1400A/W	Servend	MDH-302	44"	F or B	\$800	3810

¹ Installation orientations available:

DF – 2 front facing Horizon ice machines

LF – 1 Horizon ice machine - left side - front facing

RB – 1 Horizon ice machine - right side - back facing

RF – 1 Horizon ice machine - right side - front facing

DB – 2 back facing Horizon ice machines

LB – 1 Horizon ice machine - left side - back facing

Note: For any other installation orientations, contact factory.

² All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ Coca-Cola Freestyle 7000 requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.

⁵ Adapter must also be ordered from Coca-Cola. KO IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

⁶ Two 22" wide tops and two ice machines are required for each FS-44N dispenser.

Water treatment accessories for ice machines

Item number	Description	List price
Standard capacity filter system		
00130229	Water filter system (one per ice machine) – Maestro Plus series ice machines	\$660
00130245	Water filter cartridge – primary, single	\$140
00954297	Water filter cartridge – primary, carton of 6	\$690
00130211	Water pre-filter cartridge – pre-filter, single	\$26
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$220
High capacity filter system		
00978957	High capacity water filter system (one per ice machine) – Horizon series ice machines	\$795
00978965	High capacity water filter cartridge – primary, single	\$260
00978973	High capacity water filter cartridge – primary, carton of 6	\$1,365
00130211	Water pre-filter cartridge – pre-filter, single	\$26
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$220
Carbonless high capacity filter system		
01050442	Carbonless high capacity water filter system (one per ice machine) – Horizon series and Maestro Plus series ice machines	\$705
01050426	Carbonless high capacity water filter cartridge – primary, single	\$165
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	\$815
00130211	Water pre-filter cartridge – pre-filter, single	\$26
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$220
Other filtration		
00986059	Claris hardness removal filtration system	\$685
00985127	Replacement filter for Claris system	\$405

Other accessories for ice machines

Item number	Description	List price
01068477	Slide-out ice machine accessory for air- and water-cooled ice machines (Vision and Harmony applications only) – allows air- and water-cooled RIDE model Maestro Plus 425 lb (193 kg) ice machine to slide-out without disconnecting utilities	\$815
AFWALLMTBRKT	Wall mount bracket for Maestro Plus 425A/W series RIDE model ice machines	\$275
00997098	Wall mount bracket for Horizon 700A/W/R/N, 1000R/N, 1400R/N and 1650R/N series and Horizon Elite 1010R/N, 1410R/N and 2110R/N series RIDE model ice machines	\$375
01085455	Wall mount bracket for Horizon Elite 1010A/W and 1410A/W series RIDE model ice machines	\$375
00128587	Wall mount bracket for Horizon 1000A/W series RIDE model ice machines	\$375
00133934	Wall mount bracket for Horizon 1400A/W series RIDE model ice machines	\$375
00174896	Insulated polywire transport tube for installations requiring more than the standard 10' (3 m) length, purchased in 5' (1.52 m) increments	\$30 / per ft
AFR400STND	Ice machine stand for Maestro Plus 425A/W series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$605
00997080	Ice machine stand for Horizon 700A/W/R/N series and Horizon Elite 1010R/N, 1410R/N and 2110R/N series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$610
01085463	Ice machine stand for Horizon Elite 1010A/W series and 1410A/W series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$610
00128561	Ice machine stand for Horizon 1000R/N, 1400R/N, and 1650R/N – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$610
00128553	Ice machine stand for Horizon 1000A/W – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$610
00133926	Ice machine stand for Horizon 1400A/W – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$610
00193227	Line sets for connecting Horizon 700R series and Horizon Elite 1010R and 1410R series ice machine evaporator units to their remote condensing units. 35 ft (11 m) line set. 3/8" liquid, 5/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$470
00977785	Line sets for connecting Horizon 1650R/N and Horizon Elite 2110R/N series ice machine evaporator units to their remote condensing units. 35 ft (11 m) line set. 3/8" liquid, 7/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$625
00939140	30' (9 m) bin signal extension cord	\$130
00939157	60' (18 m) bin signal extension cord	\$190
01116177	Kit to convert Horizon Elite 1010, 1410 and 2110 series ice machine to integrate with Ice Manager diverter valve	\$555

Item number	Description	List price
00185181	Kit to convert existing Horizon 1000/1400A/W series ice machine (prior to serial# C43650) to integrate with Ice Manager diverter valve	\$1,270
00185272	Kit to convert existing Horizon 1000/1400R/N series ice machine (prior to serial# C43650) to integrate with Ice Manager diverter valve	\$1,270
00191965	Kit to convert existing Horizon 1000/1400/1650A/W/R/N series ice machine (after serial# C43650) to integrate with Ice Manager diverter valve	\$840
Micro Chewblet ice	For smaller Chewblet ice (approx. 3/8" long), replace second character of Horizon series model number with "M". Example: HCC1010ABS becomes HMC1010ABS. Not available for 1650 series, on Ice Manager or Marine models.	\$235
00132001	SafeCLEAN™, powder – environmentally responsible ice machine cleaner for Horizon 1650 series (carton of 24 x 7 oz packets)	\$305
01050863	SafeCLEAN Plus™, powder – environmentally responsible ice machine cleaner for Horizon 700 series and Horizon Elite 1010, 1410 and 2110 series – (carton of 24 x 7 oz packets)	\$305
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	\$15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$85
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$305
00979674	Nu-Calgon® IMS-III sanitizer, single 16 oz bottle	\$20
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$215
Item number	Description	Net price
Contact factory	Installation inspection - recommended for RIDE model ice machines Note: For subsequent units at the same location add \$160 per unit.	\$270
00967265	Timer to control one or two Horizon or Horizon Elite ice machines	\$795

Ice and water dispensers

Follett offers the industry's largest selection, with more than 30 sizes and configurations to meet the needs of virtually any application. Symphony Plus™ ice and water dispensers offer 12, 25, 50 or 90 lb of storage in attractive, space-saving cabinets with customer-valued features, exceptional reliability, and after-the-sale service and support. The 7 and 15 Series ice and water dispensers are the most compact models available.

Warranty

Symphony Plus ice and water dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
4. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
5. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
6. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
7. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

7 and 15 Series ice and water dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty.

The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
4. Dispenser is used in an application with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).
5. Dispenser is not to be used with softened water.
6. Premature internal filter life due to poor supply water is not covered.
7. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
8. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
9. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
10. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Unless otherwise directed, Follett will contract for carriage at buyer's risk and expense**
- **FCA Easton, PA USA Incoterms 2010**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

1. The equipment is new and unused.
2. A return authorization number has been issued by customer service within 45 days after shipment.
3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

7 Series countertop and freestanding dispensers

Countertop and freestanding dispensers with integral air-cooled ice machine. Produces up to 125 lb (56.7 kg) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 7 lb (3.2 kg). Designed to serve up to 25 people.


For additional information request form# 3725, 5045 for E7CI models, or 8090 and 8095 for sparkling models.

Note: Ice and water and ice-only dispensers for use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).

Note: Sparkling water and ice dispensers for use in applications with greater than 80 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness. Not recommended for use with softened water.



7 Series countertop



7 Series freestanding

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Approx. ship wt lb (kg)	List price
Ice-only and ice and water dispensers¹						
7CI100A-IW-NF-ST-00	Countertop ice and water, no filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	90 (41)	\$5,810
7CI100A-IW-CF-ST-00	Countertop ice and water with internal filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	90 (41)	\$6,090
7CI100A-NW-NF-ST-00 [†]	Countertop ice-only, no filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	90 (41)	\$5,810
7CI100A-NW-CF-ST-00 [†]	Countertop ice-only with internal filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	90 (41)	\$6,090
7FS100A-IW-NF-ST-00	Freestanding ice and water, no filter	14.62 (37.1)	22.12 (56.2)	42.00 (106.7)	120 (55)	\$6,380
7FS100A-IW-CF-ST-00	Freestanding ice and water with internal filter	14.62 (37.1)	22.12 (56.2)	42.00 (106.7)	120 (55)	\$6,665
7FS100A-NW-NF-ST-00 [†]	Freestanding ice-only, no filter	14.62 (37.1)	22.12 (56.2)	42.00 (106.7)	120 (55)	\$6,380
7FS100A-NW-CF-ST-00 [†]	Freestanding ice-only with internal filter	14.62 (37.1)	22.12 (56.2)	42.00 (106.7)	120 (55)	\$6,665

Sparkling water and ice dispensers²

7CI100A-IW-NF-ST-CC	Countertop sparkling water and ice, no filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	155 (71)	\$10,135
7FS100A-IW-NF-ST-CC	Freestanding sparkling water and ice, no filter	14.62 (37.1)	22.12 (56.2)	42.00 (106.7)	185 (84)	\$10,710

[†] ENERGY STAR[®] certified.

¹ Above models also available in 230/50/1 electrical configurations. Add \$200 to list price. Use prefix "E" for 230/50. Example: E7CI100A-IW-CF-ST-00.

² Food grade CO₂ required for installation and operation. **Note:** Follett does not sell or distribute CO₂.


Available accessories are listed on page 28.

7 Series undercounter dispensers

Undercounter dispensers with integral air-cooled ice machine. Produces up to 125 lb (56.7 kg) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 7 lb (3.2 kg). Designed to serve up to 25 people.

For additional product information, request form# 3995 or 5050 for E7UC models.

Note: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).



7 Series undercounter

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Approx. ship wt lb (kg)	List price
Ice-only and ice and water dispensers¹						
7UC100A-IW-NF-ST-00	Undercounter ice and water, no filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	100 (46)	\$6,510
7UC100A-IW-CF-ST-00	Undercounter ice and water with internal filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	100 (46)	\$6,740
7UC100A-NW-NF-ST-00 [†]	Undercounter ice-only, no filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	100 (46)	\$6,510
7UC100A-NW-CF-ST-00 [†]	Undercounter ice-only with internal filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	100 (46)	\$6,740
7UD100A-IW-NF-ST-00	Undercounter-ADA ice and water, no filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	100 (46)	\$6,510
7UD100A-IW-CF-ST-00	Undercounter-ADA ice and water with internal filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	100 (46)	\$6,740
7UD100A-NW-NF-ST-00 [†]	Undercounter-ADA ice-only, no filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	100 (46)	\$6,510
7UD100A-NW-CF-ST-00 [†]	Undercounter-ADA ice-only with internal filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	100 (46)	\$6,740

[†] ENERGY STAR[®] certified.

¹ Above models also available in 230/50/1 electrical configurations. Add \$200 to list price. Use prefix "E" for 230/50. Example: E7UC100A-IW-CF-ST-00.

Available accessories are listed on page 28.


15 Series countertop and freestanding dispensers

Countertop and freestanding dispensers with integral air-cooled ice machine. Produces up to 125 lb (56.7 kg) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 15 lb (6.8 kg). Designed to serve up to 50 people.


For additional information request form# 5020, 6200 for E15CI models, or 8100 and 8105 for sparkling models.

Note: Ice and water and ice-only dispensers for use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).

Note: Sparkling water and ice dispensers for use in applications with greater than 80 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness. Not recommended for use with softened water.



15 Series countertop



15 Series freestanding

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Approx. ship wt lb (kg)	List price
Ice-only and ice and water dispensers¹						
15CI100A-IW-NF-ST-00	Countertop ice and water, no filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	100 (46)	\$6,470
15CI100A-IW-CF-ST-00	Countertop ice and water with internal filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	100 (46)	\$6,745
15CI100A-NW-NF-ST-00 [†]	Countertop ice-only, no filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	100 (46)	\$6,470
15CI100A-NW-CF-ST-00 [†]	Countertop ice-only with internal filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	100 (46)	\$6,745
15FS100A-IW-NF-ST-00	Freestanding ice and water, no filter	14.62 (37.1)	23.50 (59.7)	47.00 (119.4)	130 (59)	\$7,015
15FS100A-IW-CF-ST-00	Freestanding ice and water with internal filter	14.62 (37.1)	23.50 (59.7)	47.00 (119.4)	130 (59)	\$7,300
15FS100A-NW-NF-ST-00 [†]	Freestanding ice-only, no filter	14.62 (37.1)	23.50 (59.7)	47.00 (119.4)	130 (59)	\$7,015
15FS100A-NW-CF-ST-00 [†]	Freestanding ice-only with internal filter	14.62 (37.1)	23.50 (59.7)	47.00 (119.4)	130 (59)	\$7,300
Sparkling water and ice dispensers²						
15CI100A-IW-NF-ST-CC	Countertop sparkling water and ice, no filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	165 (75)	\$10,795
15FS100A-IW-NF-ST-CC	Freestanding sparkling water and ice, no filter	14.62 (37.1)	23.50 (59.7)	47.00 (119.4)	195 (89)	\$11,325

[†] ENERGY STAR[®] certified.

¹ Above models also available in 230/50/1 electrical configurations. Add \$200 to list price. Use prefix "E" for 230/50. Example: E15CI100A-IW-CF-ST-00.

² Food grade CO₂ required for installation and operation. **Note:** Follett does not sell or distribute CO₂.

Available accessories are listed on page 28.



Accessories for 7 and 15 Series ice and water dispensers

Item number	Description	List price
00968107	Replacement cartridges for 7 and 15 Series	\$80
00956300	4.00" (10.16 cm) legs, for countertop (CI)	\$270
00956318	6.00" (15.24 cm) legs, for freestanding (FS)	\$270
00956375	Drip tray drain kit for 7FS, 7UC, 7UD and 15FS models	\$155
00981977	Drip tray drain kit for 7CI and 15CI (includes 4.00" (10.16 cm) legs)	\$410
00956292	Base stand, to convert CI to FS	\$715
00979674	Nu-Calgon IMS-III sanitizer, single 16 oz bottle	\$20
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$215
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	\$15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$85
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$305
01147545	Cleaning and sanitizing kit for sparkling water carbonator	\$205
00986059	Claris hardness removal filtration system	\$685
00960732	Extended 3rd year warranty/unit	\$825
00985127	Replacement filter for Claris system	\$405

Symphony Plus 12 series ice and water dispensers

Countertop and wall mount ice and water dispensers with 12 lb (5.4 kg) of storage. Integral ice machine produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE™ infrared dispensing or lever dispensing. Wall mount models only available with SensorSAFE infrared dispensing.

For additional information request form# 6620 for 12CI models, 6625 for 12HI models, or 6940 for E12CI and C12CI models.



Countertop with integral ice machine Wall mount with integral ice machine (SensorSAFE dispensing only)

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Approx. ship wt lb (kg)	List price
12 series with SensorSAFE infrared dispensing								
12CI425A-S ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	199 (90)	\$6,990
12HI425A-S0-00	Wall mount ²	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	199 (90)	\$8,230
12HI425A-S0-DP	Wall mount ²	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	199 (90)	\$8,475

12 series with lever dispensing

12CI425A-L ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	179 (81)	\$6,990
-------------------------	------------	--------------	--------------	--------------	------------	----------	----------	---------


¹ Above models also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add to \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-S or C12CI425A-S.

² 12HI425A-S0-DP wall mount unit configured with drain pan. 12HI425A-S0-00 wall mount unit configured without drain pan. Available accessories are listed on page 34.

Symphony Plus 12 series ice-only dispensers

Countertop ice dispensers with 12 lb (5.4 kg) of storage. Ice-only; no water. Integral ice machine produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6620 for 12CI models or 6940 for E12CI and C12CI models.



Countertop with integral ice machine

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Approx. ship wt lb (kg)	List price
12 series ice-only with SensorSAFE infrared dispensing								
12CI425A-SI ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	199 (90)	\$6,990


12 series ice-only with lever dispensing

12CI425A-LI ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	199 (90)	\$6,990
--------------------------	------------	--------------	--------------	--------------	------------	----------	----------	---------


¹ Above models also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add to \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-SI or C12CI425A-SI.

Available accessories are listed on page 34.


Symphony Plus 25 and 50 series ice and water dispensers with removable ice machine



Countertop with
removable ice machine
behind splash panel



Wall mount with
removable ice machine
behind splash panel



Freestanding with
removable ice machine
in base

Countertop, freestanding and wall mount ice and water dispensers with 25 lb (11.3 kg) or 50 lb (22.7 kg) of storage. Removable icemaking module produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing. Wall mount models only available with SensorSAFE infrared dispensing.

For additional product information, request form# 6630 for 25CI and 50CI models, 6635 for 25HI and 50HI models, 6650 for 25FB and 50FB models, or 7090 for E25CI and E50CI and C25CI and C50CI models.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Approx. ship wt lb (kg)	List price
25 series with SensorSAFE infrared dispensing								
25CI425A-S ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	226 (103)	\$9,860
25CI425W-S	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	226 (103)	\$9,860
25HI425A-S0-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	255 (116)	\$10,890
25HI425A-S0-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	255 (116)	\$11,695
25FB425A-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	air-cooled	base mounted	230 (105)	\$10,800
25FB425W-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	water-cooled	base mounted	230 (105)	\$10,800

25 series with lever dispensing								
25CI425A-L ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	226 (103)	\$9,860
25CI425W-L	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	226 (103)	\$9,860
25FB425A-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	air-cooled	base mounted	230 (105)	\$10,800
25FB425W-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	water-cooled	base mounted	230 (105)	\$10,800

50 series with SensorSAFE infrared dispensing								
50CI425A-S ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	226 (103)	\$10,570
50CI425W-S	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	226 (103)	\$10,570
50HI425A-S0-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	255 (116)	\$11,980
50HI425A-S0-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	255 (116)	\$12,470
50FB425A-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	air-cooled	base mounted	230 (105)	\$11,615
50FB425W-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	water-cooled	base mounted	230 (105)	\$11,615

50 series with lever dispensing								
50CI425A-L ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	226 (103)	\$10,570
50CI425W-L	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	226 (103)	\$10,570
50FB425A-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	air-cooled	base mounted	230 (105)	\$11,615
50FB425W-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	water-cooled	base mounted	230 (105)	\$11,615

¹ Above models also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add to \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E25CI425A-S or C25CI425A-S.


² 25HI425A-S0-DP and 50HI425A-S0-DP wall mount units configured with drain pan. 25HI425A-S0-00 and 50HI425A-S0-00 wall mount units configured without drain pan.

³ Freestanding models include 6.00" (15.24 cm) adjustable legs. Available accessories are listed on page 34.

Symphony Plus 25 and 50 series ice-only dispensers

Countertop ice dispensers with 25 lb (11.3 kg) or 50 lb (22.7 kg) of storage. Integral ice machine produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6630 for 25CI and 50CI models, 6635 for 25HI and 50HI models, or 7090 for E25CI and E50CI and C25CI and C50CI models.



Countertop with
integral ice machine

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Approx. ship wt lb (kg)	List price
25 series ice-only with SensorSAFE infrared dispensing								
25CI425A-SI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	226 (103)	\$9,860
25CI425W-SI	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	226 (103)	\$9,860
25HI425A-SI-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	255 (116)	\$10,890
25HI425A-SI-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	255 (116)	\$11,695
25 series ice-only with lever dispensing								
25CI425A-LI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	226 (103)	\$9,860
25CI425W-LI	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	226 (103)	\$9,860
50 series ice-only with SensorSAFE infrared dispensing								
50CI425A-SI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	226 (103)	\$10,570
50CI425W-SI	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	226 (103)	\$10,570
50HI425A-SI-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	255 (116)	\$11,980
50HI425A-SI-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	255 (116)	\$12,470
50 series ice-only with lever dispensing								
50CI425A-LI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	226 (103)	\$10,570
50CI425W-LI	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	226 (103)	\$10,570

¹ Above models also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add to \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E50CI425A-SI or C50CI425A-SI.


² 25HI425A-SI-DP and 50HI425A-SI-DP wall mount units configured with drain pan. 25HI425A-SI-00 and 50HI425A-SI-00 wall mount units configured without drain pan.

Available accessories are listed on page 34.

Symphony Plus 110 series ice and water dispensers with removable ice machine

Countertop and freestanding ice and water dispensers with 90 lb (40.8 kg) of storage. Removable icemaking module produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6655 for 110CT models or 6670 for 110FB models.



Countertop with top mounted removable ice machine

Freestanding with removable ice machine in base


Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Approx. ship wt lb (kg)	List price
110 series with SensorSAFE infrared dispensing								
110CT425A-S	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	290 (132)	\$14,885
110CT425W-S	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	water-cooled	top mounted	290 (132)	\$14,885
110FB425A-S	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	290 (132)	\$16,410
110FB425W-S	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	water-cooled	base mounted	290 (132)	\$16,410
110 series with lever dispensing								
110CT425A-L	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	290 (132)	\$14,885
110CT425W-L	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	water-cooled	top mounted	290 (132)	\$14,885
110FB425A-L	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	290 (132)	\$16,410
110FB425W-L	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	water-cooled	base mounted	290 (132)	\$16,410

¹ Freestanding models include 6.00" (15.24 cm) adjustable legs.
Available accessories are listed on page 34.

Symphony Plus 110 series manual load ice and water dispensers

Countertop manual fill ice and water dispensers with 110 lb (49.9 kg) of storage. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6660.



Countertop, manual fill


Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Approx. ship wt lb (kg)	List price
Manual fill 110 series with SensorSAFE infrared dispensing								
110CM-NI-S ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	119 (54)	\$4,655
Manual fill 110 series with lever dispensing								
110CM-NI-L ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	119 (54)	\$4,655

¹ Manual fill configuration, not equipped with ice machine.
Available accessories are listed on page 34.


Symphony Plus 110 series ice-only dispensers

Countertop and freestanding ice dispensers with 90 lb (40.8 kg) of storage. Models equipped with integral ice machine produce up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station not included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing, integral ice machine or manual fill and countertop or freestanding.


For additional product information, request form# 6665 for CT models, 6660 for CM models, or 6670 for FB models.



Countertop with top
mounted removable
ice machine



Freestanding with
removable ice
machine in base



Countertop,
manual fill

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Approx. ship wt lb (kg)	List price
110 series ice-only with SensorSAFE infrared dispensing								
110CT425A-SI	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	290 (132)	\$14,885
110FB425A-SI	Freestanding	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	290 (132)	\$16,410
110CM-NI-SI ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	119 (54)	\$4,655

110 series ice-only with lever dispensing								
110CT425A-LI	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	290 (132)	\$14,885
110FB425A-LI	Freestanding	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	290 (132)	\$16,410
110CM-NI-LI ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	119 (54)	\$4,655

¹ Manual fill configuration, not equipped with ice machine.

Available accessories are listed on page 34.

Ice and water dispenser accessories

Water treatment accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
Standard capacity filter system		
00130229	Water filter system (one per ice machine)	\$660
00130245	Water filter cartridge – primary, single	\$140
00954297	Water filter cartridge – primary, carton of 6	\$690
00130211	Water pre-filter cartridge – pre-filter, single	\$26
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$220
High capacity filter system		
00978957	High capacity water filter system (one per ice machine)	\$795
00978965	High capacity water filter cartridge – primary, single	\$260
00978973	High capacity water filter cartridge – primary, carton of 6	\$1,365
00130211	Water pre-filter cartridge – pre-filter, single	\$26
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$220
Carbonless high capacity filter system		
01050442	Carbonless high capacity water filter system (one per ice machine)	\$705
01050426	Carbonless high capacity water filter cartridge – primary, single	\$165
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	\$815
00130211	Water pre-filter cartridge – pre-filter, single	\$26
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$220
Other filtration		
00986059	Claris hardness removal filtration system	\$685
00985127	Replacement filter for Claris system	\$405

Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers

01089572	Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system ¹	\$50
01089580	Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system	\$125
00132001	SafeCLEAN, powder – environmentally responsible ice machine cleaner (carton of 24 x 7 oz packets)	\$305
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	\$15
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$85
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$305
00979674	Nu-Calgon® IMS-III sanitizer, single 16 oz bottle	\$20
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$215
01075431	SaniSponge™, 24 sanitary sponges	\$50

¹ Applicable Follett water filter systems include 00130229, 00978957, 01050442

Other accessories for Symphony Plus ice and water dispensers

01065168	Chilled water accessory package for 25 and 50 FB series – 115V models only	\$665
01063205	Chilled water accessory package for 110 CT/CM/FB series – 115V models only	\$665
01049790	Symphony Plus external drain kit - includes 10 ft (3 m) clear tubing and fitting	\$55
01068477	Slide-out ice machine accessory allows air- or water-cooled RIDE model Maestro Plus 425 lb (193 kg) ice machine to slide-out without disconnecting utilities	\$815
AFCONDPUMP	Condensate pump	\$320
AFR400STND	Ice machine stand for Maestro Plus MCD/MCC/MCE425A/W – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$605
AF10LBLEGS	4.00" (10.16 cm) leg kit – for 12CI series	\$155
00188417	4.00" (10.16 cm) leg kit – for 25CI and 50CI series	\$165
AFCASTERKIT	Caster kit – for 25FB, 50FB, and 110FB series only	\$360

Item number	Description	List price
Base stand options – Base stands and base stands with filter systems installed for countertop dispensers. Stainless exterior. Includes 6.00" (15.24 cm) adjustable, flanged legs.		
12BASE-00	Base for 12CI Series, 17.50" (44.4 cm) W x 22.00" (55.9 cm) D x 33.00" (83.8 cm) H, ship wt 80 lb (36 kg)	\$1,130
12BASE-CF	12BASE with standard capacity carbon filter system (00130229) installed	\$1,820
12BASE-HC	12BASE with high capacity carbon filter system (00978957) installed	\$1,960
12BASE-CL	12BASE with carbonless high capacity filter system (01050442) installed	\$1,865
25AND50BASE-00	Base for 25CI and 50CI series, 22.75" (57.8 cm) W x 24.38" (61.9 cm) D x 33.00" (83.8 cm) H, ship wt 110 lb (50 kg)	\$1,180
25AND50BASE-CF	25AND50BASE with standard capacity carbon filter system (00130229) installed	\$1,865
25AND50BASE-HC	25AND50BASE with high capacity carbon filter system (00978957) installed	\$2,010
25AND50BASE-CL	25AND50BASE with carbonless high capacity filter system (01050442) installed	\$1,915
110BASE-00	Base for 110CT series, 26.00" (66.0 cm) W x 29.00" (73.7 cm) D x 33.00" (83.8 cm) H, ship wt 140 lb (64 kg)	\$1,890
110BASE-CF	110BASE with standard capacity carbon filter system (00130229) installed	\$2,575
110BASE-HC	110BASE with high capacity carbon filter system (00978957) installed	\$2,720
110BASE-CL	110BASE with carbonless high capacity filter system (01050442) installed	\$2,630

Ice transport tube

- Always replace tubing with like tubing. Example: Braided with braided.
- Contact factory to confirm appropriate tubing for your specific dispenser

AFINSLTUBE	Insulated braided ice transport tube, purchased in 5' (1.52 m) increments	\$30 / per ft
00174896	Insulated polywire ice transport tube, purchased in 5' (1.52 m) increments	\$30 / per ft

Replacement ice machine for use in existing Symphony and Symphony Plus dispensers

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production per 24 hr lb (kg)	Condenser	Voltage	Ship wt lb (kg)	List price
R425A	18.84 (47.9)	20.00 (50.8)	17.00 (43.2)	425 (193)	air-cooled	115/60/1	131 (60)	\$6,310
R425W	18.84 (47.9)	22.06 (56.0)	17.00 (43.2)	425 (193)	water-cooled	115/60/1	131 (60)	\$6,310
P425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	115/60/1	130 (59)	\$6,190
CP425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	220/60/1	130 (59)	\$6,390
EP425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	230/50/1	130 (59)	\$6,390
P425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	115/60/1	125 (57)	\$6,190
CP425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	220/60/1	125 (57)	\$6,390
EP425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	230/50/1	125 (57)	\$6,390

Refer to matrix on page 36 for correct replacement ice machine.

Replacement ice machine ordering matrix

Dispenser series	Replacement ice machine item number	Ice machine panel finish
Countertop and wall mount dispensers with top mounted ice machines		
25CT400A, 25HT400A, 50CT400A, 50HT400A	P425A	no panels
25CT400W, 25HT400W, 50CT400W, 50HT400W	P425W	no panels
110CT400A	P425A	no panels
110CT425A	P425A	no panels
110CT400W	P425W	no panels
110CT425W	P425W	no panels
Countertop and wall mount dispensers with ice machine behind front splash panel		
25CI400A, 50CI400A, 25HI400A, 50HI400A	P425A	no panels
25CI400W, 50CI400W	P425W	no panels
25CI425A, 50CI425A, 25HI425A, 50HI425A	P425A	no panels
25CI425W, 50CI425W	P425W	no panels
Countertop and wall mount dispensers with RIDE model ice machines		
C25R5A, H25R5A, C50R5A, H50R5A	R425A	stainless
C25R5W, H25R5W, C50R5W, H50R5W	R425W	stainless
25CR400A, 25HR400A, 50CR400A, 50HR400A	R425A	stainless
25CR400W, 25HR400W, 50CR400W, 50HR400W	R425W	stainless
25CR425A, 25HR425A, 50CR425A, 50HR425A	R425A	stainless
25CR425W, 25HR425W, 50CR425W, 50HR425W	R425W	stainless
C110R5A	R425A	stainless
C110R5W	R425W	stainless
110CR400A	R425A	stainless
110CR400W	R425W	stainless
110CR425A	R425A	stainless
110CR425W	R425W	stainless
Freestanding dispensers with ice machine in base		
25FB400A, 50FB400A	P425A	no panels
25FB400W, 50FB400W	P425W	no panels
25FB425A, 50FB425A	P425A	no panels
25FB425W, 50FB425W	P425W	no panels
110FB400A	P425A	no panels
110FB400W	P425W	no panels
110FB425A	P425A	no panels
110FB425W	P425W	no panels

Ice and beverage dispensers

Attractive low-profile ice and beverage dispensers with below-counter ice storage for a wide variety of foodservice applications. Perfect for beverage islands because visibility is not restricted. Models include QuickCARB™ beverage manifold so changing from carbonated to non-carbonated beverage is as easy as the flip of a lever. Vision ice and water dispensers offer storage under the counter for an upscale ice and water station.

Warranty

Vision™ ice and beverage dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment old and serviced through a Follett Authorized Distributor in its designated area.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
4. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
5. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
6. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor, after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Unless otherwise directed, Follett will contract for carriage at buyer's risk and expense**
- **FCA Easton, PA USA Incoterms 2010**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

1. The equipment is new and unused.
2. A return authorization number has been issued by customer service within 45 days after shipment.
3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.


Vision VU155B 8 or 10 series with integral ice water bath beverage cooling

Ice and beverage dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

Standard equipment includes:

- Integral ice water bath beverage cooling
- 8 or 10 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add "-LAN" to model number.)
- Keyswitch for valves
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2780.



Vision VU155B8 Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU155B8RP	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Right	Push button	115/60/1	275 (125)	\$15,235
VU155B8LP	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Left	Push button	115/60/1	275 (125)	\$15,235
VU155B8RL	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Right	Sanitary lever	115/60/1	275 (125)	\$15,235
VU155B8LL	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Left	Sanitary lever	115/60/1	275 (125)	\$15,235
VU155B10RP	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Right	Push button	115/60/1	275 (125)	\$17,135
VU155B10LP	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Left	Push button	115/60/1	275 (125)	\$17,135
VU155B10RL	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Right	Sanitary lever	115/60/1	275 (125)	\$17,135
VU155B10LL	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Left	Sanitary lever	115/60/1	275 (125)	\$17,135


Vision VU155N series ice and chilled water dispensers

Ice and water dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

Standard equipment includes:

- Water dispense valve only
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2790 for VU155N models or 6975 for EVU155N models.



Vision VU155N Series ice and water dispenser

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU155N series ice and water dispensers									
VU155N0RP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	115/60/1	250 (114)	\$10,160
VU155N0LP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	115/60/1	250 (114)	\$10,160
VU155N0RL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	115/60/1	250 (114)	\$10,160
VU155N0LL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	115/60/1	250 (114)	\$10,160
EVU155N0RP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	230/50/1	250 (114)	\$10,275
EVU155N0LP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	230/50/1	250 (114)	\$10,275
EVU155N0RL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	230/50/1	250 (114)	\$10,275
EVU155N0LL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	230/50/1	250 (114)	\$10,275

VU155N series ice-only dispensers

EVU155NWLP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	230/50/1	250 (114)	\$10,065
EVU155NWRL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	230/50/1	250 (114)	\$10,065
EVU155NWLL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	230/50/1	250 (114)	\$10,065

Vision CVU series low-profile ice and water dispensers for marine applications

Designed to address United States Public Health Service (USPHS) principles for marine/shipboard use. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

CVU155 standard equipment includes:


- Water dispense valve only
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

CVU300 standard equipment includes:

- Water dispense valve only
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

Note: Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.

For additional product information, request form# 3560.



Vision CVU155N Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
CVU155NORP	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Right	Push button	220/60/1	350 (159)	\$12,200
CVU155NOLP	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Left	Push button	220/60/1	350 (159)	\$12,200
CVU155NORL	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Right	Sanitary lever	220/60/1	350 (159)	\$12,200
CVU155NOLL	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Left	Sanitary lever	220/60/1	350 (159)	\$12,200
CVU300NORP	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Right	Push button	220/60/1	350 (159)	\$20,460
CVU300NOLP	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Left	Push button	220/60/1	350 (159)	\$20,460
CVU300NORL	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Right	Sanitary lever	220/60/1	350 (159)	\$20,460
CVU300NOLL	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Left	Sanitary lever	220/60/1	350 (159)	\$20,460


Vision VU300B 8 or 10 series with integral ice water bath beverage cooling

Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

Standard equipment includes:

- Integral ice water bath beverage cooling
- 8 or 10 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add "-LAN" to model number.)
- Keyswitch for valves
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2795.



Vision VU300B8 Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU300B8RP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Push button	115/60/1	400 (182)	\$19,590
VU300B8LP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Push button	115/60/1	400 (182)	\$19,590
VU300B8RL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Sanitary lever	115/60/1	400 (182)	\$19,590
VU300B8LL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Sanitary lever	115/60/1	400 (182)	\$19,590
VU300B10RP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Push button	115/60/1	400 (182)	\$20,295
VU300B10LP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Push button	115/60/1	400 (182)	\$20,295
VU300B10RL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Sanitary lever	115/60/1	400 (182)	\$20,295
VU300B10LL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Sanitary lever	115/60/1	400 (182)	\$20,295


Vision VU300M 20 or 24 series dual-sided for connection to remote mechanical beverage cooling system

Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

Standard equipment includes:

- 20 or 24 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add "-LAN" to model number.)
- Keyswitch for valves
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2800 and 3760.



Vision VU300M20D Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU300M20DP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Dual	Push button	115/60/1	420 (191)	\$23,970
VU300M20DL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Dual	Sanitary lever	115/60/1	420 (191)	\$23,970
VU300M24DP	300 (136)	43.88 (111.5)	32.38 (82.2)	54.75 (139.0)	Dual	Push button	115/60/1	420 (191)	\$26,735
VU300M24DL	300 (136)	43.88 (111.5)	32.38 (82.2)	54.75 (139.0)	Dual	Sanitary lever	115/60/1	420 (191)	\$26,735

Vision ice and beverage dispenser accessories

Item number	Description	List Price
00137257	4.00" (10.16 cm) stainless steel leg (individual) adjustable to 6.75" (17.15 cm) – VU300 series only	\$72

QuickCARB beverage manifold

Standard on all Vision ice and beverage dispensers – The center valves are plumbed to both carbonated and non-carbonated water supplies, allowing fast, easy beverage changes. For 8, 10 and 20 valve units, the 4 center valves are QuickCARB valves. For 12 and 24 valve units, the 6 center valves are QuickCARB valves.

Ice storage, ice transport and ice handling

Follett offers ice storage, dispensing and transport solutions in capacities and sizes to meet nearly every need. All with features that can make your ice management easier, safer, and more sanitary.

Warranty

Single door upright bins and single door Ice•Device™ chuted bin and cart systems

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for the useful life of the product. Parts and labor for corrosion repair are covered under this warranty.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice storage and transport systems (ITS); double door upright bins; and double door Ice•Device™ chuted bin and cart systems

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice Pro™ automatic ice bagging and dispensing systems

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Slope front bins

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice transport carts; Totes™ ice carriers; ice shovels; ice probes; ice rakes

Follett LLC warrants to the original end user that all parts shall be free from defects in materials and workmanship under normal use and service for a period of 2 years from date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts within this 2 year period are covered under this warranty. Labor required for repair within a 1 year period is covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
4. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
5. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
6. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor, after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

See following page for Terms and Return Policy

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Unless otherwise directed, Follett will contract for carriage at buyer's risk and expense**
- **FCA Easton, PA USA Incoterms 2010**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

1. The equipment is new and unused.
2. A return authorization number has been issued by customer service within 45 days after shipment.
3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

Upright ice storage bins – single door and double door with SmartGATE® ice shield


Ice storage bins with industry-exclusive SmartGATE ice shield. Complete stainless exterior standard, including stainless back and bottom. All bins include a poly liner and corrosion-resistant ABS/poly top (single door uprights) or stainless top (double door uprights), which is custom cut for ice machine(s). 6.00" (15.24 cm) stainless steel adjustable legs and 82 oz (2.4 L) plastic ice scoop.

For additional product information, request form# 9140 for single door or 9145 for double door uprights.


Accessories for single door upright bins

Plastic ice shovel (item# ABICSHOVEL)	\$150
Ice paddle (item# ABICEPADDL46)	\$145
Ice rake, single door uprights (item# AB36RAKE)	\$180
Ice rake, double door uprights (item# ABICERAKE)	\$180
6.00" (15.24 cm) stainless flanged legs (set of 4) (item# ABSPECLEG3)	\$315
10.00" (25.4 cm) stainless flanged legs (set of 4) (item# 00151647)	\$395
Center partition, except single door upright models SG500, 700 and 1000	\$1,600
Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H) ..	\$1,550
Flexi-Top ice bin top system for 48.00" (121.9 cm) and 60.00" (152.4 cm) bins only (see page 48) ..	no charge
Correctional package, 2 week lead time (item# 00917054)	\$1,625

See page 49 for additional accessory information.



Single door upright



Double door upright

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
Single door uprights							
SG500S-30	460 (209)	30.00 (76.2)	31.00 (78.7)	44.50 (113.0)	31.00 (78.7)	210 (96)	\$4,275
SG700S-30	680 (309)	30.00 (76.2)	31.00 (78.7)	60.00 (152.4)	31.00 (78.7)	212 (97)	\$5,090
SG1000S-36 ²	990 (450)	36.00 (91.4)	31.00 (78.7)	69.50 (176.5)	32.00 (81.3)	257 (117)	\$5,995
SG860S-48	860 (391)	48.00 (121.9)	31.00 (78.7)	46.50 (118.1)	31.00 (78.7)	255 (116)	\$5,640
SG1010S-48	1000 (454)	48.00 (121.9)	31.00 (78.7)	56.00 (142.4)	32.00 (81.3)	268 (122)	\$5,825
SG1175S-48	1185 (538)	48.00 (121.9)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	298 (136)	\$6,090
SG1300S-48	1320 (599)	48.00 (121.9)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	270 (123)	\$6,255
SG1160S-56	1170 (531)	56.00 (142.2)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	296 (135)	\$6,980
SG1350S-56	1360 (617)	56.00 (142.2)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	322 (147)	\$7,360
SG1080S-60	1080 (490)	60.00 (152.4)	31.00 (78.7)	46.50 (118.1)	32.00 (81.3)	355 (161)	\$6,330
SG1325S-60	1325 (602)	60.00 (152.4)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	320 (145)	\$6,585
SG1475S-60	1490 (676)	60.00 (152.4)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	321 (146)	\$7,020
SG1650S-60	1660 (754)	60.00 (152.4)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	340 (155)	\$7,110
SG2000S-60 ³	2000 (908)	60.00 (152.4)	31.00 (78.7)	80.00 (203.2)	32.00 (81.3)	370 (168)	\$7,930

Double door uprights

SG1850-96	1870 (849)	96.00 (243.8)	31.00 (78.7)	51.00 (129.5)	32.00 (81.3)	450 (205)	\$14,920
SG2100-72	2110 (958)	72.00 (182.9)	40.00 (101.6)	57.00 (144.8)	41.00 (104.1)	486 (221)	\$12,605
SG2250-72	2250 (1022)	72.00 (182.9)	48.00 (121.9)	50.50 (128.3)	49.00 (124.5)	516 (235)	\$12,510
SG2650-72	2650 (1203)	72.00 (182.9)	40.00 (101.6)	66.50 (168.9)	41.00 (104.1)	571 (259)	\$15,110
SG3200-72 ⁴	3240 (1471)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	35.00 (88.9)	762 (346)	\$15,840
SG3900-72 ⁴	3940 (1789)	72.00 (182.9)	48.00 (121.9)	81.50 (207.0)	44.00 (111.8)	835 (379)	\$18,080
SG4600-72 ⁴	4640 (2107)	72.00 (182.9)	48.00 (121.9)	93.00 (236.2)	47.00 (119.4)	901 (409)	\$18,580

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).


² Standard with 6.00" (15.24 cm) flanged legs and available only with stainless steel top. Correctional package not available.

³ 18.00" (45.7 cm) sleeve with window on a 62.00" (157.5 cm) high bin.


⁴ Ships in two sections.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.


Ice•Device ice storage and dispensing systems – single door with cart or bagger




Ice•Device with
SmartCART 75 ice cart



Ice•Device with
SmartCART 125 ice cart



Ice•Device with
Cambro ICS125L cart



Ice•Device with
bagger

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge™ door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include one of the following: SmartCART 75 ice cart with 3 polyethylene Totes ice carriers, each Totes ice carrier holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg); SmartCART 125 ice cart which holds 125 lb (57 kg) of ice; Cambro brand model ICS125L ice cart which holds 125 lb (57 kg) of ice; or a bagger kit with 250 plastic bags of 10 lb (4.5 kg) capacity. Add designator -75 (SmartCART 75), -125 (SmartCART 125), -ICS125L (Cambro) or -BG (bagger kit) to select configuration.

For additional product information, request form# 9720.

Accessories for Ice•Device ice storage and dispensing systems

Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H)... \$1,550

Correctional package, 2 week lead time (item# 00917054)... \$1,625

See page 49 for additional accessory information.

Item number †	with SC75 cart	with SC125 cart	with Cambro cart	with bagger kit	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30	-75	-125	-ICS125L	-BG	460 (209)	30.00 (76.2)	31.00 (78.7)	63.00 (160.0)	31.00 (78.7)	354 (161)	\$6,060
DEV700SG-30	-75	-125	-ICS125L	-BG	680 (309)	30.00 (76.2)	31.00 (78.7)	78.50 (199.4)	31.00 (78.7)	389 (177)	\$6,840
DEV860SG-48 ²	-75	-125	-ICS125L	-BG	860 (391)	48.00 (121.9)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	452 (205)	\$8,225
DEV1010SG-48	-75	-125	-ICS125L	-BG	1000 (454)	48.00 (121.9)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	453 (206)	\$8,355
DEV1175SG-48	-75	-125	-ICS125L	-BG	1185 (538)	48.00 (121.9)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	483 (219)	\$8,680
DEV1300SG-48	-75	-125	-ICS125L	-BG	1320 (599)	48.00 (121.9)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	476 (216)	\$8,920
DEV1160SG-56	-75	-125	-ICS125L	-BG	1170 (531)	56.00 (142.2)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	472 (214)	\$9,235
DEV1350SG-56	-75	-125	-ICS125L	-BG	1360 (617)	56.00 (142.2)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	521 (236)	\$9,560
DEV1080SG-60 ²	-75	-125	-ICS125L	-BG	1080 (490)	60.00 (152.4)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	490 (222)	\$8,825
DEV1325SG-60	-75	-125	-ICS125L	-BG	1325 (602)	60.00 (152.4)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	518 (235)	\$9,080
DEV1475SG-60	-75	-125	-ICS125L	-BG	1490 (676)	60.00 (152.4)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	518 (235)	\$9,460
DEV1650SG-60	-75	-125	-ICS125L	-BG	1660 (754)	60.00 (152.4)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	532 (241)	\$9,690

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice•Device ice storage and dispensing systems – low-profile single door with Totes ice carrier

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and 10.00" (25.4 cm) flanged legs. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include a single polyethylene Totes ice carrier which holds 25 lb (11 kg) of ice.


For additional product information, request form# 9720.

Accessories for Ice•Device ice storage and dispensing systems

Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H)... \$1,550

Correctional package, 2 week lead time (item# 00917054)..... \$1,625

See page 49 for additional accessory information.



Ice•Device with
Totes ice carrier

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30-LP	460 (209)	30.00 (76.2)	31.00 (78.7)	48.75 (123.8)	31.00 (78.7)	186 (85)	\$4,825
DEV700SG-30-LP	680 (309)	30.00 (76.2)	31.00 (78.7)	64.25 (163.2)	31.00 (78.7)	229 (104)	\$5,605
DEV860SG-48-LP ²	860 (391)	48.00 (121.9)	31.00 (78.7)	50.25 (127.6)	32.00 (81.3)	288 (131)	\$6,990
DEV1010SG-48-LP	1000 (454)	48.00 (121.9)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	277 (126)	\$7,115
DEV1175SG-48-LP	1185 (538)	48.00 (121.9)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	319 (145)	\$7,440
DEV1300SG-48-LP	1320 (599)	48.00 (121.9)	31.00 (78.7)	68.75 (174.6)	32.00 (81.3)	342 (156)	\$7,685
DEV1160SG-56-LP	1170 (531)	56.00 (142.2)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	296 (135)	\$8,000
DEV1350SG-56-LP	1360 (617)	56.00 (142.2)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	353 (161)	\$8,320
DEV1080SG-60-LP ²	1080 (490)	60.00 (152.4)	31.00 (78.7)	50.25 (127.6)	32.00 (81.3)	297 (135)	\$7,590
DEV1325SG-60-LP	1325 (602)	60.00 (152.4)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	373 (170)	\$7,845
DEV1475SG-60-LP	1490 (676)	60.00 (152.4)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	356 (162)	\$8,225
DEV1650SG-60-LP	1660 (754)	60.00 (152.4)	31.00 (78.7)	68.75 (174.6)	32.00 (81.3)	336 (153)	\$8,455

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

Ice•Device ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts

Labor-saving elevated bins dispense ice out of front chute(s). For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a stainless steel top, which is custom cut for ice machine(s).

Configurations shown below include (2) SmartCART 75 ice carts, each with 3 polyethylene Totes ice carriers, holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg) per cart. Carts can store below bin.

For additional product information, request form# 2320.

Other configurations available for double door Ice•Device:

SmartCART 125 ice cart Same price as below

Cambro brand ICS125L cart..... Same price as below

Bagger kit option..... Same price as below


Accessories for Ice•Device ice storage and dispensing systems

Center partition \$1,600

Reinforced top – (req'd if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H)... \$1,985

Correctional package, 2 week lead time (item# 00917054)..... \$1,625

See page 49 for additional accessory information.



Double door Ice•Device with
(2) SmartCART 75 ice carts

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV2100SG-72-75	2110 (958)	72.00 (182.9)	40.00 (101.6)	75.50 (191.8)	41.00 (104.1)	841 (381)	\$16,625
DEV2250SG-72-75	2250 (1022)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	46.00 (116.8)	863 (344)	\$16,825
DEV2650SG-72-75	2650 (1203)	72.00 (182.9)	40.00 (101.6)	85.50 (217.2)	41.00 (104.1)	943 (428)	\$18,800
DEV3200SG-72-75	3240 (1471)	72.00 (182.9)	48.00 (121.9)	88.50 (224.8)	35.00 (88.9)	1144 (519)	\$20,015
DEV3900SG-72-75	3940 (1789)	72.00 (182.9)	48.00 (121.9)	100.50 (255.3)	44.00 (111.8)	1263 (574)	\$21,760
DEV4600SG-72-75	4640 (2107)	72.00 (182.9)	48.00 (121.9)	112.00 (284.5)	47.00 (119.4)	1276 (579)	\$23,025

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice storage and transport systems (ITS)

Elevated bin and cart systems use gravity-assist ice removal and casters to deliver outstanding labor and safety benefits. For use with Chewblet, cube or flake ice. All are equipped with poly liners, SmartGATE ice shield, and poly door with PowerHinge door hinge component². Each unit is standard with bin, base, SmartCART 240 ice cart (1, 2 or 3 depending on the number of bays) with lid and ice paddle. Full stainless exterior and base. Insulated cart is one-piece molded polyethylene with removable poly lid.

For additional product information, request form# 9130.


Accessories for ice storage and transport systems

Set of 6 Totes ice carriers (item# ABICETOTP)	\$775
Partition (2 and 3 bay models only)	\$1,780
Plastic ice shovel (item# ABICSHOVEL)	\$150
SmartCART 240 ice cart (item# ROTOCART)	\$2,115
Additional ice paddle (item# ABICEPADDL)	\$145

See page 49 for additional accessory information.

Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.37 cm) to H).

31.00" (78.7 cm) and 60.00" (152.4 cm) wide models	\$1,550
90.00" (228.6 cm) wide models	\$1,985



ITS with (2) SmartCART 240 ice carts

Item number †	No. of carts	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. wt lb (kg)	List price
ITS500NS-31 ²	1	382 (174)	31.00 (78.7)	40.00 (101.6)	60.00 (152.4)	32.00 (81.3)	371 (169)	\$10,550
ITS700SG-31	1	652 (296)	31.00 (78.7)	40.00 (101.6)	75.00 (190.5)	32.00 (81.3)	398 (181)	\$10,605
ITS1350SG-60	2	1327 (602)	60.00 (152.4)	40.00 (101.6)	75.00 (190.5)	41.00 (104.1)	712 (324)	\$18,760
ITS2250SG-60	2	2133 (968)	60.00 (152.4)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	822 (374)	\$21,280
ITS1700SG-90	3	1716 (779)	90.00 (228.6)	40.00 (101.6)	70.00 (177.8)	41.00 (104.1)	978 (444)	\$30,020
ITS3250SG-90	3	3255 (1477)	90.00 (228.6)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	1145 (521)	\$34,175

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² ITS500NS-31 has sliding windows only, no SmartGATE ice shield or poly door.

Ice Pro automatic ice bagging and dispensing systems

Ice storage bin with automatic agitation to store and dispense cube or Chewblet ice (made by Horizon series ice machines) into bags, carts, pails or Totes ice carrier. Increased labor-savings, sanitation and safety for foodservice operators. Equipped with user-friendly control panel, lockable clear window, adjustable bag stand and insulated poly-molded ice storage area. SA models include blower and timed dispense mode for semi-automatic bag filling. Foot pedal is standard on 1000 models and optional for 650 models. Each unit comes standard with 1 wicket of 125, 8 lb (4 kg) bags.

For additional product information, request form# 3630 for E/DB650 or 2345 for E/DB1000.

Accessories for 650 models


Foot switch (item# 00932517)	\$410
Jug and cooler kit 650 allows easy filling of 5 L and 10 L Willow ¹ jugs and larger coolers (item# 00979013)	\$1,815

Accessories for 1000 models

Leg extension kit raises unit by 6.50" (16.51 cm) to accommodate carts up to 36.00" (19.44 cm) and bags up to 40 lb (18 kg) and 33.83" (85.93 cm) high (item# ABLEGEEXT)	\$705
Reinforced top (required if ice machine(s) weight exceeds 800 lb (363 kg). Add 2.12" (5.40 cm) to H)..	\$1,550
Jug and cooler kit 1000 allows easy filling of 5 L and 10 L Willow ¹ jugs and larger coolers (item# 00979583)	\$1,815

Accessories for all models

Bostitch® P-7 C-ring plier for closing bags (item# 00137711)	\$205
Staples, blunt end, box of 2500 (item# 00137729)	\$62



Ice Pro automatic bagging and dispensing systems

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Voltage	Approx. ship wt lb (kg)	List price
DB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	66.50 (168.9)	34.25 (87.0)	220/60/1	460 (209)	\$17,185
EDB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	66.50 (168.9)	34.25 (87.0)	230-240/50/1	460 (209)	\$17,475
DB1000	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$22,585
DB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$23,305
EDB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	230/50/1	704 (320)	\$21,195

¹ Willow Ware Australia Pty Ltd.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Slope front bins

Small to medium capacity ice storage bins. Bin exterior for all models includes stainless steel front and sides. Bin interior includes polyethylene-lined walls and stainless steel bottom. All bins include stainless top, which is custom cut for ice machine(s) and 6.00" (15.24 cm) plastic adjustable legs.


For additional product information, request form# 9135.

Accessories for slope front bins

Center partition (650, 950 and 1025 models only; not available for 300 and 425 model) \$585

6.00" (15.24 cm) stainless steel legs (item# ABSPECLEGS)..... \$155

See page 49 for additional accessory information.



Slope front bin

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
300-22 ¹	300 (136)	22.00 (55.9)	31.50 (80.0)	40.00 (101.6)	23.00 (58.4)	128 (58)	\$1,780
425-30	430 (195)	30.00 (76.2)	31.50 (80.0)	40.00 (101.6)	31.00 (78.7)	144 (65)	\$2,470
650-44	660 (299)	44.00 (111.8)	31.50 (80.0)	40.00 (101.6)	32.00 (81.2)	178 (81)	\$3,420
950-48	950 (431)	48.00 (121.9)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	207 (94)	\$3,515
1025-52	1030 (467)	52.00 (132.1)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	217 (98)	\$3,605

¹ Model 300-22 only for use with Follett® Maestro Plus 425 (air-cooled) and Horizon 700 series ice machines.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin, to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Replacement stainless steel tops for ice storage bins

Order must include complete model number of ice machine to be used in conjunction with bin.

Bin series	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	List price
Slope front bins				
	30.00 (76.2)	27.50 (69.8)	AB425TOP00	\$640
	44.00 (111.8)	27.50 (69.8)	AB650TOP00	\$875
	48.00 (121.9)	27.50 (69.8)	AB725TOP00	\$950
	52.00 (132.1)	27.50 (69.8)	AB750TOP00	\$1,020
Single door upright bins and single door Ice•DevIce ice storage and dispensing systems for bins manufactured before 2007 (except SG1000)				
	30.00 (76.2)	31.00 (78.7)	AB7010TOP0	\$1,125
	48.00 (121.9)	31.00 (78.7)	AB1010TOPS	\$1,345
	56.00 (142.2)	31.00 (78.7)	AB1350TOP0	\$1,450
	60.00 (152.4)	31.00 (78.7)	AB1475TOP0	\$1,450
SG1000 single door upright				
	36.00 (91.4)	31.00 (78.7)	00979823	\$1,275
Double door upright bins				
	96.00 (243.8)	31.00 (78.7)	AB1850TOP0	\$1,965
Double door upright bins and double door Ice•DevIce ice storage and dispensing systems				
	72.00 (182.9)	40.00 (101.6)	AB2650TOP0	\$1,865
	72.00 (182.9)	48.00 (121.9)	AB4600TOP0	\$1,965
Ice transport systems (ITS)				
	31.00 (78.7)	40.00 (101.6)	ABITS70TOP	\$1,345
	60.00 (152.4)	40.00 (101.6)	ABITS13TOP	\$1,670
	90.00 (228.6)	40.00 (101.6)	ABITS32TOP	\$1,970
DB1000 Ice Pro automatic ice bagging and dispensing system				
	52.00 (132.1)	34.00 (86.4)	00104828	\$1,450

Replacement ABS bin tops for ice storage bins

Available FOB Easton, PA USA (UCC) – FCA Easton, PA USA (incoterms 2010) only






	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	List price
Single door upright and single door Ice•DevIce ice storage and dispensing systems for bins manufactured after 2007				
Full top	30.00 (76.2)	31.00 (78.7)	00168138	\$1,125
Full top	48.00 (121.9)	31.00 (78.7)	00168146	\$1,345
Full top	56.00 (142.2)	31.00 (78.7)	00168153	\$1,450
Full top	60.00 (152.4)	31.00 (78.7)	00168161	\$1,450
DB650 Ice Pro automatic ice bagging and dispensing system				
Full top	30.00 (76.2)	31.00 (78.7)	00168138	\$1,125

Flexi-Top ice bin top systems

Flexi-Top ice bin top systems make stocking bins simple – eliminates the need to know what specific ice machine will be used before the order. Available for 48.00" (121.9 cm) and 60.00" (152.4 cm) wide single door uprights and Ice•DevIce ice storage and dispensing systems. Contact factory for more information.





Ice handling accessories

Ice carts and Totes ice carrier ordering guidelines

	SmartCART 75 Item# 00112771  <p>Perfect for moving small quantities of ice to manually fill storage receptacles. 75 lb (34 kg) capacity. Includes 3 Totes ice carriers.</p> <p>21.50"W x 34.00"D x 39.00"H (54.6 x 86.4 x 99.1 cm)</p> <p>Ship wt – 53 lb (25 kg) List Price \$1,260</p>	SmartCART 125 Item# LSC125  <p>Fully insulated poly with 125 lb (57 kg) capacity and flip-up lid makes an excellent working cart for portable bars.</p> <p>22.50"W x 28.30"D x 33.50"H (57.2 x 71.8 x 85.1 cm)</p> <p>Ship wt – 60 lb (28 kg) List Price \$1,300</p>	SmartCART 240 Item# ROTOCART  <p>Fully insulated poly with removable lid. 240 lb (109 kg) capacity for transporting large quantities of ice.</p> <p>24.25"W x 41.50"D x 35.75"H (61.6 x 105.4 x 90.8 cm)</p> <p>Ship wt – 75 lb (35 kg) List Price \$2,115</p>	Cambro ICS125L Item# ICS125L  <p>Fully insulated poly with slide back lid with 125 lb (57 kg) capacity. Perfect for sliding under bars.</p> <p>23.00"W x 31.30"D x 29.25"H (58.4 x 79.5 x 74.3 cm)</p> <p>Ship wt – 70 lb (32 kg) List Price \$1,765</p>	Totes Item# ABICETOTP (six) Item# 502263 (single)  <p>Comfortable handle, easy distribution of ice from longer side. Limits lifted load to 25 lb (12 kg).</p> <p>7.12"W x 15.62"D x 15.00"H (18.08 x 39.7 x 38.1 cm)</p> <p>Set of 6 Totes Ship wt – 34 lb (16 kg) List Price \$775</p> <p>Single Tote Ship wt – 6 lb (3 kg) List Price \$140</p>
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model				
Slope Front	✓	✓	✓	✓	✓
Single Door Upright	✓	✓	✓	✓	✓
Double Door Upright	✓	✓	✓	✓	✓
Single Door Ice•Device	✓	✓ ¹	n/r	✓ ¹	✓
Double Door Ice•Device	✓	✓ ¹	n/r	✓ ¹	✓
Ice Transport System	n/r	n/r	✓	n/r	✓
Ice Pro	✓	✓	✓	✓	✓






¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Ice bagging accessory ordering guidelines

	Bagger Kit Item# ABBAGGERKT  <p>Bagger kit includes bagger assembly, tape dispenser with tape and 250 plastic bags of 10 lb (5 kg) capacity.</p> <p>11.00"W x 13.63"D x 29.00"H (27.9 x 34.6 x 73.7 cm)</p> <p>Ship wt – 20 lb (10 kg) List Price \$1,075</p>	8 lb (3.6 kg) Ice Bag Item# 00116434  <p>125 bags per wicket – 8 wickets per case. 1.25 mil. poly bag.</p> <p>10.5 "W x 4.00"D x 19.00"H (26.7 x 10.16 x 48.3 cm)</p> <p>Ship wt – 16 lb (8 kg) List Price \$155</p>	20 lb (9.1 kg) Ice Bag Item# 00138370  <p>125 bags per wicket – 4 wickets per case. 2.25 mil. poly bag.</p> <p>14.00"W x 4.50"D x 27.00"H (35.6 x 11.43 x 68.6 cm)</p> <p>Ship wt – 25 lb (12 kg) List Price \$220</p>	C-ring plier – Item# 00137711 C-ring – Item# 00137729  <p>Bostitch P-7 C-ring plier for bag closure. Automatic C-ring feed.</p> <p>Ship wt – 1 lb (0.5 kg) List Price \$205</p> <p>Aluminum blunt-end C-rings for use with Bostitch P-7 C-ring plier. 2500 per box.</p> <p>Ship wt – 2 lb (1 kg) List Price \$62</p>
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model			
Slope Front	✓	n/r	n/r	n/r
Single Door Upright	✓	n/r	n/r	n/r
Double Door Upright	✓	n/r	n/r	n/r
Single Door Ice•Device	✓ ¹	n/r	n/r	n/r
Double Door Ice•Device	✓ ¹	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	✓	✓	✓





¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Shovel, scoop and paddle ordering guidelines

	Paddle Item# ABICEPADDL46 46.50" (118.1 cm) or Item# ABICEPADDL 58.50" (147.3 cm)  High density poly paddle breaks ice bridges with ease. Includes bracket. 46.50" (118.1 cm) Ship wt – 6 lb (3 kg) List Price \$145 58.50" (147.3 cm) Ship wt – 6 lb (3 kg) List Price \$145	Rake Item# AB36RAKE 38.00" (96.5 cm) or Item# ABICERAKE 50.00" (127.0 cm)  Draws ice to front of bin for easier access. Vinyl handle, aluminum shaft, stainless steel rake head. Includes bracket. 38.00" (96.5 cm) Ship wt – 3 lb (2 kg) List Price \$180 50.00" (127.0 cm) Ship wt – 3 lb (2 kg) List Price \$180	Shovel Item# ABICSHOVEL 37.00" (94.0 cm)  Heavy duty poly construction. Efficient removal of ice from bin. Ship wt – 9 lb (4 kg) List Price \$150	Scoop Item# 00146365 64 oz (1.9 L)  San Jamar® Saf-T-Ice® Guardian scoop® system. Minimizes contact with ice, includes storage rack for scoop. Ship wt – 6 lb (3 kg) List Price \$160	Scoop Item# ABICESCOOP 82 oz (2.4 L)  Large poly scoop for manual removal of ice from bins. No bracket provided. Ship wt – 3 lb (2 kg) List Price \$32
--	--	--	--	---	--

Bin series	✓ = May be ordered separately n/r = Not recommended for use with model						
	46.50"	58.50"	38.00"	50.00"			
Slope Front	✓	n/r	n/r	n/r	n/r	✓	✓
Single Door Upright	✓	n/r	✓	n/r	✓	✓	✓
Double Door Upright	n/r	✓	n/r	✓	✓	✓	✓
Single Door Ice•Device	✓	n/r	✓	n/r	n/r	✓	✓
Double Door Ice•Device	n/r	✓	n/r	✓	n/r	✓	✓
Ice Transport System	n/r	✓	n/r	✓	✓	✓	✓
Ice Pro	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Stainless steel leg accessory ordering guidelines

	6.00" (15.24 cm) with flanged feet. Set of (4). Item# ABSPECLEG3  Ship wt – 6 lb (3 kg) List Price \$315	8.00" (20.32 cm) bullet leg with stabilizer. Set of (4). Item# AB8INLEG55  Ship wt – 10 lb (5 kg) List Price \$355	10.00" (25.4 cm) with flanged feet. Set of (4). Item# 00151647  Ship wt – 15 lb (7 kg) List Price \$395	12.00" (30.5 cm) bullet leg. Set of (4). Item# ABSPECLEG1  Ship wt – 13 lb (6 kg) List Price \$455
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model			
Slope Front	✓	✓	✓	✓
Single Door Upright	✓	✓	✓	n/r
Double Door Upright	✓	✓	n/r	n/r
Single Door Ice•Device	n/r	n/r	✓	n/r
Double Door Ice•Device	n/r	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	n/r	n/r	n/r

Incoterms is a trademark of the International Chamber of Commerce.
ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.
Calgon is a licensed tradename distributed by Nu-Calgon, in the United States.
Cambro is a registered trademark of Cambro Manufacturing Company in the US.
Bostitch is a registered trademark of Stanley Black and Decker.
Saf-T-Ice is a registered trademark of San Jamar, a division of the Coleman Group, Inc. in the US.
Flexi-Top, Harmony, Horizon, Horizon Elite, Ice•Device, Ice Manager, Ice Pro, Maestro Plus, Micro Chewblet, PowerHinge, SafeCLEAN, SafeCLEAN Plus, SensorSAFE, SmartCART, Symphony Plus, Totes and Vision are trademarks of Follett LLC.
Chewblet, Follett, RIDE and SmartGATE are registered trademarks of Follett LLC, registered in the US.



801 Church Lane | Easton, PA 18040, USA
+1 610.252.7301 | +1 800.523.9361 | follettice.com



Form 4025 04/10/18
© Follett LLC