

Chewblet® ice machine

# **Features**

Compact size, only 44.8 cm (17.62") tall to fit on counters under standard cabinets

3.2 kg (7 lb) ice storage capacity

Integral air-cooled ice machine with up to 56.7 kg (125 lb) daily production of popular Chewblet ice

- designed to make up to 315 servings per day<sup>1</sup>
- soft, chewable, compressed nugget ice is preferred over cubes<sup>2</sup>
- environmentally responsible R134a refrigerant with zero ozone depletion potential
- energy saving sleep mode
- quiet production without noisy harvest cycles

## Durable, attractive dispenser

- modern styling, stainless steel exterior with accent trim
- dispense-activated soft blue light illuminates point-of-use
- easy-to-clean, removable 590 ml (20 oz) drip tray

## Designed with sanitation in mind

- Agion<sup>®</sup> silver-based antimicrobial product protection of key ice and water contact components<sup>3</sup>
- capacitive touch controls eliminate direct contact with ice

#### Installation

- two easy connections electric and water
- drainless design allows dispenser to be placed anywhere a water line can be run and eliminates the cost of a drain installation

#### Warranty

- 2 years parts and labor, 5 years compressor parts

# Accessories

10.16 cm (4.00") leg kit for CI - countertop models (item# 00956300)

15.24 cm (6.00") leg kit for base stand (item# 00956318)

Drip tray drain kit for countertop models (includes 10.16 cm (4.00") legs) (item# 00981977)

Drip tray drain kit without 10.16 cm (4.00") legs (item# 00956375)

Cartridge, replacement 5 micron particle/carbon (item# 00968107)

Claris\* hardness removal filtration system (item# 00986059)



### Shown with optional base stand

NOTE: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).

Not recommended for use with softened water.



Model confi	gurations		
Ice storage capacity	Configuration	Filter <sup>1</sup>	Item number
3.2 kg (7 lb)	countertop ice and water	no filter	C7CI100A-IW-NF-ST-00
		internal	C7CI100A-IW-CF-ST-00
	countertop ice-only	no filter	C7CI100A-NW-NF-ST-00
		internal	C7CI100A-NW-CF-ST-00
For freestan	ding models		
Optional base stand to convert countertop models to freestanding			00956292

<sup>&</sup>lt;sup>1</sup> Internal filter is a 5 micron particle and carbon filter.

Follett Europe Polska Sp. z o.o. Mokry Dwór 26C 83-021 Wiślina, Poland Phone: +48 (58) 785-6140 | Fax: +48 (58) 785-6159 folletteurope.com





Specification	
Ice storage capacity	3.2 kg (7 lb)
<b>W1</b> Width	37.1 cm (14.62")
<b>D1</b> Depth	56.2 cm (22.12")
<b>H1</b> Height, countertop models	44.8 cm (17.62")
<b>H2</b> Height, with optional base stand	106.7 cm (42.00")
H3 Height, optional base stand	62.0 cm (24.41")
<b>H4</b> Dispense height clearance	21.59 cm (8.50")
Ventilation clearance	7.62 cm (3.00") on each side
Service clearance	7.62 cm (3.00") behind and on each side of dispenser
<b>C1</b> 220 V/60/1 electrical	5 amps. Connect to dedicated 10 amp circuit, fuse or breaker. Dispenser has IEC 60320-C13 connector in rear of dispenser for use with appropriate modular cord.
C2 Water inlet	1/4" MPT
Air temperature	10 - 38 C (50 -100 F)
Water temperature	4 - 32 C (40 - 90 F)
Water pressure	69 - 483 kpa (10 - 70 psi)
Ice production at 21 C (70 F) air and 10 C (50 F) water	56.7 kg (125 lb)
Ice production at 32 C (90 F) air and 21 C (70 F) water	45.4 kg (100 lb)
Energy consumption 32 C (90 F) air and 21 C (70 F) water	6.9 kWh per 45.4 kg (100 lb) ice
Heat rejection	498 W (1700 BTU/hr)
Water consumption	45.4 L (12 gal) of potable water per 45.4 kg (100 lb) of ice
Approximate net weight – countertop models	34 kg (74 lb)
Approximate shipping weight – countertop models	41 kg (90 lb)
Approximate net weight – optional base stand	11 kg (24 lb)
Approximate shipping weight – optional base stand	14 kg (30 lb)

NOTE: For indoor use only. Designed for commercial use. Follett<sup>®</sup> is not able to provide in-house services for residential installations.

SHORT FORM SPECIFICATION: (Choose one) \_\_\_\_ Ice and water or \_\_\_\_ ice-only dispenser to be Follett automatic load in countertop configuration, with 3.2 kg (7 lb) of storage. Environmentally responsible R134a ice machine to be air-cooled. Ice machine to produce approximately 56.7 kg (125 lb) of Chewblet compressed nugget ice at air temperature of 21 C (70 F) and water temperature of 10 C (50 F). Ice machine to be equipped with printed circuit board and diagnostics to allow simplified servicing and with capacitive touch user interface. Storage area to be insulated with non-CFC, high density foam-in-place polyurethane. 220 V/60/1. Dispenser has IEC 60320-C13 connector in rear of dispenser for use with appropriate modular cord. NSF listed. Total dissolved solids in water not to exceed 400 mg/l (ppm) and hardness not to exceed 200 mg/l (ppm).

# Dimensional drawing





- 355 ml (12 oz) cups, 1/3 full of ice.
- Independent third party studies. Contact Follett for details.
- Disclaimer: Antimicrobial protection is limited to the treated components and does not treat water or ice.

Claris is a registered trademark of the Aquis GmbH in Switzerland.

Agion is a registered trademark of Sciessent LLC.

Chewblet and Follett are registered trademarks of Follett LLC, registered in the US.

Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.

C7 Series ice and water dispenser





Follett Europe Polska Sp. z o.o. Mokry Dwór 26C 83-021 Wiślina, Poland