


| 2019

effective January 1
updated March 21



ice machines



ice and water dispensers



ice and beverage dispensers



ice storage and transport



Contents

ICE MACHINES	4
Tempo undercounter ice machine bins – 100 series	5
Maestro Plus ice machine bins – 425 series	5
Maestro Plus flake ice machines for ice storage bins – 425 series	6
Maestro Plus Chewblet ice machines for ice storage bins – 425 series	7
Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – 425 series	7
Top kits for top mount model Maestro Plus 425 series ice machines used with countertop ice and beverage dispensers	8
Top kits for RIDE model Maestro Plus and Horizon Elite series ice machines for use with countertop ice and beverage dispensers	8
Maestro Plus Chewblet ice machines for Vision dispensers – 425 series	9
Horizon Elite Chewblet ice machines for ice storage bins – 710, 1010, 1410, 1810, 2110 series	10
Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – 710, 1010, 1410, 1810, 2110 series	12
Horizon Elite Chewblet ice machines for Vision dispensers – 710, 1010, 1410, 1810, 2110 series	14
Horizon Elite Chewblet ice machines for Cornelius® Profile™ 150 BC dispensers – 710, 1010, 1410, 1810, 2110 series	15
Horizon Elite Chewblet ice machines for drop-in beverage dispensers – 710, 1010, 1410, 1810, 2110 series	16
Horizon Elite Chewblet ice machines for marine ice and beverage dispensers – 1010, 1410 series	17
Ice Manager diverter valve system	18
Horizon Elite Chewblet ice machines for Ice Manager diverter valve – 1010, 1410, 1810, 2110 series	19
Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers	20
Top kits for Horizon Elite 710, 1010, 1410, 1810 and 2110 series ice machines for use with countertop ice and beverage dispensers	20
Top kits for Horizon 700 and 1650 series ice machines used with countertop ice and beverage dispensers	22
ICE MACHINE ACCESSORIES	23
Water treatment accessories for ice machines	23
Other accessories for ice machines	23
ICE AND WATER DISPENSERS	25
Countertop dispensers – 7 and 15 series	26
Undercounter dispensers – 7 Series	27
Accessories for 7 and 15 Series ice and water dispensers	27
Symphony Plus ice and water dispensers – 12 series	28
Symphony Plus ice-only dispensers – 12 series	28
Symphony Plus ice and water dispensers with removable ice machine – 25 and 50 series	29
Symphony Plus ice-only dispensers – 25 and 50 series	30
Symphony Plus ice and water dispensers with removable ice machine – 110 series	31
Symphony Plus manual load ice and water dispensers – 110 series	31
Symphony Plus ice-only dispensers – 110 series	32
ICE AND WATER DISPENSER ACCESSORIES	33
Water treatment accessories for Symphony Plus ice and water dispensers	33
Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers	33
Other accessories for Symphony Plus ice and water dispensers	33
Replacement ice machine for use in existing Symphony and Symphony Plus dispensers	35
Replacement ice machine ordering matrix	35

ICE AND BEVERAGE DISPENSERS	36
Vision ice and beverage dispensers – VU155B series with integral ice water bath beverage cooling	37
Vision ice and chilled water dispensers – VU155N series	37
Vision ice and water dispensers for marine applications – CVU series	38
Vision ice and beverage dispensers – VU300B series with integral ice water bath beverage cooling	38
Vision ice and beverage dispensers – VU300M series dual-sided for connection to remote mechanical beverage cooling system	39
QuickCARB beverage manifold	39
ICE STORAGE, ICE TRANSPORT AND ICE HANDLING	40
Upright ice storage bins – single door and double door with SmartGATE® ice shield	42
Ice•DevIce ice storage and dispensing systems – single door with cart or bagger	43
Ice•DevIce ice storage and dispensing systems – low-profile single door with Totes ice carrier	44
Ice•DevIce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts	44
Ice storage and transport systems (ITS)	45
Ice Pro automatic ice bagging and dispensing systems	45
Slope front bins	46
Replacement stainless steel tops for ice storage bins	47
Replacement ABS bin tops for ice storage bins	47
Flexi-Top ice bin top systems	47
Ice handling accessories	48

Ice machines

Compact, reliable Chewblet® extruded ice and flake ice machines in a variety of sizes to meet your needs. Choose from top mount or RIDE® remote ice delivery equipment (extruded only). Follett's unique Ice Manager™ diverter valve system allows the use of ONE Horizon Elite™ (1010 and larger) with TWO storage units each up to 75 ft (22.8 m) away.

Warranty

Maestro Plus™ and Horizon Elite ice machines, Ice Manager diverter valve system

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

Tempo™ undercounter ice machine bins

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty.

The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the Installation, Operations and Service Manual.
4. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
5. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
6. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
7. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

1. The equipment is new and unused.
2. A return authorization number has been issued by customer service within 45 days after shipment.
3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.


Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

Tempo undercounter ice machine bins – 100 series

All stainless exterior, compact undercounter or freestanding ice machine bin produces 90 lb (41 kg) of Chewblet ice in a 24-hour period. Storage capacity of 30 lb (13.6 kg). Includes integral drain pump.

Note: Intended for commercial use only. Follett can't guarantee freight carriers ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.



Undercounter ice machine bin

Item number ¹	Width in (cm)	Depth in (cm)	Height ² in (cm)	Production capacity lb (kg)		Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)			
UCD100A30-NF	14.94 (37.9)	22.75 (57.8)	34.13 (86.7)	65 (30)	90 (41)	115/60/1	101 (46)	\$5,750
UCD100A30-CF	14.94 (37.9)	22.75 (57.8)	34.13 (86.7)	65 (30)	90 (41)	115/60/1	101 (46)	\$5,995
UCD100A30ADA-NF	14.94 (37.9)	22.75 (57.8)	32.00 (81.3)	65 (30)	90 (41)	115/60/1	101 (46)	\$5,750
UCD100A30ADA-CF	14.94 (37.9)	22.75 (57.8)	32.00 (81.3)	65 (30)	90 (41)	115/60/1	101 (46)	\$5,995


¹ Available third quarter of 2019.

Maestro Plus ice machine bins – 425 series

Flake (UF) or Micro Chewblet™ (UM) ice machines with 75 lb (34 kg) of bin storage for undercounter or freestanding applications.

Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 6785 for UFD and UMD models or 8515 for UFC, UMC, UFE and UME models.



Undercounter ice machine bin

Item number	Width in (cm)	Depth in (cm)	Height ² in (cm)	Production capacity lb (kg)		Condensing unit ³	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
UFC425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	208-230/60/1 ¹	194 (88)	\$7,510
UMC425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	208-230/60/1 ¹	194 (88)	\$7,510
UFD425A80	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	115/60/1	194 (88)	\$7,510
UMD425A80 [†]	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	115/60/1	194 (88)	\$7,510
UFE425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	230/50/1 ¹	194 (88)	\$7,710
UME425A80 ¹	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	230/50/1 ¹	194 (88)	\$7,710

[†] ENERGY STAR[®] certified.

¹ Model ships EXW Incoterms 2010 – Wsłina, Poland. Models not for use in the United States.

² 33.00" (83.8 cm) with leveling feet for undercounter use. 39.00" (99.1 cm) with bullet legs for freestanding application.

³ Condensing unit: A – SC = Air – self-contained

Ice Machine Model Number Configurations

<div>HC</div> <div>C</div> <div>1410</div> <div>A</div> <div>V</div> <div>S</div>					
Ice machine	Voltage	Series	Condenser	Application	Configuration
MC Maestro Plus Chewblet (425)	C 208-230/60/1 (icemaking head) <i>Self-contained only.</i>	425 up to 425 lb (193 kg)	A Air-cooled, self-contained	V Vision™	S RIDE®
MF Maestro Plus Flake (425)	D 115/60/1 (icemaking head) <i>Self-contained and remote. If remote unit, outdoor condensing unit is 208-230/60/1.</i>	710 up to 759 lb (345 kg)	W Water-cooled, self-contained	H Harmony™	(remote ice delivery equipment)
HC Horizon Elite Chewblet (710, 1010, 1410, 1810, 2110)	E 230/50/1 (icemaking head) <i>Self-contained only.</i>	1010 up to 1061 lb (482 kg)	R Air-cooled, remote condensing unit	(Countertop ice and beverage dispense)	T Top-mount
HM Horizon Elite Micro Chewblet ² (710, 1010, 1410, 1810, 2110)	F 115/60/1 (icemaking head) <i>Self-contained and remote. If remote unit, outdoor condensing unit is 208-230/60/3.</i>	1410 up to 1466 lb (666 kg)	N Air-cooled, no condensing unit for connection to parallel rack system	B Ice storage bin	
		1810 up to 1784 lb (810 kg)		J Drop-in	
		2110 up to 2039 lb (926 kg)		M Ice Manager™ diverter valve system ¹	
				P Cornelius Profile 150	

¹ Ice Manager diverter valve systems can be used to fill two bins or dispensers with a single ice machine.


² Micro Chewblet™ – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCC1010ABS becomes HMC1010ABS. Add \$235 to list price. Not available on Ice Manager, Marine, or Maestro Plus models.

Maestro Plus flake ice machines for ice storage bins – 425 series

Flake ice machines for mounting on ice storage bins.

Refer to page 40 of the price list for capacities and sizes of bins available.

For additional product information, request form# 7015 for MFD models or 6950 or 6955 for MFE and MFC models.



Top mount

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
MFD425ABT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$6,790
MFC425ABT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$6,790
MFE425ABT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$6,990
MFD425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$6,790
MFC425WBT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$6,790
MFE425WBT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$6,990

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

² Models not for use in the United States.

Maestro Plus Chewblet ice machines for ice storage bins – 425 series

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube. Factory approval required for lengths over 20' (6.1 m).

Refer to page 40 of the price list for capacities and sizes of bins available.

For additional product information, request form# 7015 or 6695 for MCD models or 6945, 6950 or 6955 for MCE and MCC models.



Top mount



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
425 series top mount ice machines									
MCD425ABT [†]	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$6,790
MCC425ABT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$6,790
MCE425ABT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$6,990
MCD425WBT	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$6,790
MCC425WBT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$6,790
MCE425WBT ²	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$6,990

425 series RIDE ice machines

MCD425ABS [†]	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$7,590
MCC425ABS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$7,590
MCE425ABS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$7,790
MCD425WBS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$7,590
MCC425WBS ²	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$7,590
MCE425WBS ²	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$7,790

[†] ENERGY STAR[®] certified.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

² Models not for use in the United States.


Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – 425 series

Top mount ice machine **requires stainless steel top kit**, sold separately. See top kit charts on page 8 for top kit numbers.

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube and universal RIDE model adapter kit (item# 01054444). Factory approval required for ice transport tube lengths over 20' (6.1 m). See page 8 for approved dispensers.

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 7015 or 6695 for MCD models or 6945, 6950 or 6955 for MCE and MCC models.



Top mount



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
425 series top mount ice machines									
MCD425AHT [†]	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$6,790
MCC425AHT ²	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$6,790
MCE425AHT ²	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$6,990
MCD425WHT	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$6,790

425 series RIDE ice machines

MCD425AHS [†]	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$7,590
MCC425AHS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$7,590
MCE425AHS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$7,790
MCD425WHS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$7,590

[†] ENERGY STAR[®] certified.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

² Models not for use in the United States.

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,3} and 9000 ³	Lancer 4500-22N	Servend MD175
Cornelius DB/DF/ED150BC Series	Lancer 4500-30N	Servend MD200
Cornelius DB/DF/ED175BC Series	Lancer FS-16N	Servend MD250
Cornelius DB/DF/ED200BC Series	Lancer FS-22N	Servend MDH302
Cornelius DB/DF/ED250BC Series	Lancer FS-30N	Servend MDH402
Cornelius DB/DF/ED300BC Series	Lancer FS-44N	Servend SV175
Cornelius IDC215/255 and Pro Fast Gate	Lancer Sensation and TouchPoint	Servend SV200
Cornelius IDC Pro	Pepsi Spire 3.0 ⁴ and 5.0 ⁴	Servend SV250
Cornelius Flavor Fusion/Overload	Servend MD150	

Top kits for top mount model Maestro Plus 425 series ice machines used with countertop ice and beverage dispensers

Top kit accessory	Ice machine model number	Dispenser	Dispenser model number	Dispenser series width	List price	Specification sheet form number
Maestro Plus top mount applications¹						
MTF24SCP ^{3,5}	MCD425AHT	Coca-Cola	Freestyle 9000	24"	\$610	7015
MTF30SCP ^{3,6}	MCD425AHT	Coca-Cola	Freestyle 7000	30"	\$735	7015
MTC22SCP	MCD425AHT	Cornelius	DB/DF/ED150BC	22"	\$595	7015
MTC24SCP	MCD425AHT	Cornelius	DB/DF/ED175BC	24"	\$610	7015
MTC30SCP	MCD425AHT	Cornelius	DB/DF/ED200BC	30"	\$735	7015
MTL22SCP	MCD425AHT	Lancer	FS-22N/4500-22N	22"	\$595	7015
MTL30SCP	MCD425AHT	Lancer	4500-30N	30"	\$735	7015
MTL30SCP-STP	MCD425AHT	Lancer	30" Sensation/TouchPoint	30"	\$735	7015
MTL44SCP	MCD425AHT	Lancer	44" Sensation	44"	\$735	7015
MTP24SCP	MCD425AHT	Pepsi	Spire 3.0	24"	\$605	7015
MTP30SCP	MCD425AHT	Pepsi	Spire 5.0	30"	\$735	7015

Top kits for RIDE model Maestro Plus and Horizon Elite series ice machines for use with countertop ice and beverage dispensers

Top kit accessory	Ice machine model number	Dispenser	Dispenser model number	Dispenser series width	List price
Required Maestro Plus 425 series RIDE model stainless steel adapter kits¹					
MSF30SC ^{2,3}	Available for all models that end in HS.	Coca-Cola	Freestyle 7000	30"	\$355
MSP24SC ⁴		Pepsi	Spire 3.0	24"	\$335
MSP30SC ⁴	Example: MCD425AHS	Pepsi	Spire 5.0	30"	\$355

Optional Maestro Plus and Horizon Elite series RIDE model stainless steel adapter kits¹

MSC22SC	Available for all models that end in HS.	Cornelius	DB/DF/ED150BC	22"	\$1,395
MSC24SC		Cornelius	DB/DF/ED175BC	24"	\$1,450
MSC30SC		Cornelius	DB/DF/ED200BC	30"	\$1,520
MSC30SC		Cornelius	DB/DF/ED250BC	30"	\$1,520
MSC44SC	Example: MCD425AHS	Cornelius	DB/DF/ED300BC	44"	\$1,555
MSL22SC	MCE425AHS	Lancer	FS-22N	22"	\$1,395
MSL30SC	HCC1010AHS	Lancer	4500-30N	30"	\$1,520
MSL30SC		Lancer	FS-30N	30"	\$1,520

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. Approved dispensers for top mount ice machine applications are listed above.

² Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter 46412 and ice kit 46430 must also be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

⁵ Adapter must also be ordered from Coca-Cola. KO IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

⁶ Coca-Cola Freestyle 7000 requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.


Maestro Plus Chewblet ice machines for Vision dispensers – 425 series

10' (3 m) insulated ice transport tube comes with each Vision dispenser, not with the ice machine.

Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Factory approval required for lengths over 20' (6.1 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine.

Maximum of two ice machines per Vision dispenser.

For additional product information, request form# 6695 for MCD models or 6945 for MCE and MCC models.



RIDE model - Vision

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
425 series RIDE ice machines									
MCD425AVS [†]	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	160 (73)	\$7,590
MCC425AVS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1	160 (73)	\$7,590
MCE425AVS ²	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1	160 (73)	\$7,790
MCD425WVS	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	160 (73)	\$7,590
MCC425WVS ²	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	220/60/1	160 (73)	\$7,590
MCE425WVS ²	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	230/50/1	160 (73)	\$7,790

[†] ENERGY STAR® certified.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

² Models not for use in the United States.

Horizon Elite Chewblet ice machines for ice storage bins – 710, 1010, 1410, 1810, 2110 series

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710ABT becomes HMD710ABT. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.

Refer to page 40 of the price list for capacities and sizes of bins available.



Top mount



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series top mount ice machines									
HCD710ABT †	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$9,215
710 series RIDE ice machines									
HCD710ABS †	22.70 (57.7)	24.50(62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$10,015
1010 series top mount ice machines									
HCC1010ABT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$11,830
HCC1010WBT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$11,830
HCD1010RBT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$13,980
HCD1010NBT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$10,820
HCE1010ABT ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$12,030
HCE1010WBT ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$12,030
HCF1010RBT †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$14,345
1010 series RIDE ice machines									
HCC1010ABS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,630
HCC1010WBS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,630
HCD1010RBS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,780
HCD1010NBS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (89)	\$11,620
HCE1010ABS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$12,830
HCE1010WBS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$12,830
HCF1010RBS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$15,145
1410 series top mount ice machines									
HCC1410ABT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,770
HCC1410WBT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,770
HCD1410RBT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$16,545
HCD1410NBT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$13,385
HCE1410ABT ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$14,970
HCE1410WBT ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$14,970
HCF1410RBT †	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,910

† ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
1410 series RIDE ice machines									
HCC1410ABS	29.62 (75.2)	25.15 (63.9)	23.50 (59.7)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$15,570
HCC1410WBS	29.62 (75.2)	25.15 (63.9)	23.50 (59.7)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$15,570
HCD1410RBS	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$17,345
HCD1410NBS	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$14,185
HCE1410ABS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$15,770
HCE1410WBS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$15,770
HCF1410RBS [†]	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$17,710
1810 series top mount ice machines									
HCD1810RBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$20,700
HCD1810NBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$17,540
HCF1810RBT [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$21,065
1810 series RIDE ice machines									
HCD1810RBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$21,500
HCD1810NBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$18,340
HCF1810RBS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$21,865
2110 series top mount ice machines									
HCD2110RBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$22,035
HCD2110NBT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$18,875
HCF2110RBT [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$22,400
2110 series RIDE ice machines									
HCD2110RBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$22,835
HCD2110NBS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$19,675
HCF2110RBS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$23,200

[†] ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – 710, 1010, 1410, 1810, 2110 series

Top mount ice machine **requires stainless steel top kit**, sold separately. See top kit charts on page 20 for top kit numbers.


For RIDE model ice machine that automatically fills countertop ice and beverage dispensers, **no stainless steel top required***. All parts required for installation are included with the ice machine. Refer to specification sheet, for approved applications. See below list for specific model. See page 20 for approved dispensers.

Ice machines with RIDE remote ice delivery equipment include 10' (3 m) of insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710AHT becomes HMD710AHT. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.



Top mount

RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)**		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series top mount ice machines									
HCD710AHT †	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$9,215
710 series RIDE ice machines									
HCD710AHS †	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$10,015
1010 series top mount ice machines									
HCC1010AHT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$11,830
HCC1010WHT	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$11,830
HCD1010RHT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$13,980
HCD1010NHT	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$10,820
HCE1010AHT ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$12,030
HCE1010WHT ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$12,030
HCF1010RHT †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$14,345
1010 series RIDE ice machines									
HCC1010AHS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,630
HCC1010WHS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,630
HCD1010RHS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,780
HCD1010NHS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (89)	\$11,620
HCE1010AHS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$12,830
HCE1010WHS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$12,830
HCF1010RHS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$15,145
1410 series top mount ice machines									
HCC1410AHT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$14,770
HCC1410WHT	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$14,770
HCD1410RHT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$16,545
HCD1410NHT	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$13,385
HCE1410AHT ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$14,970
HCE1410WHT ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$14,970
HCF1410RHT †	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$16,910

† ENERGY STAR® certified.

* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 20.

** For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)**		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
1410 series RIDE ice machines									
HCC1410AHS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$15,570
HCC1410WHS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$15,570
HCD1410RHS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$17,345
HCD1410NHS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$14,185
HCE1410AHS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$15,770
HCE1410WHS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$15,770
HCF1410RHS [†]	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$17,710
1810 series top mount ice machines									
HCD1810RHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$20,700
HCD1810NHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$17,540
HCF1810RHT [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$21,065
1810 series RIDE ice machines									
HCD1810RHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$21,500
HCD1810NHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$18,340
HCF1810RHS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$21,865
2110 series top mount ice machines									
HCD2110RHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$22,035
HCD2110NHT	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$18,875
HCF2110RHT [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$22,400
2110 series RIDE ice machines									
HCD2110RHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$22,835
HCD2110NHS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$19,675
HCF2110RHS [†]	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$23,200

[†] ENERGY STAR[®] certified.

* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 20.

** For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Horizon Elite Chewblet ice machines for Vision dispensers – 710, 1010, 1410, 1810, 2110 series


10' (3 m) insulated ice transport tube comes with each Vision dispenser, not with the ice machine.

Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Maximum run length of ice transport tube is 75' (22.8 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine. For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

Maximum of two ice machines per Vision dispenser.

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710AVS becomes HMD710AVS. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series RIDE ice machines									
HCD710AVS †	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$10,015
1010 series RIDE ice machines									
HCC1010AVS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,630
HCC1010WVS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,630
HCD1010RVS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,780
HCD1010NVS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$11,620
HCF1010RVS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$15,145
1410 series RIDE ice machines									
HCC1410AVS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$15,570
HCC1410WVS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$15,570
HCD1410RVS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$17,345
HCD1410NVS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (95)	\$14,185
HCF1410RVS †	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$17,710
1810 series RIDE ice machines									
HCD1810RVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$21,500
HCD1810NVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$18,340
HCF1810RVS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$21,865
2110 series RIDE ice machines									
HCD2110RVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$22,835
HCD2110NVS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$19,675
HCF2110RVS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$23,200

[†] ENERGY STAR[®] certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.


⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

Horizon Elite Chewblet ice machines for Cornelius® Profile™ 150 BC dispensers – 710, 1010, 1410, 1810, 2110 series

10' (3 m) insulated ice transport tube comes with each ice machine. Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Maximum run length of ice transport tube is 75' (22.8 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine. For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

Micro Chewblet ice - Not available for use with Cornelius Profile dispensers.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series RIDE ice machines									
HCD710APS †	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$10,015
1010 series RIDE ice machines									
HCC1010APS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,630
HCC1010WPS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,630
HCD1010RPS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,780
HCD1010NPS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$11,620
HCF1010RPS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$15,145
1410 series RIDE ice machines									
HCC1410APS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$15,570
HCC1410WPS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$15,570
HCD1410RPS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$17,345
HCD1410NPS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (95)	\$14,185
HCF1410RPS †	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$17,710
1810 series RIDE ice machines									
HCD1810RPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$21,500
HCD1810NPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$18,340
HCF1810RPS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$21,865
2110 series RIDE ice machines									
HCD2110RPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$22,835
HCD2110NPS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$19,675
HCF2110RPS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$23,200

† ENERGY STAR® certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.


⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

Horizon Elite Chewblet ice machines for drop-in beverage dispensers – 710, 1010, 1410, 1810, 2110 series

Standard equipment includes 10' (3 m) insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710AJS becomes HMD710AJS. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, or 8180 for 1810 and 2110 remote.



1010/1410 RIDE model - drop-in

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
710 series RIDE ice machines									
HCD710AJS †	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC ¹	115/60/1	190 (87)	\$10,015
1010 series RIDE ice machines									
HCC1010AJS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,630
HCC1010WJS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,630
HCD1010RJS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,780
HCD1010NJS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$11,620
HCE1010AJS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	230/50/1	275 (124)	\$12,830
HCE1010WJS ⁵	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	230/50/1	275 (124)	\$12,830
HCF1010RJS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$15,145
1410 series RIDE ice machines									
HCC1410AJS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$15,570
HCC1410WJS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$15,570
HCD1410RJS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$17,345
HCD1410NJS	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$14,185
HCE1410AJS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	230/50/1	305 (138)	\$15,770
HCE1410WJS ⁵	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	230/50/1	305 (138)	\$15,770
HCF1410RJS †	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$17,710
1810 series RIDE ice machines									
HCD1810RJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$21,500
HCD1810NJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$18,340
HCF1810RJS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$21,865
2110 series RIDE ice machines									
HCD2110RJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$22,835
HCD2110NJS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	175 (79)	\$19,675
HCF2110RJS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$23,200

[†] ENERGY STAR[®] certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

⁵ Models not for use in the United States.

Horizon Elite Chewblet ice machines for marine ice and beverage dispensers – 1010, 1410 series

Designed to address United States Public Health Service (USPHS) principles for marine/shipboard use.

No stainless steel top required* for ice and beverage dispenser. All parts required for installation are included with the ice machine. For approved applications, refer to specification sheet form# 7045. See page 20 for approved dispensers.

Standard equipment includes 10' (3 m) insulated ice transport tube. Maximum run length of ice transport tube is 75' (22.8 m).


All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 7030.

Note: Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.



RIDE model -
countertop ice and
beverage dispensers



RIDE model -
Vision undercounter
dispensers

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg) **		Condensing unit ¹	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
1010 series RIDE ice machines (marine applications) for countertop ice and beverage dispensers									
HCC1010WHM	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC	208-230/60/1	275 (124)	\$13,910
1010 series RIDE ice machines (marine applications) for Vision dispensers									
HCC1010WVM	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC	208-230/60/1	275 (124)	\$13,910
1410 series RIDE ice machines (marine applications) for countertop ice and beverage dispensers									
HCC1410WHM	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC	208-230/60/1	305 (138)	\$17,300
1410 series RIDE ice machines (marine applications) for Vision dispensers									
HCC1410WVM	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC	208-230/60/1	305 (138)	\$17,300

* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 20.

** For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: W – SC = Water – self-contained

Ice Manager diverter valve system

For use with Horizon Elite Chewblet ice machines for automatically filling two dispensers or bins.

Standard equipment includes:

- Diverter valve
- Control panel
- Lane 1 – 10' - 75' (3 m - 22.8 m) insulated transport tube, sensor cable and connection kit for customer specified application
- Lane 2 – 10' - 75' (3 m - 22.8 m) insulated transport tube, sensor cable and connection kit for customer specified application

Note: Maximum length of tubing for each lane is 75' (22.8 m).

For assistance in selecting proper equipment, refer to site survey form# 3635.


Refer to Ice Manager diverter valve system spec sheet form# 3265 for product specifications and approved bins and dispensers.

Item number	Voltage	Approx. ship wt lb (kg)	List price ¹
IMDV2	115/60/1	120 (55)	\$4,365

¹ List price is for base Ice Manager diverter valve system with 10 ft (3 m) of insulated tubing and sensor cable for each lane. For configured list price, add \$31 per ft of additional tubing and sensor cable required. Additional tubing/sensor cable must be specified in 5' (1.6 m) increments.

Follett installation is available - contact factory.

Retrofit kits are available to connect IMDV2 to existing Horizon series ice machines – see form# 3265 for appropriate kit. Contact factory for pricing.



Top kit adapters for select ice and beverage dispensers¹

Item number	Dispenser manufacturer	Dispenser model number ¹	List price
DVF30 ²	Coca-Cola ³	Freestyle 7000	\$355
DVP24 ⁴	Pepsi	Spire 3.0	\$355
DVP30 ⁴	Pepsi	Spire 5.0	\$355

¹ All ice and beverage dispensers utilize existing top except for Coca-Cola Freestyle 7000 and Pepsi Spire 3.0 and 5.0, which require a top kit adapter.

² Top kit DVF30 required with Coca-Cola Freestyle 7000 and also requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.


⁴ IMDV application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires DVP22C for 3.0 and DVP30 for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

Horizon Elite Chewblet ice machines for Ice Manager diverter valve – 1010, 1410, 1810, 2110 series

Standard equipment includes 10' (3 m) insulated ice transport tube to connect ice machine with Ice Manager diverter valve module. Additional tubing/sensor cable to connect diverter valve to receptacle should be ordered with Ice Manager (see page 18).

Micro Chewblet ice – Not available on Ice Manager applications.

For additional product information, request form# 7030 for 1010 and 1410 series self-contained, 7035 for 1010 and 1410 series remote, or 8180 for 1810 and 2110 remote.



Horizon Elite ice machine for use with Ice Manager diverter valve

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg) *		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
1010, 1410, 1810, 2110 series RIDE ice machines									
HCC1010AMS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC ¹	208-230/60/1	275 (124)	\$12,630
HCC1010WMS	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC ¹	208-230/60/1	275 (124)	\$12,630
HCD1010RMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ³	455 (207)	\$14,780
HCD1010NMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None ²	115/60/1	195 (88)	\$11,620
HCF1010RMS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R ¹	115/60/1 ⁴	455 (207)	\$15,145
HCC1410AMS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC ¹	208-230/60/1	305 (138)	\$15,570
HCC1410WMS	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC ¹	208-230/60/1	305 (138)	\$15,570
HCD1410RMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ³	465 (211)	\$17,345
HCD1410NMS	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	None ²	115/60/1	205 (93)	\$14,185
HCF1410RMS †	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	A – R ¹	115/60/1 ⁴	465 (211)	\$17,710
HCD1810RMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ³	465 (211)	\$21,500
HCD1810NMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None ²	115/60/1	170 (77)	\$18,340
HCF1810RMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R ¹	115/60/1 ⁴	465 (211)	\$21,865
HCD2110RMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ³	480 (218)	\$22,835
HCD2110NMS	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None ²	115/60/1	165 (79)	\$19,675
HCF2110RMS †	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R ¹	115/60/1 ⁴	480 (218)	\$23,200

[†] ENERGY STAR[®] certified.

* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

¹ Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

² For connection to parallel rack system.

³ Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

⁴ Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,3} and 9000 ³	Follett Symphony Plus™ 110CM	Pepsi Spire 3.0 ⁴ and 5.0 ⁴	Servend SV250
Cornelius DB/DF/ED150BC Series	Lancer 4500-22N	Servend MD150	
Cornelius DB/DF/ED175BC Series	Lancer 4500-30N	Servend MD175	
Cornelius DB/DF/ED200BC Series	Lancer FS-16N	Servend MD200	
Cornelius DB/DF/ED250BC Series	Lancer FS-22N	Servend MD250	
Cornelius DB/DF/ED300BC Series	Lancer FS-30N	Servend MDH302	
Cornelius IDC215/255 and Pro Fast Gate	Lancer FS-44N	Servend MDH402	
Cornelius IDC Pro	Lancer Sensation/TouchPoint	Servend SV175	
Cornelius Flavor Fusion/Overload	Lancer Bevariety	Servend SV200	

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter 46412 and ice kit 46430 must also be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers

Top kit accessory	Ice machine model number	Dispenser	Dispenser model number	Dispenser series width	List price
Required Horizon Elite RIDE model stainless steel adapter kits¹					
HSF30SC ^{2,3}	Available for all models that end in HS.	Coca-Cola	Freestyle 7000	30"	\$355
MSP24SC ⁴		Pepsi	Spire 3.0	24"	\$335
MSP30SC ⁴	Example: HCC1010AHS	Pepsi	Spire 5.0	30"	\$355

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Top kit HSF30SC required with Coca-Cola Freestyle 7000. Top adapter 46412 and ice kit 46430 must also be ordered from Coca-Cola.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

Top kits for Horizon Elite 710, 1010, 1410, 1810 and 2110 series ice machines for use with countertop ice and beverage dispensers

Top kit accessory	Ice machine model series	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back ¹	List price	Specification sheet form number
Self-contained 1010 and 1410 series top mount applications – 22 - 60 inch dispensers²							
H30F30-F ^{3,6}	1010/1410A/W	Coca-Cola	Freestyle 7000	30"	F only	\$735	7030
H30C30-F	1010/1410A/W	Cornelius	DB/DF/ED200 series	30"	F only	\$735	7030
H30C30-F	1010/1410A/W	Cornelius	DB/DF/ED250 series	30"	F only	\$735	7030
H30C30-F-FF	1010/1410A/W	Cornelius	Flavor Fusion/Overload	30"	F only	\$970	7030
H30C30-F-IDC ⁶	1010/1410A/W	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	\$970	7030
H30C44- _	1010/1410A/W	Cornelius	DB/DF/ED300 series	44"	F or B	\$840	7030
H30L30-F	1010/1410A/W	Lancer	4500-30N	30"	F only	\$735	7030
H30L30-F	1010/1410A/W	Lancer	FS-30N	30"	F only	\$735	7030
H30L30-F-STP	1010/1410A/W	Lancer	Bevariety	30"	F only	\$735	7030
H30L30-F-STP	1010/1410A/W	Lancer	30" Sensation/Touchpoint	30"	F only	\$735	7030
H30L44-F-STP	1010/1410A/W	Lancer	44" Sensation	44"	F only	\$735	7030
H30P30-F	1010/1410A/W	Pepsi	Spire 5.0	30"	F only	\$735	7030
H30S44- _	1010/1410A/W	Servend	MDH-302	44"	F or B	\$840	7030

Top kit accessory	Ice machine model series	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back ¹	List price	Specification sheet form number
Self-contained 710 and remote 1010, 1410, 1810, 2110 series top mount applications – 22 - 60 inch dispensers²							
H22F24-F ^{3,4}	710A/1010/1410/1810/2110R/N	Coca-Cola	Freestyle 9000	24"	F only	\$605	8225/7035/8180
H22F30-F ^{3,5}	710A/1010/1410/1810/2110R/N	Coca-Cola	Freestyle 7000	30"	F only	\$735	8225/7035/8180
H22C22-F	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED150 series	22"	F only	\$590	8225/7035/8180
H22C24-F	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED175 series	24.5"	F only	\$605	8225/7035/8180
H22C30-F	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED200 series	30"	F only	\$735	8225/7035/8180
H22C30-F	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED250 series	30"	F only	\$735	8225/7035/8180
H22C30-F-FF	710A/1010/1410/1810/2110R/N	Cornelius	Flavor Fusion/Overload	30"	F only	\$965	8225/7035/8180
H22C30-F-IDC ⁶	710A/1010/1410/1810/2110R/N	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	\$965	8225/7035/8180
H22C44- _	710A/1010/1410/1810/2110R/N	Cornelius	DB/DF/ED300 series	44"	F or B	\$840	8225/7035/8180
H22L22-F	710A/1010/1410/1810/2110R/N	Lancer	FS-22N	22"	F only	\$590	8225/7035/8180
H22L30-F	710A/1010/1410/1810/2110R/N	Lancer	4500-30N	30"	F only	\$735	8225/7035/8180
H22L30-F	710A/1010/1410/1810/2110R/N	Lancer	FS-30N	30"	F only	\$735	8225/7035/8180
H22L30-F-STP	710A/1010/1410/1810/2110R/N	Lancer	Bevariety	30"	F only	\$735	8225/7035/8180
H22L30-F-STP	710A/1010/1410/1810/2110R/N	Lancer	30" Sensation/Touchpoint	30"	F only	\$735	8225/7035/8180
H22L44-F-STP	710A/1010/1410/1810/2110R/N	Lancer	44" Sensation	44"	F only	\$735	8225/7035/8180
H22P24-F ⁸	710A/1010/1410/1810/2110R/N	Pepsi	Spire 3.0	24"	F only	\$605	8225/7035/8180
H22P30-F ⁸	710A/1010/1410/1810/2110R/N	Pepsi	Spire 5.0	30"	F only	\$735	8225/7035/8180
H22S44- _	710A/1010/1410/1810/2110R/N	Servend	MDH-302	44"	F or B	\$840	8225/7035/8180
H22S60- _	710A/1010/1410/1810/2110R/N	Servend	MDH-402	60"	DF, DB	\$1,015	8225/7035/8180
H22S60- _	710A/1010/1410/1810/2110R/N	Servend	MDH-402	60"	RF, LF, RB, LB	\$735	8225/7035/8180

¹ Installation orientations available:

DF – 2 front facing Horizon Elite ice machines

LF – 1 Horizon Elite ice machine - left side - front facing

RB – 1 Horizon Elite ice machine - right side - back facing

RF – 1 Horizon Elite ice machine - right side - front facing

DB – 2 back facing Horizon Elite ice machines

LB – 1 Horizon Elite ice machine - left side - back facing

Note: For any other installation orientations, contact factory.

² All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ Adapter must also be ordered from Coca-Cola. KO IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

⁵ Coca-Cola Freestyle 7000 requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.

⁶ Contact factory regarding IDC Pro.

⁷ Two 22" wide tops and two ice machines are required for each FS-44N dispenser.

⁸ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory.

Top kits for Horizon 700 and 1650 series ice machines used with countertop ice and beverage dispensers

Top kit accessory	Ice machine model series	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back ¹	List price	Specification sheet form number
Horizon 700 series top mount applications – 22 - 60 inch dispensers²							
HTF24SC-7 ^{3,4}	700A/W/R/N	Coca-Cola	Freestyle 9000	24"	F only	\$605	4095/6190
HTF30SC-7F ^{3,5}	700A/W/R/N	Coca-Cola	Freestyle 7000	30"	F only	\$735	4095/6190
HTC22SC-7F	700A/W/R/N	Cornelius	DB/DF/ED150 series	22"	F only	\$590	4095/6190
HTC24SC-7F	700A/W/R/N	Cornelius	DB/DF/ED175 series	24.5"	F only	\$605	4095/6190
HTC30SC-7F	700A/W/R/N	Cornelius	DB/DF/ED200 series	30"	F only	\$735	4095/6190
HTC30SC-7F	700A/W/R/N	Cornelius	DB/DF/ED250 series	30"	F only	\$735	4095/6190
HTC30SC-7F-FF	700A/W/R/N	Cornelius	Flavor Fusion/Overload	30"	F only	\$965	4095/6190
HTC30SC-7F-IDC ⁶	700A/W/R/N	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	\$965	4095/6190
HTC44SC-7 _	700A/W/R/N	Cornelius	DB/DF/ED300 series	44"	F or B	\$840	4095/6190
HTL22SC-7F	700A/W/R/N	Lancer	FS-22N	22"	F only	\$590	4095/6190
HTL30SC-7F	700A/W/R/N	Lancer	4500-30N	30"	F only	\$735	4095/6190
HTL30SC-7F	700A/W/R/N	Lancer	FS-30N	30"	F only	\$735	4095/6190
HTL22SC-7F ⁷	700A/W/R/N	Lancer	FS-44N	44"	F only	\$590	4095/6190
HTL30SC-7F-STP	700A/W/R/N	Lancer	Sensation/Touchpoint	30"	F only	\$735	4095/6190
HTL44SC-7F	700A/W/R/N	Lancer	Sensation	44"	F only	\$735	4095/6190
HTP24SC-7F ⁸	700A/W/R/N	Pepsi	Spire 3.0	24"	F only	\$735	4095/6190
HTP30SC-7F ⁸	700A/W/R/N	Pepsi	Spire 5.0	30"	F only	\$735	4095/6190
HTS44SC-7 _	700A/W/R/N	Servend	MDH-302	44"	F or B	\$840	4095/6190
HTS60SC-7 _	700A/W/R/N	Servend	MDH-402	60"	DF, DB	\$1,015	4095/6190
HTS60SC-7 _	700A/W/R/N	Servend	MDH-402	60"	RF, LF, RB, LB	\$735	4095/6190

Horizon 1650 series top mount applications – 22 - 60 inch dispensers²

HTF24RC-14 ^{3,4}	1650R/N	Coca-Cola	Freestyle 9000	24"	F only	\$605	7040
HTF30RC-F ^{3,5}	1650R/N	Coca-Cola	Freestyle 7000	30"	F only	\$735	7040
HTC22RC- _	1650R/N	Cornelius	DB/DF/ED150 series	22"	F only	\$590	7040
HTC30RC- _	1650R/N	Cornelius	DB/DF/ED200 series	30"	F only	\$735	7040
HTC30RC- _	1650R/N	Cornelius	DB/DF/ED250 series	30"	F only	\$735	7040
HTC44RC- _	1650R/N	Cornelius	DB/DF/ED300 series	44"	F or B	\$840	7040
HTC30RC-14 _ -FF	1650R/N	Cornelius	Flavor Fusion/Overload	30"	F only	\$965	7040
HTC30RC-14 _ -IDC ⁶	1650R/N	Cornelius	IDC 215/255 and Pro Fast Gate	30"	F only	#N/A	7040
HTL22RC- _	1650R/N	Lancer	FS-22N	22"	F only	\$590	7040
HTL30RC- _	1650R/N	Lancer	4500-30N	30"	F or B	\$735	7040
HTL30RC- _	1650R/N	Lancer	FS-30N	30"	F or B	\$735	7040
HTL30RC-F-STP	1650R/N	Lancer	Sensation/Touchpoint	30"	F only	\$735	7040
HTL44RC-F	1650R/N	Lancer	Sensation	44"	F only	\$735	7040
HTL22RC- _ ⁷	1650R/N	Lancer	FS-44N	44"	F only	\$590	7040
HTP24RC-F ⁸	1650R/N	Pepsi	Spire 3.0	24"	F only	\$735	7040
HTP30RC-F ⁸	1650R/N	Pepsi	Spire 5.0	30"	F only	\$735	7040
HTS44RC- _	1650R/N	Servend	MDH-302	44"	F or B	\$840	7040
HTS60RC- _	1650R/N	Servend	MDH-402	60"	DF, DB	\$1,015	7040
HTS60RC- _	1650R/N	Servend	MDH-402	60"	RF, LF, RB, LB	\$735	7040

¹ Installation orientations available:

DF – 2 front facing Horizon ice machines

LF – 1 Horizon ice machine - left side - front facing

RB – 1 Horizon ice machine - right side - back facing

RF – 1 Horizon ice machine - right side - front facing

DB – 2 back facing Horizon ice machines

LB – 1 Horizon ice machine - left side - back facing

Note: For any other installation orientations, contact factory.

² All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ Adapter must also be ordered from Coca-Cola. KO IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

⁵ Coca-Cola Freestyle 7000 requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.

⁶ Contact factory regarding IDC Pro.

⁷ Two 22" wide tops and two ice machines are required for each FS-44N dispenser.

⁸ RIDE application is approved only for Pepsi Spire 3.0 and 5.0 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0, ordered separately. For manual fill versions of Pepsi Spire 3.0 and 5.0, contact factory

Water treatment accessories for ice machines

Item number	Description	List price
Carbonless high capacity filter system		
01050442	Carbonless high capacity water filter system (one per ice machine) – Horizon Elite and Maestro Plus series ice machines	\$739
01050426	Carbonless high capacity water filter cartridge – primary, single	\$173
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	\$854
00130211	Water pre-filter cartridge – pre-filter, single	\$27
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$231
Standard capacity carbon filter system		
00130229	Water filter system (one per ice machine) – Maestro Plus series ice machines	\$723
00130245	Water filter cartridge – primary, single	\$147
00954297	Water filter cartridge – primary, carton of 6	\$723
00130211	Water pre-filter cartridge – pre-filter, single	\$27
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$231
High capacity carbon filter system		
00978957	High capacity water filter system (one per ice machine) – Horizon Elite series ice machines	\$833
00978965	High capacity water filter cartridge – primary, single	\$273
00978973	High capacity water filter cartridge – primary, carton of 6	\$1,431
00130211	Water pre-filter cartridge – pre-filter, single	\$27
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$231
Other filtration		
00986059	Claris hardness removal filtration system	\$718
00985127	Replacement filter for Claris system	\$424

Other accessories for ice machines

Item number	Description	List price
01068477	Slide-out ice machine accessory for air- and water-cooled ice machines (Vision and Harmony applications only) – allows air- and water-cooled RIDE model Maestro Plus 425 lb (193 kg) ice machine to slide-out without disconnecting utilities	\$854
AFWALLMTBRKT	Wall mount bracket for Maestro Plus 425A/W series RIDE model ice machines	\$290
00997098	Wall mount bracket for Horizon Elite 710A, 1010R/N, 1410R/N, 1810R/N and 2110R/N series RIDE model ice machines	\$395
01085455	Wall mount bracket for Horizon Elite 1010A/W and 1410A/W series RIDE model ice machines	\$395
00174896	Insulated polywire transport tube for installations requiring more than the standard 10' (3 m) length, purchased in 5' (1.52 m) increments	\$31 / per ft
AFR400STND	Ice machine stand for Maestro Plus 425A/W series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$634
00997080	Ice machine stand for Horizon 700 and Horizon Elite 710A, 1010R/N, 1410R/N, 1810R/N and 2110R/N series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$640
01085463	Ice machine stand for Horizon Elite 1010A/W series and 1410A/W series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$640
00128561	Ice machine stand for Horizon 1650R/N – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$640
00193227	Line sets for connecting Horizon 700R series and Horizon Elite 1010R and 1410R series ice machine evaporator units to their remote condensing units. 35 ft (11 m) line set. 3/8" liquid, 5/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$495
00977785	Line sets for connecting Horizon 1650R/N and Horizon Elite 1810R/N and 2110R/N series ice machine evaporator units to their remote condensing units. 35 ft (11 m) line set. 3/8" liquid, 7/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$655
01262328	Line sets for connecting Horizon Elite 1010R/N and 1410R/N series ice machine evaporator units to their remote condensing units. 50 ft (15 m) line set. 3/8" liquid, 7/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	700
00939140	30' (9 m) bin signal extension cord	\$135
00939157	60' (18 m) bin signal extension cord	\$200
01116177	Kit to convert Horizon Elite 1010, 1410, 1810 and 2110 series ice machine to integrate with Ice Manager diverter valve	\$580

Item number	Description	List price
00191965	Kit to convert existing Horizon 1650R/N series ice machine (after serial# C43650) to integrate with Ice Manager diverter valve	\$880
Micro Chewblet ice	For smaller Chewblet ice (approx. 3/8" long), replace second character of Horizon Elite model number with "M". Example: HCC1010ABS becomes HMC1010ABS. Not available on Ice Manager or Marine models.	\$235
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	\$16
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$89
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$320
00979674	Nu-Calgon® IMS-III sanitizer, single 16 oz bottle	\$21
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$225
00132068	SaniSponge™, 4 sanitary sponges with plunger	12
01075431	SaniSponge, 24 sanitary sponges	\$52
Item number	Description	Net price
Contact factory	Installation inspection - recommended for RIDE model ice machines Note: For subsequent units at the same location add \$160 per unit.	\$285
00967265	Timer to control one or two ice machines	\$835

Ice and water dispensers

Follett offers the industry's largest selection, with more than 30 sizes and configurations to meet the needs of virtually any application. Symphony Plus™ ice and water dispensers offer 12, 25, 50 or 90 lb of storage in attractive, space-saving cabinets with customer-valued features, exceptional reliability, and after-the-sale service and support. The 7 and 15 Series ice and water dispensers are the most compact models available.

Warranty

Symphony Plus ice and water dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
4. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
5. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
6. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
7. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

7 and 15 Series ice and water dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty.

The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
4. Dispenser is used in an application with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).
5. Dispenser is not to be used with softened water.
6. Premature internal filter life due to poor supply water is not covered.
7. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
8. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
9. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
10. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

1. The equipment is new and unused.
2. A return authorization number has been issued by customer service within 45 days after shipment.
3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.


Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.


Countertop dispensers – 7 and 15 series



7 Series countertop



15 Series countertop



Optional base stand for 7 and 15 Series

Countertop dispensers with integral air-cooled ice machine and 7 lb of storage for 7 Series models or 15 lb of storage for 15 Series models. Produces up to 125 lb (56.7 kg) of Chewblet compressed nugget ice in a 24-hour period.

For additional information request form# 3725 7CI models, 5045 for E7CI models, 8090 and 8095 for 7CI and 7FS sparkling models, 5020 for 15CI models, 6200 for E15CI models, or 8100 and 8105 for 15CI and 15FS sparkling models.

Note: Intended for commercial use only. Follett can't guarantee freight carriers ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

Note: Ice and water and ice-only dispensers for use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).

Note: Sparkling water and ice dispensers for use in applications with greater than 80 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness. Not recommended for use with softened water.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Voltage	Approx. ship wt lb (kg)	List price
7 Series ice and water dispensers, no filter							
7CI100A-IW-NF-ST-00 [†]	Countertop ice and water, no filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	115/60/1	90 (41)	\$6,090
7 Series ice and water dispensers, internal filter							
7CI100A-IW-CF-ST-00 [†]	Countertop ice and water, internal filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	115/60/1	90 (41)	\$6,380
7 Series ice-only dispensers, no filter							
7CI100A-NW-NF-ST-00 ^{†,1}	Countertop ice-only, no filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	115/60/1	90 (41)	\$6,090
7 Series ice-only dispensers, internal filter							
7CI100A-NW-CF-ST-00 ^{†,1}	Countertop ice-only, internal filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	115/60/1	90 (41)	\$6,380
7 Series sparkling water and ice dispensers²							
7CI100A-IW-NF-ST-CC	Countertop sparkling water and ice, no filter	14.62 (37.1)	22.12 (56.2)	17.62 (44.8)	115/60/1	155 (71)	\$10,620
7FS100A-IW-NF-ST-CC	Freestanding sparkling water and ice, no filter	14.62 (37.1)	22.12 (56.2)	42.00 (106.7)	115/60/1	185 (84)	\$11,225
15 Series ice and water dispensers, no filter							
15CI100A-IW-NF-ST-00 [†]	Countertop ice and water, no filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	115/60/1	100 (46)	\$6,780
15 Series ice and water dispensers, internal filter							
15CI100A-IW-CF-ST-00 [†]	Countertop ice and water, internal filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	115/60/1	100 (46)	\$7,070
15 Series ice-only dispensers, no filter							
15CI100A-NW-NF-ST-00 ^{†,1}	Countertop ice-only, no filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	115/60/1	100 (46)	\$6,780
15 Series ice-only dispensers, internal filter							
15CI100A-NW-CF-ST-00 ^{†,1}	Countertop ice-only, internal filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	115/60/1	100 (46)	\$7,070
15 Series sparkling water and ice dispensers²							
15CI100A-IW-NF-ST-CC	Countertop sparkling water and ice, no filter	14.62 (37.1)	23.50 (59.7)	22.50 (57.2)	115/60/1	165 (75)	\$11,315
15FS100A-IW-NF-ST-CC	Freestanding sparkling water and ice, no filter	14.62 (37.1)	23.50 (59.7)	47.00 (119.4)	115/60/1	195 (89)	\$11,870

[†] ENERGY STAR® certified.

¹ Model also available in 230/50/1 electrical configurations except for sparkling water and ice dispensers. Add \$200 to list price. Use prefix "E" for 230/50. Example: E7CI100A-IW-CF-ST-00. Models not for use in the United States.

² Food grade CO₂ required for installation and operation. **Note:** Follett does not sell or distribute CO₂. Available accessories are listed on page 27.


Undercounter dispensers – 7 Series

Undercounter dispensers with integral air-cooled ice machine. Produces up to 125 lb (56.7 kg) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 7 lb (3.2 kg). Designed to serve up to 25 people.

For additional product information, request form# 3995 or 5050 for E7UC models.

Note: Intended for commercial use only. Follett can't guarantee freight carriers ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

Note: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).



7 Series undercounter

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Voltage	Approx. ship wt lb (kg)	List price
7 Series ice and water dispensers, no filter							
7UC100A-IW-NF-ST-00 [†]	Undercounter ice and water, no filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	115/60/1	117 (53)	\$6,825
7UD100A-IW-NF-ST-00 [†]	Undercounter-ADA ice and water, no filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	115/60/1	117 (53)	\$6,825
7 Series ice and water dispensers, internal filter							
7UC100A-IW-CF-ST-00 [†]	Undercounter ice and water, internal filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	115/60/1	117 (53)	\$7,065
7UD100A-IW-CF-ST-00 [†]	Undercounter-ADA ice and water, internal filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	115/60/1	117 (53)	\$7,065
7 Series ice-only, no filter							
7UC100A-NW-NF-ST-00 ^{†,1}	Undercounter ice-only, no filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	115/60/1	117 (53)	\$6,825
7UD100A-NW-NF-ST-00 ^{†,1}	Undercounter-ADA ice-only, no filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	115/60/1	117 (53)	\$6,825
7 Series ice-only, internal filter							
7UC100A-NW-CF-ST-00 ^{†,1}	Undercounter ice-only, internal filter	14.62 (37.1)	22.12 (56.2)	33.50 (85.1)	115/60/1	117 (53)	\$7,065
7UD100A-NW-CF-ST-00 ^{†,1}	Undercounter-ADA ice-only, internal filter	14.62 (37.1)	22.12 (56.2)	31.50 (80.0)	115/60/1	117 (53)	\$7,065

[†] ENERGY STAR[®] certified.

¹ Model also available in 230/50/1 electrical configurations. Add \$200 to list price. Use prefix "E" for 230/50. Example: E7UC100A-IW-CF-ST-00. Models not for use in the United States.

Available accessories are listed on page 27.


Accessories for 7 and 15 Series ice and water dispensers

Item number	Description	List price
00968107	Replacement cartridges for 7 and 15 Series	\$85
00956300	4.00" (10.16 cm) legs, for countertop (CI)	\$285
00956318	6.00" (15.24 cm) legs, for freestanding (FS)	\$285
00956375	Drip tray drain kit for 7FS, 7UC, 7UD and 15FS models	\$160
00981977	Drip tray drain kit for 7CI and 15CI (includes 4.00" (10.16 cm) legs)	\$430
00956292	Base stand, to convert CI to FS, stainless panels	\$595
00979674	Nu-Calgon IMS-III sanitizer, single 16 oz bottle	\$21
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$225
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	\$16
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$89
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$320
01147545	Cleaning and sanitizing kit for sparkling water carbonator	\$215
00986059	Claris hardness removal filtration system	\$718
00985127	Replacement filter for Claris system	\$424
00960732	Extended 3rd year warranty/unit	\$865


Symphony Plus ice and water dispensers – 12 series

Countertop and wall mount ice and water dispensers with 12 lb (5.4 kg) of storage. Integral ice machine produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE™ infrared dispensing or lever dispensing. Wall mount models only available with SensorSAFE infrared dispensing.

For additional information request form# 6620 for 12CI models, 6625 for 12HI models, or 6940 for E12CI and C12CI models.



Countertop with integral ice machine



Wall mount with integral ice machine (SensorSAFE dispensing only)

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
12 series with SensorSAFE infrared dispensing									
12CI425A-S ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$7,270
12HI425A-S0-00	Wall mount ²	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$9,055
12HI425A-S0-DP	Wall mount ²	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$9,325

12 series with lever dispensing

12CI425A-L ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	179 (81)	\$7,270
-------------------------	------------	--------------	--------------	--------------	------------	----------	----------	----------	---------


¹ Model also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-S or C12CI425A-S. Models not for use in the United States.

² 12HI425A-S0-DP wall mount unit configured with drain pan. 12HI425A-S0-00 wall mount unit configured without drain pan. Available accessories are listed on page 33.

Symphony Plus ice-only dispensers – 12 series

Countertop ice dispensers with 12 lb (5.4 kg) of storage. Ice-only; no water. Integral ice machine produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6620 for 12CI models or 6940 for E12CI and C12CI models.



Countertop with integral ice machine

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
12 series ice-only with SensorSAFE infrared dispensing									
12CI425A-SI ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$7,270


12 series ice-only with lever dispensing

12CI425A-LI ¹	Countertop	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$7,270
--------------------------	------------	--------------	--------------	--------------	------------	----------	----------	----------	---------


¹ Model also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-S or C12CI425A-S. Models not for use in the United States.

Available accessories are listed on page 33.


Symphony Plus ice and water dispensers with removable ice machine – 25 and 50 series



Countertop with
removable ice machine
behind splash panel



Wall mount with
removable ice machine
behind splash panel



Freestanding with
removable ice machine
in base

Countertop, freestanding and wall mount ice and water dispensers with 25 lb (11.3 kg) or 50 lb (22.7 kg) of storage. Removable icemaking module produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing. Wall mount models only available with SensorSAFE infrared dispensing.

For additional product information, request form# 6630 for 25CI and 50CI models, 6635 for 25HI and 50HI models, 6650 for 25FB and 50FB models, or 7090 for E25CI and E50CI and C25CI and C50CI models.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
25 series with SensorSAFE infrared dispensing									
25CI425A-S ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	226 (103)	\$10,035
25CI425W-S	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	226 (103)	\$10,035
25HI425A-S0-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	255 (116)	\$11,635
25HI425A-S0-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	255 (116)	\$12,140
25FB425A-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	air-cooled	base mounted	115/60/1	230 (105)	\$10,990
25FB425W-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	water-cooled	base mounted	115/60/1	230 (105)	\$10,990

25 series with lever dispensing

25CI425A-L ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	226 (103)	\$10,035
25CI425W-L	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	226 (103)	\$10,035
25FB425A-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	air-cooled	base mounted	115/60/1	230 (105)	\$10,990
25FB425W-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	water-cooled	base mounted	115/60/1	230 (105)	\$10,990

50 series with SensorSAFE infrared dispensing

50CI425A-S ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	226 (103)	\$10,755
50CI425W-S	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	226 (103)	\$10,755
50HI425A-S0-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	255 (116)	\$12,430
50HI425A-S0-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	255 (116)	\$12,940
50FB425A-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	air-cooled	base mounted	115/60/1	230 (105)	\$11,815
50FB425W-S	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	water-cooled	base mounted	115/60/1	230 (105)	\$11,815

50 series with lever dispensing

50CI425A-L ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	226 (103)	\$10,755
50CI425W-L	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	226 (103)	\$10,755
50FB425A-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	air-cooled	base mounted	115/60/1	230 (105)	\$11,815
50FB425W-L	Freestanding ³	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	water-cooled	base mounted	115/60/1	230 (105)	\$11,815

¹ Model also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-S or C12CI425A-S. Models not for use in the United States.


² 25HI425A-S0-DP and 50HI425A-S0-DP wall mount units configured with drain pan. 25HI425A-S0-00 and 50HI425A-S0-00 wall mount units configured without drain pan.

³ Freestanding models include 6.00" (15.24 cm) adjustable legs.
Available accessories are listed on page 33.

Symphony Plus ice-only dispensers – 25 and 50 series

Countertop ice dispensers with 25 lb (11.3 kg) or 50 lb (22.7 kg) of storage. Integral ice machine produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6630 for 25CI and 50CI models, 6635 for 25HI and 50HI models, or 7090 for E25CI and E50CI and C25CI and C50CI models.



Countertop with
integral ice machine

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
25 series ice-only with SensorSAFE infrared dispensing									
25CI425A-SI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	226 (103)	\$10,035
25CI425W-SI	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	226 (103)	\$10,035
25HI425A-SI-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	255 (116)	\$11,635
25HI425A-SI-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	255 (116)	\$12,140
25 series ice-only with lever dispensing									
25CI425A-LI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	226 (103)	\$10,035
25CI425W-LI	Countertop	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	226 (103)	\$10,035
50 series ice-only with SensorSAFE infrared dispensing									
50CI425A-SI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	226 (103)	\$10,755
50CI425W-SI	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	226 (103)	\$10,755
50HI425A-SI-00	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	255 (116)	\$12,430
50HI425A-SI-DP	Wall mount ²	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	255 (116)	\$12,940
50 series ice-only with lever dispensing									
50CI425A-LI ¹	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	226 (103)	\$10,755
50CI425W-LI	Countertop	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	226 (103)	\$10,755

¹ Model also available in 230/50 or 220/60 electrical configurations. Integral ice machine produces 410 lb (186.1 kg) of ice per day. Add \$200 to list price. Use prefix "E" for 230/50 or "C" for 220/60. Example: E12CI425A-S or C12CI425A-S. Models not for use in the United States.

² 25HI425A-SI-DP and 50HI425A-SI-DP wall mount units configured with drain pan. 25HI425A-SI-00 and 50HI425A-SI-00 wall mount units configured without drain pan

Available accessories are listed on page 33.

Symphony Plus ice and water dispensers with removable ice machine – 110 series

Countertop and freestanding ice and water dispensers with 90 lb (40.8 kg) of storage. Removable icemaking module produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6655 for 110CT models or 6670 for 110FB models.



Countertop with top mounted removable ice machine

Freestanding with removable ice machine in base

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
110 series with SensorSAFE infrared dispensing									
110CT425A-S	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	290 (132)	\$15,600
110CT425W-S	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	water-cooled	top mounted	115/60/1	290 (132)	\$15,600
110FB425A-S	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	290 (132)	\$17,195
110FB425W-S	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	water-cooled	base mounted	115/60/1	290 (132)	\$17,195
110 series with lever dispensing									
110CT425A-L	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	290 (132)	\$15,600
110CT425W-L	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	water-cooled	top mounted	115/60/1	290 (132)	\$15,600
110FB425A-L	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	290 (132)	\$17,195
110FB425W-L	Freestanding ¹	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	water-cooled	base mounted	115/60/1	290 (132)	\$17,195


¹ Freestanding models include 6.00" (15.24 cm) adjustable legs.

Available accessories are listed on page 33.

Symphony Plus manual load ice and water dispensers – 110 series

Countertop manual fill ice and water dispensers with 110 lb (49.9 kg) of storage. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6660.



Countertop, manual fill

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
Manual fill 110 series with SensorSAFE infrared dispensing									
110CM-NI-S ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$4,880
Manual fill 110 series with lever dispensing									
110CM-NI-L ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$4,880

¹ Manual fill configuration, not equipped with ice machine.

Available accessories are listed on page 33.


Symphony Plus ice-only dispensers – 110 series

Countertop and freestanding ice dispensers with 90 lb (40.8 kg) of storage. Models equipped with integral ice machine produce up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station not included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing, integral ice machine or manual fill and countertop or freestanding.


For additional product information, request form# 6665 for CT models, 6660 for CM models, or 6670 for FB models.



Countertop with top
mounted removable
ice machine



Freestanding with
removable ice
machine in base



Countertop,
manual fill

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
110 series ice-only with SensorSAFE infrared dispensing									
110CT425A-SI	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	290 (132)	\$15,600
110FB425A-SI	Freestanding	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	290 (132)	\$17,195
110CM-NI-SI ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$4,880
110 series ice-only with lever dispensing									
110CT425A-LI	Countertop	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	290 (132)	\$15,600
110FB425A-LI	Freestanding	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	290 (132)	\$17,195
110CM-NI-LI ¹	Countertop	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$4,880

¹ Manual fill configuration, not equipped with ice machine.

Available accessories are listed on page 33.

Ice and water dispenser accessories

Water treatment accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
Bacterial retentive in-line water filter system		
01233659	Bacterial retentive water filter system assembly	\$990
01244615	Replacement filter kit for bacterial retentive water filter system	\$510
Carbonless high capacity filter system		
01050442	Carbonless high capacity water filter system (one per ice machine)	\$739
01050426	Carbonless high capacity water filter cartridge – primary, single	\$173
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	\$854
00130211	Water pre-filter cartridge – pre-filter, single	\$27
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$231
Standard capacity carbon filter system		
00130229	Water filter system (one per ice machine)	\$723
00130245	Water filter cartridge – primary, single	\$147
00954297	Water filter cartridge – primary, carton of 6	\$723
00130211	Water pre-filter cartridge – pre-filter, single	\$27
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$231
High capacity carbon filter system		
00978957	High capacity water filter system (one per ice machine)	\$833
00978965	High capacity water filter cartridge – primary, single	\$273
00978973	High capacity water filter cartridge – primary, carton of 6	\$1,431
00130211	Water pre-filter cartridge – pre-filter, single	\$27
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$231
Other filtration		
00986059	Claris hardness removal filtration system	\$718
00985127	Replacement filter for Claris system	\$424

Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers

01089572	Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system ¹	\$52
01089580	Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system	\$131
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottles)	\$16
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$89
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$320
00979674	Nu-Calgon® IMS-III sanitizer, single 16 oz bottle	\$21
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$225
01075431	SaniSponge™, 24 sanitary sponges	\$52

¹ Applicable Follett water filter systems include 00130229, 00978957, 01050442

Other accessories for Symphony Plus ice and water dispensers

01065168	Chilled water accessory package for 25 and 50 FB series – 115V models only	\$697
01063205	Chilled water accessory package for 110 CT/CM/FB series – 115V models only	\$697
01049790	Symphony Plus external drain kit - includes 10 ft (3 m) clear tubing and fitting	\$58
01068477	Slide-out ice machine accessory allows air- or water-cooled RIDE model Maestro Plus 425 lb (193 kg) ice machine to slide-out without disconnecting utilities	\$854
AFCNDPUMP	Condensate pump	\$335
AFR400STND	Ice machine stand for Maestro Plus MCD/MCC/MCE425A/W – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$634

Item number	Description	List price
AF10LBLEGS	4.00" (10.16 cm) leg kit – for 12CI series	\$162
00188417	4.00" (10.16 cm) leg kit – for 25CI and 50CI series	\$173
AFCASTERKIT	Caster kit – for 25FB, 50FB, and 110FB series only	\$377

Base stand options – Base stands and base stands with filter systems installed for countertop dispensers. Stainless exterior. Includes 6.00" (15.24 cm) adjustable, flanged legs.

12BASE-00	Base for 12CI Series, 17.50" (44.4 cm) W x 22.00" (55.9 cm) D x 33.00" (83.8 cm) H, ship wt 80 lb (36 kg)	\$1,185
12BASE-CF	12BASE with standard capacity carbon filter system (00130229) installed	\$1,910
12BASE-HC	12BASE with high capacity carbon filter system (00978957) installed	\$2,055
12BASE-CL	12BASE with carbonless high capacity filter system (01050442) installed	\$1,955
25AND50BASE-00	Base for 25CI and 50CI series, 22.75" (57.8 cm) W x 24.38" (61.9 cm) D x 33.00" (83.8 cm) H, ship wt 110 lb (50 kg)	\$1,235
25AND50BASE-CF	25AND50BASE with standard capacity carbon filter system (00130229) installed	\$1,955
25AND50BASE-HC	25AND50BASE with high capacity carbon filter system (00978957) installed	\$2,105
25AND50BASE-CL	25AND50BASE with carbonless high capacity filter system (01050442) installed	\$2,010
110BASE-00	Base for 110CT series, 26.00" (66.0 cm) W x 29.00" (73.7 cm) D x 33.00" (83.8 cm) H, ship wt 140 lb (64 kg)	\$1,980
110BASE-CF	110BASE with standard capacity carbon filter system (00130229) installed	\$2,705
110BASE-HC	110BASE with high capacity carbon filter system (00978957) installed	\$2,850
110BASE-CL	110BASE with carbonless high capacity filter system (01050442) installed	\$2,780

Ice transport tube

- Always replace tubing with like tubing. Example: Braided with braided.
- Contact factory to confirm appropriate tubing for your specific dispenser

AFINSLTUBE	Insulated braided ice transport tube, purchased in 5' (1.52 m) increments	\$31 / per ft
00174896	Insulated polywire ice transport tube, purchased in 5' (1.52 m) increments	\$31 / per ft

Replacement ice machine for use in existing Symphony and Symphony Plus dispensers

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production per 24 hr lb (kg)	Condenser	Voltage	Ship wt lb (kg)	List price
R425A	18.84 (47.9)	20.00 (50.8)	17.00 (43.2)	425 (193)	air-cooled	115/60/1	131 (60)	\$6,615
R425W	18.84 (47.9)	22.06 (56.0)	17.00 (43.2)	425 (193)	water-cooled	115/60/1	131 (60)	\$6,615
P425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	115/60/1	130 (59)	\$6,490
CP425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	220/60/1	130 (59)	\$6,690
EP425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	230/50/1	130 (59)	\$6,690
P425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	115/60/1	125 (57)	\$6,490
CP425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	220/60/1	125 (57)	\$6,690
EP425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	230/50/1	125 (57)	\$6,690

Refer to matrix "Replacement ice machine ordering matrix" on page 35 for correct replacement ice machine.

Replacement ice machine ordering matrix

Dispenser series	Replacement ice machine item number	Ice machine panel finish
Countertop and wall mount dispensers with top mounted ice machines		
25CT400A, 25HT400A, 50CT400A, 50HT400A	P425A	no panels
25CT400W, 25HT400W, 50CT400W, 50HT400W	P425W	no panels
110CT400A	P425A	no panels
110CT425A	P425A	no panels
110CT400W	P425W	no panels
110CT425W	P425W	no panels
Countertop and wall mount dispensers with ice machine behind front splash panel		
25CI400A, 50CI400A, 25HI400A, 50HI400A	P425A	no panels
25CI400W, 50CI400W	P425W	no panels
25CI425A, 50CI425A, 25HI425A, 50HI425A	P425A	no panels
25CI425W, 50CI425W	P425W	no panels
Countertop and wall mount dispensers with RIDE model ice machines		
C25R5A, H25R5A, C50R5A, H50R5A	R425A	stainless
C25R5W, H25R5W, C50R5W, H50R5W	R425W	stainless
25CR400A, 25HR400A, 50CR400A, 50HR400A	R425A	stainless
25CR400W, 25HR400W, 50CR400W, 50HR400W	R425W	stainless
25CR425A, 25HR425A, 50CR425A, 50HR425A	R425A	stainless
25CR425W, 25HR425W, 50CR425W, 50HR425W	R425W	stainless
C110R5A	R425A	stainless
C110R5W	R425W	stainless
110CR400A	R425A	stainless
110CR400W	R425W	stainless
110CR425A	R425A	stainless
110CR425W	R425W	stainless
Freestanding dispensers with ice machine in base		
25FB400A, 50FB400A	P425A	no panels
25FB400W, 50FB400W	P425W	no panels
25FB425A, 50FB425A	P425A	no panels
25FB425W, 50FB425W	P425W	no panels
110FB400A	P425A	no panels
110FB400W	P425W	no panels
110FB425A	P425A	no panels
110FB425W	P425W	no panels

Ice and beverage dispensers

Attractive low-profile ice and beverage dispensers with below-counter ice storage for a wide variety of foodservice applications. Perfect for beverage islands because visibility is not restricted. Models include QuickCARB™ beverage manifold so changing from carbonated to non-carbonated beverage is as easy as the flip of a lever. Vision ice and water dispensers offer storage under the counter for an upscale ice and water station.

Warranty

Vision™ ice and beverage dispensers

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment old and serviced through a Follett Authorized Distributor in its designated area.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
4. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
5. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
6. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

1. The equipment is new and unused.
2. A return authorization number has been issued by customer service within 45 days after shipment.
3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.


Vision ice and beverage dispensers – VU155B series with integral ice water bath beverage cooling

Ice and beverage dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

Standard equipment includes:

- Integral ice water bath beverage cooling
- 8 or 10 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add “-LAN” to model number.)
- Keyswitch for valves
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2780.



Vision VU155B8 Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU155B8RP	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Right	Push button	115/60/1	298 (135)	\$15,965
VU155B8LP	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Left	Push button	115/60/1	298 (135)	\$15,965
VU155B8RL	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Right	Sanitary lever	115/60/1	298 (135)	\$15,965
VU155B8LL	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Left	Sanitary lever	115/60/1	298 (135)	\$15,965
VU155B10RP	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Right	Push button	115/60/1	301 (137)	\$17,955
VU155B10LP	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Left	Push button	115/60/1	301 (137)	\$17,955
VU155B10RL	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Right	Sanitary lever	115/60/1	301 (137)	\$17,955
VU155B10LL	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Left	Sanitary lever	115/60/1	301 (137)	\$17,955


Vision ice and chilled water dispensers – VU155N series

Ice and water dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

Standard equipment includes:

- Water dispense valve only
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2790 for VU155N models or 6975 for EVU155N models.



Vision VU155N Series ice and water dispenser

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU155N series ice and water dispensers									
VU155N0RP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	115/60/1	231 (105)	\$10,650
VU155N0LP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	115/60/1	231 (105)	\$10,650
VU155N0RL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	115/60/1	231 (105)	\$10,650
VU155N0LL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	115/60/1	231 (105)	\$10,650
EVU155N0RP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	230/50/1	232 (105)	\$10,770
EVU155N0LP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	230/50/1	232 (105)	\$10,770
EVU155N0RL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	230/50/1	232 (105)	\$10,770
EVU155N0LL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	230/50/1	232 (105)	\$10,770

VU155N series ice-only dispensers

EVU155NWRP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	230/50/1	232 (105)	\$10,550
EVU155NWLP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	230/50/1	232 (105)	\$10,550
EVU155NWRL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	230/50/1	232 (105)	\$10,550
EVU155NWLL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	230/50/1	232 (105)	\$10,550

Vision ice and water dispensers for marine applications – CVU series

Designed to address United States Public Health Service (USPHS) principles for marine/shipboard use. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

CVU155 standard equipment includes:


- Water dispense valve only
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

CVU300 standard equipment includes:

- Water dispense valve only
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

Note: Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.

For additional product information, request form# 3560.



Vision CVU155N Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
CVU155NORP	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Right	Push button	220/60/1	232 (105)	\$12,785
CVU155NOLP	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Left	Push button	220/60/1	232 (105)	\$12,785
CVU155NORL	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Right	Sanitary lever	220/60/1	232 (105)	\$12,785
CVU155NOLL	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Left	Sanitary lever	220/60/1	232 (105)	\$12,785
CVU300NORP	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Right	Push button	220/60/1	232 (105)	\$21,440
CVU300NOLP	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Left	Push button	220/60/1	232 (105)	\$21,440
CVU300NORL	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Right	Sanitary lever	220/60/1	232 (105)	\$21,440
CVU300NOLL	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Left	Sanitary lever	220/60/1	232 (105)	\$21,440


Vision ice and beverage dispensers – VU300B series with integral ice water bath beverage cooling

Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

Standard equipment includes:

- Integral ice water bath beverage cooling
- 8 or 10 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add "-LAN" to model number.)
- Keyswitch for valves
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2795.



Vision VU300B8 Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU300B8RP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Push button	115/60/1	420 (191)	\$20,530
VU300B8LP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Push button	115/60/1	420 (191)	\$20,530
VU300B8RL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Sanitary lever	115/60/1	420 (191)	\$20,530
VU300B8LL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Sanitary lever	115/60/1	420 (191)	\$20,530
VU300B10RP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Push button	115/60/1	433 (197)	\$21,270
VU300B10LP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Push button	115/60/1	433 (197)	\$21,270
VU300B10RL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Sanitary lever	115/60/1	433 (197)	\$21,270
VU300B10LL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Sanitary lever	115/60/1	433 (197)	\$21,270


Vision ice and beverage dispensers – VU300M series dual-sided for connection to remote mechanical beverage cooling system

Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 9, 14, 17, 18 or 23).

Standard equipment includes:

- 20 or 24 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add "-LAN" to model number.)
- Keyswitch for valves
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- 10' (3 m) ice transport tube for connection to Follett ice machine. Ice machine ordered separately.

For additional product information, request form# 2800 and 3760.



Vision VU300M20D Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU300M20DP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Dual	Push button	115/60/1	414 (188)	\$25,120
VU300M20DL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Dual	Sanitary lever	115/60/1	414 (188)	\$25,120
VU300M24DP	300 (136)	43.88 (111.5)	32.38 (82.2)	54.75 (139.0)	Dual	Push button	115/60/1	420 (191)	\$28,020
VU300M24DL	300 (136)	43.88 (111.5)	32.38 (82.2)	54.75 (139.0)	Dual	Sanitary lever	115/60/1	420 (191)	\$28,020

Vision ice and beverage dispenser accessories

Item number	Description	List Price
00137257	4.00" (10.16 cm) stainless steel leg (individual) adjustable to 6.75" (17.15 cm) – VU300 series only	\$75

QuickCARB beverage manifold

Standard on all Vision ice and beverage dispensers – The center valves are plumbed to both carbonated and non-carbonated water supplies, allowing fast, easy beverage changes. For 8, 10 and 20 valve units, the 4 center valves are QuickCARB valves. For 12 and 24 valve units, the 6 center valves are QuickCARB valves.

Ice storage, ice transport and ice handling

Follett offers ice storage, dispensing and transport solutions in capacities and sizes to meet nearly every need. All with features that can make your ice management easier, safer, and more sanitary.

Warranty

Single door upright bins and single door Ice•Device™ chuted bin and cart systems

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for the useful life of the product. Parts and labor for corrosion repair are covered under this warranty.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice storage and transport systems (ITS); double door upright bins; and double door Ice•Device™ chuted bin and cart systems

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice Pro™ automatic ice bagging and dispensing systems

Follett LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Slope front bins

Follett LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

All other integral components are covered against defects in material and workmanship under normal use and service for 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

Ice transport carts; Totes™ ice carriers; ice shovels; ice probes; ice rakes

Follett LLC warrants to the original end user that all parts shall be free from defects in materials and workmanship under normal use and service for a period of 2 years from date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts within this 2 year period are covered under this warranty. Labor required for repair within a 1 year period is covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated area.

WARRANTY CONDITIONS

1. Warranty labor must be performed by the local Follett authorized service agent.
2. The equipment has been installed and operated in compliance with instructions provided by Follett.
3. Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
4. Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
5. Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
6. Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor, after hours, weekends, holidays, etc., will not be covered by Follett LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

See following page for Terms and Return Policy

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

Return Policy

Non-standard equipment cannot be returned.

Follett equipment may be returned for credit under the following conditions:

1. The equipment is new and unused.
2. A return authorization number has been issued by customer service within 45 days after shipment.
3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
4. The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.


Upright ice storage bins – single door and double door with SmartGATE® ice shield

Ice storage bins with industry-exclusive SmartGATE ice shield. Complete stainless exterior standard, including stainless back and bottom. All bins include a poly liner and corrosion-resistant ABS/poly top (single door uprights) or stainless top (double door uprights), which is custom cut for ice machine(s). 6.00" (15.24 cm) stainless steel adjustable legs and 82 oz (2.4 L) plastic ice scoop.


For additional product information, request form# 9140 for single door or 9145 for double door uprights.

Accessories for single door upright bins

Plastic ice shovel (item# ABICSHOVEL) \$155
 Ice paddle (item# ABICEPADDL46) \$150
 Ice rake, single door uprights (item# AB36RAKE) \$190
 Ice rake, double door uprights (item# ABICERAKE) \$190
 6.00" (15.24 cm) stainless flanged legs (set of 4) (item# ABSPECLEG3) \$330
 10.00" (25.4 cm) stainless flanged legs (set of 4) (item# 00151647) \$415
 Center partition, except single door upright models SG500, 700 and 1000 \$1,675
 Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H)... \$1,625
 Flexi-Top ice bin top system for 48.00" (121.9 cm) and 60.00" (152.4 cm) bins only (see page 47) .. no charge
 Correctional package, 2 week lead time (item# 00917054) \$1,705
 See page 48 for additional accessory information.



Single door upright



Double door upright

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
Single door uprights							
SG500S-30	460 (209)	30.00 (76.2)	31.00 (78.7)	44.50 (113.0)	31.00 (78.7)	210 (96)	\$4,480
SG700S-30	680 (309)	30.00 (76.2)	31.00 (78.7)	60.00 (152.4)	31.00 (78.7)	212 (97)	\$5,335
SG1000S-36 ²	990 (450)	36.00 (91.4)	31.00 (78.7)	69.50 (176.5)	32.00 (81.3)	257 (117)	\$6,285
SG860S-48	860 (391)	48.00 (121.9)	31.00 (78.7)	46.50 (118.1)	31.00 (78.7)	255 (116)	\$5,910
SG1010S-48	1000 (454)	48.00 (121.9)	31.00 (78.7)	56.00 (142.4)	32.00 (81.3)	268 (122)	\$6,105
SG1175S-48	1185 (538)	48.00 (121.9)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	298 (136)	\$6,380
SG1300S-48	1320 (599)	48.00 (121.9)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	270 (123)	\$6,555
SG1160S-56	1170 (531)	56.00 (142.2)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	296 (135)	\$7,315
SG1350S-56	1360 (617)	56.00 (142.2)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	322 (147)	\$7,715
SG1080S-60	1080 (490)	60.00 (152.4)	31.00 (78.7)	46.50 (118.1)	32.00 (81.3)	355 (161)	\$6,635
SG1325S-60	1325 (602)	60.00 (152.4)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	320 (145)	\$6,900
SG1475S-60	1490 (676)	60.00 (152.4)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	321 (146)	\$7,355
SG1650S-60	1660 (754)	60.00 (152.4)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	340 (155)	\$7,450
SG2000S-60 ³	2000 (908)	60.00 (152.4)	31.00 (78.7)	80.00 (203.2)	32.00 (81.3)	370 (168)	\$8,310

Double door uprights

SG1850-96	1870 (849)	96.00 (243.8)	31.00 (78.7)	51.00 (129.5)	32.00 (81.3)	450 (205)	\$15,635
SG2100-72	2110 (958)	72.00 (182.9)	40.00 (101.6)	57.00 (144.8)	41.00 (104.1)	486 (221)	\$13,210
SG2250-72	2250 (1022)	72.00 (182.9)	48.00 (121.9)	50.50 (128.3)	49.00 (124.5)	516 (235)	\$13,110
SG2650-72	2650 (1203)	72.00 (182.9)	40.00 (101.6)	66.50 (168.9)	41.00 (104.1)	571 (259)	\$15,835
SG3200-72 ⁴	3240 (1471)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	35.00 (88.9)	762 (346)	\$16,600
SG3900-72 ⁴	3940 (1789)	72.00 (182.9)	48.00 (121.9)	81.50 (207.0)	44.00 (111.8)	835 (379)	\$18,950
SG4600-72 ⁴	4640 (2107)	72.00 (182.9)	48.00 (121.9)	93.00 (236.2)	47.00 (119.4)	901 (409)	\$19,470


¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² Standard with 6.00" (15.24 cm) flanged legs and available only with stainless steel top. Correctional package not available.


³ 18.00" (45.7 cm) sleeve with window on a 62.00" (157.5 cm) high bin.

⁴ Ships in two sections.


Ice•Device ice storage and dispensing systems – single door with cart or bagger




Ice•Device with
SmartCART 75 ice cart



Ice•Device with
SmartCART 125 ice cart



Ice•Device with
Cambro ICS125L cart



Ice•Device with
bagger

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge™ door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include one of the following: SmartCART 75 ice cart with 3 polyethylene Totes ice carriers, each Totes ice carrier holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg); SmartCART 125 ice cart which holds 125 lb (57 kg) of ice; Cambro brand model ICS125L ice cart which holds 125 lb (57 kg) of ice; or a bagger kit with 250 plastic bags of 10 lb (4.5 kg) capacity. Add designator -75 (SmartCART 75), -125 (SmartCART 125), -ICS125L (Cambro) or -BG (bagger kit) to select configuration.

For additional product information, request form# 9720.

Accessories for Ice•Device ice storage and dispensing systems

Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H)... \$1,625

Correctional package, 2 week lead time (item# 00917054)..... \$1,705

See page 48 for additional accessory information.

Item number †	with SC75 cart	with SC125 cart	with Cambro cart	with bagger kit	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30	-75	-125	-ICS125L	-BG	460 (209)	30.00 (76.2)	31.00 (78.7)	63.00 (160.0)	32.00 (81.3)	354 (161)	\$6,350
DEV700SG-30	-75	-125	-ICS125L	-BG	680 (309)	30.00 (76.2)	31.00 (78.7)	78.50 (199.4)	32.00 (81.3)	389 (177)	\$7,170
DEV860SG-48 ²	-75	-125	-ICS125L	-BG	860 (391)	48.00 (121.9)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	452 (205)	\$8,620
DEV1010SG-48	-75	-125	-ICS125L	-BG	1000 (454)	48.00 (121.9)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	453 (206)	\$8,755
DEV1175SG-48	-75	-125	-ICS125L	-BG	1185 (538)	48.00 (121.9)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	483 (219)	\$9,095
DEV1300SG-48	-75	-125	-ICS125L	-BG	1320 (599)	48.00 (121.9)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	476 (216)	\$9,350
DEV1160SG-56	-75	-125	-ICS125L	-BG	1170 (531)	56.00 (142.2)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	472 (214)	\$9,680
DEV1350SG-56	-75	-125	-ICS125L	-BG	1360 (617)	56.00 (142.2)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	521 (236)	\$10,020
DEV1080SG-60 ²	-75	-125	-ICS125L	-BG	1080 (490)	60.00 (152.4)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	490 (222)	\$9,250
DEV1325SG-60	-75	-125	-ICS125L	-BG	1325 (602)	60.00 (152.4)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	518 (235)	\$9,515
DEV1475SG-60	-75	-125	-ICS125L	-BG	1490 (676)	60.00 (152.4)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	518 (235)	\$9,915
DEV1650SG-60	-75	-125	-ICS125L	-BG	1660 (754)	60.00 (152.4)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	532 (241)	\$10,155

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice•Device ice storage and dispensing systems – low-profile single door with Totes ice carrier

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and 10.00" (25.4 cm) flanged legs. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include a single polyethylene Totes ice carrier which holds 25 lb (11 kg) of ice.


For additional product information, request form# 9720.

Accessories for Ice•Device ice storage and dispensing systems

Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H)... \$1,625

Correctional package, 2 week lead time (item# 00917054)..... \$1,705

See page 48 for additional accessory information.



Ice•Device with
Totes ice carrier

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30-LP	460 (209)	30.00 (76.2)	31.00 (78.7)	48.75 (123.8)	31.00 (78.7)	186 (85)	\$5,055
DEV700SG-30-LP	680 (309)	30.00 (76.2)	31.00 (78.7)	64.25 (163.2)	31.00 (78.7)	229 (104)	\$5,875
DEV860SG-48-LP ²	860 (391)	48.00 (121.9)	31.00 (78.7)	50.25 (127.6)	32.00 (81.3)	288 (131)	\$7,325
DEV1010SG-48-LP	1000 (454)	48.00 (121.9)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	277 (126)	\$7,455
DEV1175SG-48-LP	1185 (538)	48.00 (121.9)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	319 (145)	\$7,795
DEV1300SG-48-LP	1320 (599)	48.00 (121.9)	31.00 (78.7)	68.75 (174.6)	32.00 (81.3)	342 (156)	\$8,055
DEV1160SG-56-LP	1170 (531)	56.00 (142.2)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	296 (135)	\$8,385
DEV1350SG-56-LP	1360 (617)	56.00 (142.2)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	353 (161)	\$8,720
DEV1080SG-60-LP ²	1080 (490)	60.00 (152.4)	31.00 (78.7)	50.25 (127.6)	32.00 (81.3)	297 (135)	\$7,955
DEV1325SG-60-LP	1325 (602)	60.00 (152.4)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	373 (170)	\$8,220
DEV1475SG-60-LP	1490 (676)	60.00 (152.4)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	356 (162)	\$8,620
DEV1650SG-60-LP	1660 (754)	60.00 (152.4)	31.00 (78.7)	68.75 (174.6)	32.00 (81.3)	336 (153)	\$8,860

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

Ice•Device ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts

Labor-saving elevated bins dispense ice out of front chute(s). For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a stainless steel top, which is custom cut for ice machine(s).

Configurations shown below include (2) SmartCART 75 ice carts, each with 3 polyethylene Totes ice carriers, holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg) per cart. Carts can store below bin.

For additional product information, request form# 2320.

Other configurations available for double door Ice•Device:

SmartCART 125 ice cart Same price as below

Cambro brand ICS125L cart..... Same price as below

Bagger kit option..... Same price as below


Accessories for Ice•Device ice storage and dispensing systems

Center partition \$1,675

Reinforced top – (req'd if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H)... \$2,080

Correctional package, 2 week lead time (item# 00917054)..... \$1,705

See page 48 for additional accessory information.



Double door Ice•Device with
(2) SmartCART 75 ice carts

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV2100SG-72-75	2110 (958)	72.00 (182.9)	40.00 (101.6)	75.50 (191.8)	41.00 (104.1)	841 (381)	\$17,425
DEV2250SG-72-75	2250 (1022)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	46.00 (116.8)	863 (344)	\$17,635
DEV2650SG-72-75	2650 (1203)	72.00 (182.9)	40.00 (101.6)	85.50 (217.2)	41.00 (104.1)	943 (428)	\$19,700
DEV3200SG-72-75	3240 (1471)	72.00 (182.9)	48.00 (121.9)	88.50 (224.8)	35.00 (88.9)	1144 (519)	\$20,975
DEV3900SG-72-75	3940 (1789)	72.00 (182.9)	48.00 (121.9)	100.50 (255.3)	44.00 (111.8)	1263 (574)	\$22,805
DEV4600SG-72-75	4640 (2107)	72.00 (182.9)	48.00 (121.9)	112.00 (284.5)	47.00 (119.4)	1276 (579)	\$24,130

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Ice storage and transport systems (ITS)

Elevated bin and cart systems use gravity-assist ice removal and casters to deliver outstanding labor and safety benefits. For use with Chewblet, cube or flake ice. All are equipped with poly liners, SmartGATE ice shield, and poly door with PowerHinge door hinge component². Each unit is standard with bin, base, SmartCART 240 ice cart (1, 2 or 3 depending on the number of bays) with lid and ice paddle. Full stainless exterior and base. Insulated cart is one-piece molded polyethylene with removable poly lid.

For additional product information, request form# 9130.


Accessories for ice storage and transport systems

Set of 6 Totes ice carriers (item# ABICETOTP)	\$810
Partition (2 and 3 bay models only)	\$1,865
Plastic ice shovel (item# ABICSHOVEL)	\$155
SmartCART 240 ice cart (item# ROTOCART)	\$2,215
Additional ice paddle (item# ABICEPADDL)	\$150

See page 48 for additional accessory information.

Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.37 cm) to H).

31.00" (78.7 cm) and 60.00" (152.4 cm) wide models	\$1,625
90.00" (228.6 cm) wide models	\$2,080



ITS with (2) SmartCART 240 ice carts

Item number †	No. of carts	Max. bin cap. lb (kg)	Width in (cm)	Depth ¹ in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. wt lb (kg)	List price
ITS500NS-31 ²	1	382 (174)	31.00 (78.7)	40.00 (101.6)	60.00 (152.4)	32.00 (81.3)	371 (169)	\$11,055
ITS700SG-31	1	652 (296)	31.00 (78.7)	40.00 (101.6)	75.00 (190.5)	32.00 (81.3)	398 (181)	\$11,115
ITS1350SG-60	2	1327 (602)	60.00 (152.4)	40.00 (101.6)	75.00 (190.5)	41.00 (104.1)	712 (324)	\$19,660
ITS2250SG-60	2	2133 (968)	60.00 (152.4)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	822 (374)	\$22,300
ITS1700SG-90	3	1716 (779)	90.00 (228.6)	40.00 (101.6)	70.00 (177.8)	41.00 (104.1)	978 (444)	\$31,460
ITS3250SG-90	3	3255 (1477)	90.00 (228.6)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	1145 (521)	\$35,815

¹ Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

² ITS500NS-31 has sliding windows only, no SmartGATE ice shield or poly door.

Ice Pro automatic ice bagging and dispensing systems

Ice storage bin with automatic agitation to store and dispense cube or Chewblet ice (made by Horizon and Horizon Elite series ice machines) into bags, carts, pails or Totes ice carrier. Increased labor-savings, sanitation and safety for foodservice operators. Equipped with user-friendly control panel, lockable clear window, adjustable bag stand and insulated poly-molded ice storage area. SA models include blower and timed dispense mode for semi-automatic bag filling. Foot pedal is standard on 1000 models and optional for 650 models. Each unit comes standard with 1 wicket of 125, 8 lb (4 kg) bags.

For additional product information, request form# 3630 for E/DB650 or 2345 for E/DB1000.

Accessories for 650 models


Foot switch (item# 00932517)	\$430
Jug and cooler kit 650 allows easy filling of 5 L and 10 L Willow ¹ jugs and larger coolers (item# 00979013)	\$1,900

Accessories for 1000 models

Leg extension kit raises unit by 6.50" (16.51 cm) to accommodate carts up to 36.00" (19.44 cm) and bags up to 40 lb (18 kg) and 33.83" (85.93 cm) high (item# ABLEGEXT)	\$740
Reinforced top (required if ice machine(s) weight exceeds 800 lb (363 kg). Add 2.12" (5.40 cm) to H)..	\$1,625
Jug and cooler kit 1000 allows easy filling of 5 L and 10 L Willow ¹ jugs and larger coolers (item# 00979583)	\$1,900

Accessories for all models

Bostitch® P-7 C-ring pliers for closing bags (item# 00137711)	\$215
Staples, blunt end, box of 2500 (item# 00137729)	\$65



Ice Pro automatic bagging and dispensing systems

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Voltage	Approx. ship wt lb (kg)	List price
DB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	66.50 (168.9)	34.25 (87.0)	220/60/1	460 (209)	\$18,010
EDB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	66.50 (168.9)	34.25 (87.0)	230-240/50/1	460 (209)	\$18,315
DB1000	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$23,670
DB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$24,425
EDB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	230/50/1	704 (320)	\$22,210

¹ Willow Ware Australia Pty Ltd.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Slope front bins

Small to medium capacity ice storage bins. Bin exterior for all models includes stainless steel front and sides. Bin interior includes polyethylene-lined walls and stainless steel bottom. All bins include stainless top, which is custom cut for ice machine(s) and 6.00" (15.24 cm) plastic adjustable legs.


For additional product information, request form# 9135.

Accessories for slope front bins

Center partition (650, 950 and 1025 models only; not available for 300 and 425 model) \$615

6.00" (15.24 cm) stainless steel legs (item# ABSPECLEGS)..... \$160

See page 48 for additional accessory information.



Slope front bin

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
300-22 ¹	300 (136)	22.00 (55.9)	31.50 (80.0)	40.00 (101.6)	23.00 (58.4)	128 (58)	\$1,865
425-30	430 (195)	30.00 (76.2)	31.50 (80.0)	40.00 (101.6)	31.00 (78.7)	144 (65)	\$2,590
650-44	660 (299)	44.00 (111.8)	31.50 (80.0)	40.00 (101.6)	32.00 (81.2)	178 (81)	\$3,585
950-48	950 (431)	48.00 (121.9)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	207 (94)	\$3,685
1025-52	1030 (467)	52.00 (132.1)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	217 (98)	\$3,780

¹ Model 300-22 only for use with Follett® Maestro Plus 425 (air-cooled) and Horizon Elite 710 series ice machines.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.

Replacement stainless steel tops for ice storage bins

Order must include complete model number of ice machine to be used in conjunction with bin.

Bin series	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	List price
Slope front bins				
	30.00 (76.2)	27.50 (69.8)	AB425TOP00	\$670
	44.00 (111.8)	27.50 (69.8)	AB650TOP00	\$915
	48.00 (121.9)	27.50 (69.8)	AB725TOP00	\$995
	52.00 (132.1)	27.50 (69.8)	AB750TOP00	\$1,070

Single door upright bins and single door Ice•Device ice storage and dispensing systems for bins manufactured before 2007 (except SG1000)

	30.00 (76.2)	31.00 (78.7)	AB7010TOP0	\$1,180
	48.00 (121.9)	31.00 (78.7)	AB1010TOPS	\$1,410
	56.00 (142.2)	31.00 (78.7)	AB1350TOP0	\$1,520
	60.00 (152.4)	31.00 (78.7)	AB1475TOP0	\$1,520

SG1000 single door upright

	36.00 (91.4)	31.00 (78.7)	00979823	\$1,335
--	---------------	--------------	----------	---------

Double door upright bins

	96.00 (243.8)	31.00 (78.7)	AB1850TOP0	\$2,060
--	---------------	--------------	------------	---------

Double door upright bins and double door Ice•Device ice storage and dispensing systems

	72.00 (182.9)	40.00 (101.6)	AB2650TOP0	\$1,955
	72.00 (182.9)	48.00 (121.9)	AB4600TOP0	\$2,060

Ice transport systems (ITS)

	31.00 (78.7)	40.00 (101.6)	ABITS70TOP	\$1,410
	60.00 (152.4)	40.00 (101.6)	ABITS13TOP	\$1,750
	90.00 (228.6)	40.00 (101.6)	ABITS32TOP	\$2,065

DB1000 Ice Pro automatic ice bagging and dispensing system

	52.00 (132.1)	34.00 (86.4)	00104828	\$1,520
--	---------------	---------------	----------	---------

Replacement ABS bin tops for ice storage bins

Available EXW Incoterms 2010 – Easton, PA USA only

	Width in (cm)	Depth (at top) in (cm)	Replacement top item#	List price
Single door upright and single door Ice•Device ice storage and dispensing systems for bins manufactured after 2007				
Full top	30.00 (76.2)	31.00 (78.7)	00168138	\$1,180
Full top	48.00 (121.9)	31.00 (78.7)	00168146	\$1,410
Full top	56.00 (142.2)	31.00 (78.7)	00168153	\$1,520
Full top	60.00 (152.4)	31.00 (78.7)	00168161	\$1,520

DB650 Ice Pro automatic ice bagging and dispensing system

Full top	30.00 (76.2)	31.00 (78.7)	00168138	\$1,180
----------	---------------	--------------	----------	---------






Flexi-Top ice bin top systems

Flexi-Top ice bin top systems make stocking bins simple – eliminates the need to know what specific ice machine will be used before the order. Available for 48.00" (121.9 cm) and 60.00" (152.4 cm) wide single door uprights and Ice•Device ice storage and dispensing systems. Contact factory for more information.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.





Ice handling accessories

Ice carts and Totes ice carrier ordering guidelines

	SmartCART 75 Item# 00112771 	SmartCART 125 Item# LSC125 	SmartCART 240 Item# ROTOCART 	Cambro ICS125L Item# ICS125L 	Totes Item# ABICETOTP (six) Item# 502263 (single) 
	<p>Perfect for moving small quantities of ice to manually fill storage receptacles. 75 lb (34 kg) capacity. Includes 3 Totes ice carriers.</p> <p>21.50"W x 34.00"D x 39.00"H (54.6 x 86.4 x 99.1 cm)</p> <p>Ship wt – 53 lb (25 kg) List Price \$1,320</p>	<p>Fully insulated poly with 125 lb (57 kg) capacity and flip-up lid makes an excellent working cart for portable bars.</p> <p>22.50"W x 28.30"D x 33.50"H (57.2 x 71.8 x 85.1 cm)</p> <p>Ship wt – 60 lb (28 kg) List Price \$1,360</p>	<p>Fully insulated poly with removable lid. 240 lb (109 kg) capacity for transporting large quantities of ice.</p> <p>24.25"W x 41.50"D x 35.75"H (61.6 x 105.4 x 90.8 cm)</p> <p>Ship wt – 75 lb (35 kg) List Price \$2,215</p>	<p>Fully insulated poly with slide back lid with 125 lb (57 kg) capacity. Perfect for sliding under bars.</p> <p>23.00"W x 31.30"D x 29.25"H (58.4 x 79.5 x 74.3 cm)</p> <p>Ship wt – 70 lb (32 kg) List Price \$1,850</p>	<p>Comfortable handle, easy distribution of ice from longer side. Limits lifted load to 25 lb (12 kg).</p> <p>7.12"W x 15.62"D x 15.00"H (18.08 x 39.7 x 38.1 cm)</p> <p>Set of 6 Totes Ship wt – 34 lb (16 kg) List Price \$810</p> <p>Single Tote Ship wt – 6 lb (3 kg) List Price \$145</p>
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model				
Slope Front	✓	✓	✓	✓	✓
Single Door Upright	✓	✓	✓	✓	✓
Double Door Upright	✓	✓	✓	✓	✓
Single Door Ice•Device	✓	✓ ¹	n/r	✓ ¹	✓
Double Door Ice•Device	✓	✓ ¹	n/r	✓ ¹	✓
Ice Transport System	n/r	n/r	✓	n/r	✓
Ice Pro	✓	✓	✓	✓	✓






¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Ice bagging accessory ordering guidelines

	Bagger Kit Item# ABBAGGERKT 	8 lb (3.6 kg) Ice Bag Item# 00116434 	20 lb (9.1 kg) Ice Bag Item# 00138370 	C-ring pliers – Item# 00137711 C-ring – Item# 00137729 
	<p>Bagger kit includes bagger assembly, tape dispenser with tape and 250 plastic bags of 10 lb (5 kg) capacity.</p> <p>11.00"W x 13.63"D x 29.00"H (27.9 x 34.6 x 73.7 cm)</p> <p>Ship wt – 20 lb (10 kg) List Price \$1,125</p>	<p>125 bags per wicket – 8 wickets per case. 1.25 mil. poly bag.</p> <p>10.5 "W x 4.00"D x 19.00"H (26.7 x 10.16 x 48.3 cm)</p> <p>Ship wt – 16 lb (8 kg) List Price \$160</p>	<p>125 bags per wicket – 4 wickets per case. 2.25 mil. poly bag.</p> <p>14.00"W x 4.50"D x 27.00"H (35.6 x 11.43 x 68.6 cm)</p> <p>Ship wt – 25 lb (12 kg) List Price \$230</p>	<p>Bostitch P-7 C-ring pliers for bag closure. Automatic C-ring feed.</p> <p>Ship wt – 1 lb (0.5 kg) List Price \$215</p> <p>Aluminum blunt-end C-rings for use with Bostitch P-7 C-ring pliers. 2500 per box.</p> <p>Ship wt – 2 lb (1 kg) List Price \$65</p>
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model			
Slope Front	✓	n/r	n/r	n/r
Single Door Upright	✓	n/r	n/r	n/r
Double Door Upright	✓	n/r	n/r	n/r
Single Door Ice•Device	✓ ¹	n/r	n/r	n/r
Double Door Ice•Device	✓ ¹	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	✓	✓	✓





¹ Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).

Shovel, scoop and paddle ordering guidelines

	Paddle Item# ABICEPADDL46 46.50" (118.1 cm) or Item# ABICEPADDL 58.50" (147.3 cm)  High density poly paddle breaks ice bridges with ease. Includes bracket. 46.50" (118.1 cm) Ship wt – 6 lb (3 kg) List Price \$150 58.50" (147.3 cm) Ship wt – 6 lb (3 kg) List Price \$150	Rake Item# AB36RAKE 38.00" (96.5 cm) or Item# ABICERAKE 50.00" (127.0 cm)  Draws ice to front of bin for easier access. Vinyl handle, aluminum shaft, stainless steel rake head. Includes bracket. 38.00" (96.5 cm) Ship wt – 3 lb (2 kg) List Price \$190 50.00" (127.0 cm) Ship wt – 3 lb (2 kg) List Price \$190	Shovel Item# ABICSHOVEL 37.00" (94.0 cm)  Heavy duty poly construction. Efficient removal of ice from bin. Ship wt – 9 lb (4 kg) List Price \$155	Scoop Item# 00146365 64 oz (1.9 L)  San Jamar® Saf-T-Ice® Guardian scoop® system. Minimizes contact with ice, includes storage rack for scoop. Ship wt – 6 lb (3 kg) List Price \$170	Scoop Item# ABICESCOOP 82 oz (2.4 L)  Large poly scoop for manual removal of ice from bins. No bracket provided. Ship wt – 3 lb (2 kg) List Price \$35
--	--	--	--	---	--

Bin series	✓ = May be ordered separately				n/r = Not recommended for use with model		
	46.50"	58.50"	38.00"	50.00"			
Slope Front	✓	n/r	n/r	n/r	n/r	✓	✓
Single Door Upright	✓	n/r	✓	n/r	✓	✓	✓
Double Door Upright	n/r	✓	n/r	✓	✓	✓	✓
Single Door Ice•Device	✓	n/r	✓	n/r	n/r	✓	✓
Double Door Ice•Device	n/r	✓	n/r	✓	n/r	✓	✓
Ice Transport System	n/r	✓	n/r	✓	✓	✓	✓
Ice Pro	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Stainless steel leg accessory ordering guidelines

	6.00" (15.24 cm) with flanged feet. Set of (4). Item# AB5PECLEG3  Ship wt – 6 lb (3 kg) List Price \$330	8.00" (20.32 cm) bullet leg with stabilizer. Set of (4). Item# AB8INLEG55  Ship wt – 10 lb (5 kg) List Price \$370	10.00" (25.4 cm) with flanged feet. Set of (4). Item# 00151647  Ship wt – 15 lb (7 kg) List Price \$415	12.00" (30.5 cm) bullet leg. Set of (4). Item# ABSPECLEG1  Ship wt – 13 lb (6 kg) List Price \$475
Bin series	✓ = May be ordered separately n/r = Not recommended for use with model			
Slope Front	✓	✓	✓	✓
Single Door Upright	✓	✓	✓	n/r
Double Door Upright	✓	✓	n/r	n/r
Single Door Ice•Device	n/r	n/r	n/r	n/r
Double Door Ice•Device	n/r	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	n/r	n/r	n/r

Incoterms is a trademark of the International Chamber of Commerce.
ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.
Calgon is a licensed tradename distributed by Nu-Calgon, in the United States.
Cambro is a registered trademark of Cambro Manufacturing Company in the US.
Bostitch is a registered trademark of Stanley Black and Decker.
Saf-T-Ice is a registered trademark of San Jamar, a division of the Coleman Group, Inc. in the US.
Flexi-Top, Harmony, Horizon, Horizon Elite, Ice•Device, Ice Manager, Ice Pro, Maestro Plus, Micro Chewblet, PowerHinge, SafeCLEAN Plus, SaniSponge, SensorSAFE, SmartCART, Symphony Plus, Tempo, Totes and Vision are trademarks of Follett LLC.
Chewblet, Follett, RIDE and SmartGATE are registered trademarks of Follett LLC, registered in the US.



801 Church Lane | Easton, PA 18040, USA
1.610.252.7301 | Fax: +1.610.250.0696 | follettice.com



4025-20190321 | © Follett LLC