


| 2025

effective 08/01/25



ice and water dispensers



ice machines



FOLLETT®

EURO LIST PRICE SCHEDULE

Contents

TERMS AND POLICIES.....	3
WARRANTY.....	4
ICE MACHINES	5
EXW Incoterms® 2010 – Wislina, Poland.....	5
Maestro Plus Chewblet and flake ice machine bins – E414 series	5
Maestro Plus Chewblet and flake ice machines for ice storage bins – E414 series	6
Maestro Plus 414 RIDE installation kits (required)	6
Horizon Elite Chewblet ice machines – E710 series	7
Horizon Elite Chewblet ice machine installation kits – E710 series (required)	7
Horizon Elite Chewblet ice machine ice transport tube kits for RIDE installations – E710 series (required) ..	7
Horizon Elite top kits for RIDE applications for use with countertop ice and beverage dispensers	8
Horizon Elite E710A top kits for top mount applications used with countertop ice and beverage dispensers	9
Installation accessories for ice machines.....	10
Other accessories for ice machines.....	10
Water filter systems and replacement cartridges for ice machines.....	10
Cleaning and sanitizing accessories for ice machines	10
ICE AND WATER DISPENSERS.....	11
EXW Incoterms® 2010 – Wislina, Poland.....	11
Champion™ ice and water dispensers	11
Accessories for Champion ice and water dispensers.....	11
Symphony Plus ice-only dispensers – E12 series	12
Accessories for Symphony Plus ice and water dispensers	13
Water filter systems and replacement cartridges for Symphony Plus ice and water dispensers.....	13
Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers.....	13
EXW Incoterms® 2010 – Easton, PA USA.....	14
Champion ice and water dispensers	14
Accessories for Champion ice and water dispensers.....	14

Terms and policies

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **All prices in euros**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

Return Policy

Non-standard equipment cannot be returned. Orders for non-standard equipment cannot be cancelled.

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused.
- A return authorization number has been issued by customer service within 45 days after shipment.
- Follett receives the equipment at the factory in Pruszcz, Poland within 30 days after issuance of the return authorization number.
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett Products, LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

Warranty

Symphony Plus™ ice and water dispensers, Maestro Plus™ and Horizon Elite™ series ice machines and remote condensing units

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

- Labor warranty will apply only to equipment sold by the Follett Authorized Distributor in his designated territory.
- Warranty labor must be performed by the local Follett Authorized Distributor or his designated service provider.
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

Champion™ ice and water dispensers

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett Authorized Distributor or his designated service provider.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
- Dispenser is used in an application with less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).
- Dispenser is not to be used with softened water.
- Premature internal filter life due to poor supply water is not covered.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.

Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett USA technical service at +1 610-252-7301 or Follett Europe technical service at +48 (58) 785-6140, Fax +48 (58) 785-6159.

Ice machines

EXW Incoterms® 2010 – Wislina, Poland


Maestro Plus Chewblet and flake ice machine bins – E414 series

Flake (UF) or Chewblet* (UM) ice machines with 34 kg (75 lb) bin storage for undercounter or freestanding applications.

Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 1009.

Available accessories are listed on page 10.



UFE/UME414A80

Item number	Ice type	Width cm (in)	Depth cm (in)	Height ¹ cm (in)	Production capacity kg (lb)		Condensing unit	Voltage	Approx. ship wt kg (lb)	List price
					32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
UFE414A80	Flake	59.7 (23.50)	66.0 (26.00)	83.8 (33.00)	148 (325)	193 (425)	air-cooled, self-contained	230/50/1	88 (194)	€7,604
UME414A80	Chewblet	59.7 (23.50)	66.0 (26.00)	83.8 (33.00)	148 (325)	193 (425)	air-cooled, self-contained	230/50/1	88 (194)	€7,604


¹ 83.8 cm (33.00") with leveling feet for undercounter use. 99.1 cm (39.00") with bullet legs for freestanding application.

Maestro Plus Chewblet and flake ice machines for ice storage bins – E414 series

Chewblet and flake air-cooled ice machines for top mount and RIDE (ice-through-a-tube) configurations.

For additional product information, request form# 1100 for top mount configurations and form 1105 for RIDE configurations.

Available accessories are listed on page 10.



Item number	Ice type	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit	Voltage	Approx. ship wt kg (lb)	List price
					32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
E414 series top mount configurations										
E414ATF	Flake	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	185 (408)	221 (486)	air-cooled, self-contained	230/50/1	77 (170)	€8,828
E414AT	Chewblet	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	185 (408)	221 (486)	air-cooled, self-contained	230/50/1	77 (170)	€8,828
E414 series RIDE configurations										
E414AS	Chewblet	47.8 (18.80)	57.8 (22.75)	43.4 (17.10)	148 (325)	193 (425)	air-cooled, self-contained	230/50/1	57 (127)	€10,508

Maestro Plus 414 RIDE installation kits (required)

Item number	Description	List price
-------------	-------------	------------

Countertop ice and beverage dispenser and ice storage bin installations

Top mount ice machine requires stainless steel top kit, sold separately. See US Price List, form# 4025.

RIDE ice machines include 20' (6.1 m) of insulated ice transport tube and universal RIDE model adapter kit (item# 01054444). Factory approval required for ice transport tube lengths over 20' (6.1 m). See below for approved dispensers. All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

Refer to form# 2925 for capacities and sizes of ice storage bins available.

01558824	Installation kit for Maestro Plus ice machines filling countertop ice and beverage dispensers and ice storage bins. Includes 20' (6 m) of ice transport tube.	€520
----------	---	------

Drop-in beverage dispenser installations

01558832	Installation kit for Maestro Plus ice machines filling drop-in dispensers. Includes 20' (6 m) of ice transport tube.	€520
----------	--	------


Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,4} / 7100 ^{3,4} / 9000 ⁴ / 9100 ⁴	Lancer 4500-22N	Servend MD175
Cornelius DB/DF/ED150BC Series	Lancer 4500-30N	Servend MD200
Cornelius DB/DF/ED175BC Series	Lancer FS-16N	Servend MD250
Cornelius DB/DF/ED200BC Series	Lancer FS-22N	Servend MDH302
Cornelius DB/DF/ED250BC Series	Lancer FS-30N	Servend MDH402
Cornelius DB/DF/ED300BC Series	Lancer FS-44N	Servend SV175
Cornelius IDC215/255 and Pro Fast Gate	Lancer Sensation and TouchPoint	Servend SV200
Cornelius IDC Pro	Pepsi Spire 3.0 ⁵ / 5.0 ⁵ / 4.1 ⁵	Servend SV250
Cornelius Flavor Fusion/Overload	Servend MD150	

Horizon Elite Chewblet ice machines – E710 series

Ice machines for top mount and RIDE (ice-through-a-tube) configurations. For additional product information, request form# 1061.

Available accessories are listed on page 10.



Self-contained

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity lb (kg)		Condensing unit	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
E710A	57.7 (22.70)	62.2 (24.50)	54.0 (21.25)	266 (586)	345 (759)	air-cooled, self-contained condenser	230/50/1	86 (190)	€12,318

Horizon Elite Chewblet ice machine installation kits – E710 series (required)

Item number	Description	List price
Ice storage bin installations		
Refer to form# 2925 capacities and sizes.		
01564590	Installation kit for Horizon Elite ice machines filling bins	€520
Countertop ice and beverage dispenser installations		
Top mount ice machine applications require stainless steel top kit, sold separately. See top kits on page 9.		
RIDE ice machine applications do not require stainless steel top except Coca Cola Freestyle and Pepsi Spire 3.0 and 5.0. See page 8 for approved dispensers and Coca Cola and Pepsi Spire 3.0 and 5.0 top kits.		
All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.		
01564582	Installation kit for Horizon Elite ice machines filling countertop ice and beverage dispensers	€520
Drop-in installations		
01564640	Installation kit for Horizon Elite ice machines filling drop-in dispensers	€520
Ventilation kit		
Required for air-cooled ice machines installed under counters.		
01564624	Ventilation kit required for Horizon Elite air-cooled (A) ice machines installed under a counter (includes grilles and gasket)	€520

Horizon Elite Chewblet ice machine ice transport tube kits for RIDE installations – E710 series (required)

Item number	Description	List price
For bins, countertop ice and beverage dispensers and drop-in dispensers		
01560549	Ice transport tube kit for RIDE installations except Vision dispensers, 3 m (10')	€728
01560556	Ice transport tube kit for RIDE installations except Vision dispensers, 10.7 m (35')	€2,288
01560564	Ice transport tube kit for RIDE installations except Vision dispensers, 24.4 m (80')	€5,200

Approved for Horizon Elite RIDE applications – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,5} / 7100 ^{3,5} / 9000 ⁵ / 9100 ⁵	Follett Symphony Plus™ 110CM	Lancer Bold 30i	Servend SV200
Cornelius DB/DF/ED150BC Series	Lancer 4500-22N	Pepsi Spire 3.0 ⁴ / 5.0 ⁴ / 4.1 ⁴	Servend SV250
Cornelius DB/DF/ED175BC Series	Lancer 4500-30N	Servend MD150	
Cornelius DB/DF/ED200BC Series	Lancer FS-16N	Servend MD175	
Cornelius DB/DF/ED250BC Series	Lancer FS-22N	Servend MD200	
Cornelius DB/DF/ED300BC Series	Lancer FS-30N	Servend MD250	
Cornelius IDC215/255 and Pro Fast Gate	Lancer FS-44N	Servend MDH302	
Cornelius IDC Pro	Lancer Sensation/TouchPoint	Servend MDH402	
Cornelius Flavor Fusion/Overload	Lancer Bevariety	Servend SV175	

Horizon Elite top kits for RIDE applications for use with countertop ice and beverage dispensers

Top kit accessory item number	Dispenser manufacturer	Dispenser model number	Dispenser series width	List price
Required Horizon Elite RIDE application stainless steel adapter kits¹				
HSF26SC ⁵	Coca-Cola	Freestyle 9100	26"	€509
MSP24SC ⁴	Pepsi	Spire 3.0	24"	€484
MSP30SC ⁴	Pepsi	Spire 5.0 / 4.1	30"	€509

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. Approved dispensers for top mount ice machine applications are listed on page 9.

² Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

³ Top kit MSF30SC required with Coca-Cola Freestyle 7100. Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁴ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

⁵ Consult with Coca-Cola and Follett to qualify application prior to ordering.

Horizon Elite E710A top kits for top mount applications used with countertop ice and beverage dispensers

For additional Horizon Elite product information, request form# 1061.

Top kit accessory item number	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back ¹	List price
Self-contained E710 series top mount applications – 22 - 60 inch dispensers²					
H22F24-F ^{3,4}	Coca-Cola	Freestyle 9000	24"	F only	Contact factory
H22F26-F ³	Coca-Cola	Freestyle 9100	26"	F only	Contact factory
H22F30-F ^{3,5}	Coca-Cola	Freestyle 7000	30"	F only	Contact factory
H22F30-F ^{3,7}	Coca-Cola	Freestyle 7100	30"	F only	Contact factory
H22C22-F	Cornelius	DB/DF/ED150 series	22"	F only	Contact factory
H22C24-F	Cornelius	DB/DF/ED175 series	24.5"	F only	Contact factory
H22C30-F	Cornelius	DB/DF/ED200 series	30"	F only	Contact factory
H22C30-X ⁸	Cornelius	DB/DF/ED200 series	30"	F and B	Contact factory
H22C30-F	Cornelius	DB/DF/ED250 series	30"	F only	Contact factory
H22C30-X ⁸	Cornelius	DB/DF/ED250 series	30"	F and B	Contact factory
H22C30-F-FF	Cornelius	Flavor Fusion/Overload	30"	F only	Contact factory
H22C30-F-IDC	Cornelius	IDC 215/255/Pro Fast Gate	30"	F only	Contact factory
H22C30-X-PRO	Cornelius	IDC Pro	30"	F and B	Contact factory
H22C44- _	Cornelius	DB/DF/ED300 series	44"	F or B	Contact factory
H22L22-F	Lancer	FS-22N/4500-22N	22"	F only	Contact factory
H22L30-F	Lancer	4500-30N	30"	F only	Contact factory
H22L30-F	Lancer	FS-30N	30"	F only	Contact factory
H22L30-F-STP	Lancer	Bevariety	30"	F only	Contact factory
H22L30-F-STP	Lancer	Bold 30i	30"	F only	Contact factory
H22L30-F-STP	Lancer	30" Sensation/Touchpoint	30"	F only	Contact factory
H22L44-F-STP	Lancer	44" Sensation/Twin Pour	44"	F only	Contact factory
H22P24-F ⁹	Pepsi	Spire 3.0	24"	F only	Contact factory
H22P30-F ⁹	Pepsi	Spire 5.0 / 4.1	30"	F only	Contact factory
H22S30-F	Servend	SV200	30"	F only	Contact factory
H22S44- _	Servend	MDH-302	44"	F or B	Contact factory
H22S60- _	Servend	MDH-402	60"	DF, DB	Contact factory
H22S60- _	Servend	MDH-402	60"	RF, LF, RB, LB	Contact factory

¹ Installation orientations available:

DF – 2 front facing Horizon Elite ice machines

LF – 1 Horizon Elite ice machine - left side - front facing

RB – 1 Horizon Elite ice machine - right side - back facing

RF – 1 Horizon Elite ice machine - right side - front facing

DB – 2 back facing Horizon Elite ice machines

LB – 1 Horizon Elite ice machine - left side - back facing

Note: For any other installation orientations, contact factory.

² All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

³ Consult with Coca-Cola and Follett to qualify application prior to ordering.

⁴ Adapter must also be ordered from Coca-Cola. IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

⁵ Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁶ Top adapter IC Code 46753 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁷ Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁸ Top designed with flexibility to accommodate front or back mounting.

⁹ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

Installation accessories for ice machines

Item number	Description	List price
AFWALLMTBRKT	Wall mount bracket for Maestro Plus E414A RIDE installations	€359
00997098	Wall mount bracket for Horizon Elite E710A RIDE installations	€765
AFR400STND	Ice machine stand for Maestro Plus E414A RIDE installations – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€805
00997080	Ice machine stand for Horizon Elite E710A RIDE installations – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€1,193

Other accessories for ice machines

Item number	Description	List price
01336494	Slide-out accessory for Maestro Plus E414A series RIDE model ice machines – allows easy access for service and cleaning without disconnecting utilities	€2,914
01151935	Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments	€121/ meter
208592	Tubing, 3/8" OD, to connect wall water valve and water filter (meter)	€4

Water filter systems and replacement cartridges for ice machines

Item number	Description	List price
CARBONSTDCAPSYSTEM	Carbon standard capacity water filter system (one per ice machine), filtration capacity 18,927 l (5,000 gal)	€866
CARBONSTDCAPFILTER	Replacement primary cartridge for carbon standard water filter system (CARBONSTDCAPSYSTEM), filtration capacity 18,927 l (5,000 gal), single cartridge	€188
CARBONSTDCAPFILTER6	Replacement primary cartridge for carbon standard water filter system (CARBONSTDCAPSYSTEM), filtration capacity 18,927 l (5,000 gal), carton of 6 cartridges	€910
CARBONHICAPSYSTEM	Carbon high capacity water filter system (one per ice machine), filtration capacity 66,245 l (17,500 gal)	€1,052
CARBONHICAPFILTER	Replacement primary cartridge for carbon high capacity water filter system (CARBONHICAPSYSTEM), filtration capacity 66,245 l (17,500 gal), single cartridge	€335
CARBONHICAPFILTER6	Replacement primary cartridge for carbon high capacity water filter system (CARBONHICAPSYSTEM), filtration capacity 66,245 l (17,500 gal), carton of 6 cartridges	€1,806
SEDIMENTPREFILTER	Replacement pre-filter cartridge, for Follett carbon high capacity (CARBONHICAPSYSTEM) or carbon standard capacity (CARBONSTDCAPSYSTEM) water filter systems, single cartridge	€31
SEDIMENTPREFILTER12	Replacement pre-filter cartridge, for Follett carbon high capacity (CARBONHICAPSYSTEM) or carbon standard capacity (CARBONSTDCAPSYSTEM) water filter systems, carton of 12 cartridges	€300

Cleaning and sanitizing accessories for ice machines

Item number	Description	List price
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)	€22
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)	€111
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)	€359
00132068	SaniSponge™, 4 sanitary sponges with plunger	€17
01075431	SaniSponge, 24 sanitary sponges	€68

Ice and water dispensers

EXW Incoterms® 2010 – Wislina, Poland

Champion™ ice and water dispensers

Countertop dispensers with integral air-cooled ice machine. Champion 7 models have a storage capacity of 3.2 kg (7 lb) and are designed to serve up to 50 people. Champion 15 models have a storage capacity 6.8 kg (15 lb) and are designed to serve up to 75 people. All models produce up to 45.4 kg (100 lb) of Chewblet compressed nugget ice in a 24-hour period.

For additional information request form# 8940 for E7CI models or 8945 for E15CI models.

Available accessories are listed on page 11 and 14.


Notes:

Intended for commercial use only. Follett can't guarantee freight carrier's ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

For use in applications with greater than 10 mg/l but less than 400 mg/l total dissolved solids in water and less than 100 mg/l hardness (either naturally occurring or treated with reverse osmosis or other hardness reducing technology). Not recommended for use with softened water



Champion 7
countertop



Champion 15
countertop

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Approx. ship wt kg (lb)	List price
Champion 7 countertop ice and water dispensers						
E7CI114A-IW-CL-ST-00	Countertop ice and water, internal Claris® filter	37.1 (14.62)	56.8 (22.38)	44.8 (17.62)	42 (92)	€8,014
Champion 7 countertop ice-only dispensers						
E7CI114A-NW-CL-ST-00	Countertop ice-only, internal Claris filter	37.1 (14.62)	56.8 (22.38)	44.8 (17.62)	42 (92)	€8,014
Champion 15 countertop ice and water dispensers						
E15CI114A-IW-CL-ST-00	Countertop ice and water, internal Claris filter	37.1 (14.62)	56.8 (22.38)	57.2 (22.50)	48 (105)	€8,862
Champion 15 countertop ice-only dispensers						
E15CI114A-NW-CL-ST-00	Countertop ice-only, internal Claris filter	37.1 (14.62)	56.8 (22.38)	57.2 (22.50)	48 (105)	€8,862

Accessories for Champion ice and water dispensers


Item number	Description	List price
00956300	10.16 cm (4.00") legs, for countertop (CI)	€140
01535343	Drip tray drain kit for countertop (CI) Champion models (includes 10.16 cm (4.00") legs) – not for use with Champion 7UC/7UD models	€545
01535327	Kit to add internal Claris filter to -NW or -IW models – not for use with -HW models	€832
01536093	Kit to convert -NW models to -IW models	€468
01548635	Filter cartridge, replacement Claris, Champion	€111

Symphony Plus ice and water dispensers – E12 series

Countertop ice and water dispensers with 5 kg (12 lb) of storage. Integral ice machine produces up to 176 kg (388 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. SensorSAFE™ infrared dispensing or lever dispensing.

For additional product information, request form# 1000.

Available accessories are listed on page 13.



E12CI414A-L

Item number	Configuration	Dispense	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E12CI414A-S ¹	Countertop	SensorSAFE	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€9,598
E12CI414A-L ¹	Countertop	Lever	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€9,598


¹ Production data at 21 °C air / 10 °C water for Symphony Plus series.

Symphony Plus ice-only dispensers – E12 series

Countertop ice dispensers with 5 kg (12 lb) of storage. Ice-only; no water. Integral ice machine produces up to 176 kg (388 lb) of ice per day¹. Stainless steel cabinet with accent trim. Lever dispensing.

For additional product information, request form# 1000.

Available accessories are listed on page 13.



E12CI414A-LI

Item number	Configuration	Dispense	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E12CI414A-LI ¹	Countertop	Lever	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€9,598

¹ Production data at 21 °C air / 10 °C water for Symphony Plus series.

Accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
AF10LBLEGS	10.16 cm (4.00") leg kit for E12CI series	€194

Ice transport tube

- Always replace tubing with like tubing. Example: Braided with braided.
- Contact factory to confirm appropriate tubing for your specific dispenser

01151935	Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments	€121 / meter
----------	---	--------------

Water filter systems and replacement cartridges for Symphony Plus ice and water dispensers

Item number	Description	List price
CARBONSTDCAPSYS	Carbon standard capacity water filter system (one per ice machine), filtration capacity 18,927 l (5,000 gal)	€866
CARBONSTDCAPFILT	Replacement primary cartridge for carbon standard water filter system (CARBONSTDCAPSYSTEM), filtration capacity 18,927 l (5,000 gal), single cartridge	€188
CARBONSTDCAPFILT6	Replacement primary cartridge for carbon standard water filter system (CARBONSTDCAPSYSTEM), filtration capacity 18,927 l (5,000 gal), carton of 6 cartridges	€910
CARBONHICAPSYSTEM	Carbon high capacity water filter system (one per ice machine), filtration capacity 66,245 l (17,500 gal)	€1,052
CARBONHICAPFILTER	Replacement primary cartridge for carbon high capacity water filter system (CARBONHICAPSYSTEM), filtration capacity 66,245 l (17,500 gal), single cartridge	€335
CARBONHICAPFILTER6	Replacement primary cartridge for carbon high capacity water filter system (CARBONHICAPSYSTEM), filtration capacity 66,245 l (17,500 gal), carton of 6 cartridges	€1,806
SEDIMENTPREFILTER	Replacement pre-filter cartridge, for Follett carbon high capacity (CARBONHICAPSYSTEM) or carbon standard capacity (CARBONSTDCAPSYSTEM) water filter systems, single cartridge	€31
SEDIMENTPREFILTER12	Replacement pre-filter cartridge, for Follett carbon high capacity (CARBONHICAPSYSTEM) or carbon standard capacity (CARBONSTDCAPSYSTEM) water filter systems, carton of 12 cartridges	€300

Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
01563360	Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system ¹	€68
01089580	Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system	€164
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)	€22
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)	€111
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)	€359
01075431	SaniSponge, 24 pack of sanitary sponges	€68

¹ Applicable Follett water filter systems include CARBONSTDCAPSYS, CARBONHICAPSYSTEM

Champion ice and water dispensers

Undercounter dispensers with 3.2 kg (7 lb) of storage and designed to serve up to 50 people. Integral air-cooled ice machine produces up to 45.4 kg (100 lb) of Chewblet compressed nugget ice in a 24-hour period.

For additional information request form# 8900.


Available accessories are listed on page 11 and 14.

Notes:

Intended for commercial use only. Follett can't guarantee freight carrier's ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

For use in applications with greater than 10 mg/l but less than 400 mg/l total dissolved solids in water and less than 100 mg/l hardness (either naturally occurring or treated with reverse osmosis or other hardness reducing technology). Not recommended for use with softened water.

Models with a Claris filter are recommended and provided at no extra charge.



Champion 7 undercounter

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Approx. ship wt kg (lb)	List price
Champion 7 undercounter ice and water dispensers						
E7UC114A-IW-NF-ST-00	Undercounter ice and water, no filter	37.1 (14.62)	56.8 (22.38)	85.1 (33.50)	54 (120)	€9,002
E7UC114A-IW-CL-ST-00	Undercounter ice and water, internal Claris filter	37.1 (14.62)	56.8 (22.38)	85.1 (33.50)	54 (120)	€9,002
Champion 7 undercounter ice-only dispensers						
E7UC114A-NW-NF-ST-00	Undercounter ice-only, no filter	37.1 (14.62)	56.8 (22.38)	85.1 (33.50)	54 (120)	€9,002
E7UC114A-NW-CL-ST-00	Undercounter ice-only, internal Claris filter	37.1 (14.62)	56.8 (22.38)	85.1 (33.50)	54 (120)	€9,002

Accessories for Champion ice and water dispensers

Item number	Description	List price
01453661	Base stand, to convert countertop (CI) model to freestanding	€961
00956318	15.24 cm (6.00") legs, for optional base stand	€140
01535335	Drip tray drain kit for base stand accessory (does not include legs) – not for use with Champion 7UC/7UD models	€545

Claris is a registered trademark of the ACLARIS Water Innovations GmbH in Switzerland.

Incoterms is a trademark of the International Chamber of Commerce.

CHAMPION, HORIZON ELITE, MAESTRO PLUS, MICRO CHEWBLET, SAFECLEAN PLUS, SANISPONGE, SENSORSafe and SYMPHONY PLUS are trademarks of Follett Products, LLC.

CHEWBLET, FOLLETT and RIDE are registered trademarks of Follett Products, LLC, registered in the US.

Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.

Mokry Dwór 26C 83-021 Wiślinka, Poland
Phone: +48 (58) 785-6140 | Fax: +48 (58) 785-6159
folletteurope.com



801 Church Lane | Easton, PA 18040, USA
1.610.252.7301 | Fax: +1.610.250.0696 | follettice.com

2435-20250710 | © Follett Products, LLC