



SAFETY DATA SHEET

SafeClean Plus Liquid

SECTION 1: IDENTIFICATION

1.1. Product identifier

Trade name: SafeClean Plus Liquid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Cleaning product
Restricted to professional users.

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

Company and address: **Urnex Brands, LLC**
755 Tri-State Parkway
Gurnee, IL 60031
United States
+1 (800) 837-8140
www.urnex.com

Distributor: **Manitoulin Warehouse and Distribution**
7035 Ordan Drive
L5T 1T1 Mississauga, Ontario
Canada
+1 (905) 283-1630
+1 (905) 565-0575

Contact person: Customer support

E-mail: info@urnex.com

SDS date: 5/9/2024

SDS Version: 3.0

Date of previous version: 2/23/2024 (2.0)

1.4. Emergency telephone number

Infotrac +1 (352) 323-3500

In an emergency call 911

Alberta / Northwestern Territories (PADIS): 1-800-332-1414

British Columbia (DPIC): 1-800-567-8911

Manitoba: 1-855-7POISON (1-855-776-4766)

New Brunswick: 911

Nova Scotia / Prince Edward Island (IWK): 1-800-565-8161

Ontario (OPC): 1-800-268-9017

Québec (CAPQ): 1-800-463-5060

Saskatchewan (PADIS): 1-866-454-1212

Yukon Territory: (867) 393-8700

Transport emergencies: Call CANUTEC at 1-888-CAN-UTEC (226-8832), 613-996-6666 or *666 on



Conforms to Hazardous Products Regulations (SOR/2022-272)

a cellular phone (24 hours)
See also section 4 "First aid measures".

SECTION 2: HAZARD(S) IDENTIFICATION

Classified according to WHMIS 2022.

2.1. ▼ Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

STOT SE 3; H335, May cause respiratory irritation.

2.2. Label elements

▼ Hazard pictogram(s):



▼ Signal word:

Danger

▼ Hazard statement(s):

Causes severe skin burns and eye damage. (H314)

May cause respiratory irritation. (H335)

Precautionary statement(s):

General:

-

▼ Prevention:

Do not breathe vapour/mist. (P260)

Wear eye protection/protective gloves/protective clothing. (P280)

▼ Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

▼ Storage:

Store in a well-ventilated place. Keep container tightly closed. (P403+P233)

▼ Disposal:

Dispose of contents/container in accordance with local regulation (P501)

▼ Hazardous substances:

Citric acid

Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides

Additional labelling:

Not applicable.

2.3. Other hazards

Additional warnings:

This mixture/product does not contain any



Conforms to Hazardous Products Regulations (SOR/2022-272)

substances known to fulfil the criteria for PBT and vPvB classification.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Citric acid	CAS No.: 77-92-9	40-60%	Eye Irrit. 2, H319 STOT SE 3, H335	
Aluminium chloride hexahydrate	CAS No.: 7784-13-6	1-3%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides	CAS No.: 68424-95-3	<0.25%	Acute Tox. 3, H301 Skin Corr. 1B, H314 Eye Dam. 1, H318	[19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST-AID MEASURES

4.1. ▼ Description of first aid measures

General information:

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).
Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

▼ *Skin contact:*

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and



▼ *Eye contact:*

treatment.

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

▼ *Ingestion:*

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns:

Not applicable.

4.2. ▼ Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. ▼ Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters



Conforms to Hazardous Products Regulations (SOR/2022-272)

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact a poison centre in order to obtain further advice. See section 1 "Emergency telephone number".

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. ▼ Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Avoid inhalation of vapours from spilled material.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. ▼ Precautions for safe handling

Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Keep only in original packaging.

Storage temperature:

Dry, cool and well ventilated

Incompatible materials:

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. ▼ Control parameters

No substances are listed in any provincial list of substances with an occupational exposure limit.

8.2. ▼ Exposure controls



Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ *Hygiene measures:*

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

▼ *Measures to avoid environmental exposure:*

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment


▼ *Generally:*

Wash contaminated clothing before reuse. Use only protective equipment with a recognized certification mark, e.g. the UL mark.

Respiratory Equipment:

Type	Class	Colour	Standards	
Respiratory protection is not needed in the event of adequate ventilation.				


Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	


Hand protection:



Conforms to Hazardous Products Regulations (SOR/2022-272)

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

Eye protection:

Type	Standards	
Safety glasses	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<i>Physical state:</i>	Liquid
<i>Colour:</i>	Blue
<i>Odour:</i>	Characteristic
<i>Odour threshold (ppm):</i>	No data available
<i>pH:</i>	0.78
<i>pH in solution:</i>	2.4 (1%)
<i>Density (g/cm³):</i>	-
<i>Relative density:</i>	1.33
<i>Kinematic viscosity:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Particle characteristics:</i>	Does not apply to liquids.

Phase changes

<i>Melting point (°C):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Boiling point (°C):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Vapour pressure:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Relative vapour density:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Decomposition temperature (°C):</i>	Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

<i>Flash point (°C):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Flammability (°C):</i>	Testing not relevant or not possible due to the nature of the product.



Conforms to Hazardous Products Regulations (SOR/2022-272)

Auto-ignition temperature (°C):

Testing not relevant or not possible due to the nature of the product.

Explosion limits (% v/v):

Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water:

Testing not relevant or not possible due to the nature of the product.

n-octanol/water coefficient (LogKow):

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L):

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters:

No data available.

Oxidizing properties:

Testing not relevant or not possible due to the nature of the product.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. ▼ Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product/substance	Citric acid
Test method:	OECD 401
Species:	Mouse
Route of exposure:	Oral
Test:	LD50
Result:	5400 mg/kgbw

Product/substance	Citric acid
Test method:	OECD 401
Species:	Rat



Conforms to Hazardous Products Regulations (SOR/2022-272)

Route of exposure: Oral
Test: LD50
Result: 11700 mg/kgbw

Product/substance Citric acid
Species: Rat
Route of exposure: Dermal
Test: LD50
Result: >2000 mg/kgbw

Product/substance Aluminium chloride hexahydrate
Test method: OECD 401
Species: Rat, female
Test: LD50
Result: 3470 mg/kg

Product/substance Aluminium chloride hexahydrate
Test method: OECD 401
Species: Rat, male
Test: LD50
Result: 3450 mg/kg

▼ Skin corrosion/irritation

Product/substance Citric acid
Test method: OECD 404
Species: Rabbit
Result: No adverse effect observed (Not irritating)

Product/substance Aluminium chloride hexahydrate
Causes severe skin burns and eye damage.

▼ Serious eye damage/irritation

Product/substance Citric acid
Test method: OECD 405
Species: Rabbit
Result: Adverse effect observed (Irritating)

Product/substance Aluminium chloride hexahydrate
Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product/substance Citric acid
Test method: OECD 471
Species: S. typhimurium
Conclusion: No adverse effect observed

Product/substance Citric acid
Test method: OECD 475
Species: Rat
Conclusion: No adverse effect observed



Conforms to Hazardous Products Regulations (SOR/2022-272)

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

▼ STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

▼ Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Product/substance	Citric acid
Test method:	OECD 203
Species:	Fish, <i>Leuciscus idus</i>
Duration:	48 hours
Test:	LC50
Result:	440 mg/L

Product/substance	Citric acid
Species:	<i>Daphnia magna</i>
Duration:	24 hours
Test:	LC50
Result:	1535 mg/L

Product/substance	Citric acid
Species:	Algae, <i>Scenedesmus quadricauda</i>
Duration:	8 days
Test:	NOEC
Result:	425 mg/L

Product/substance	Aluminium chloride hexahydrate
Species:	Fish, <i>Gambusia affinis</i>
Duration:	96 hours
Test:	LC50
Result:	27.1 mg/L

Product/substance	Aluminium chloride hexahydrate
Species:	Fish, <i>Oncorhynchus mykiss</i>
Duration:	96 hours
Test:	LC50



Conforms to Hazardous Products Regulations (SOR/2022-272)

Result:	36.6 mg/L
---------	-----------

Product/substance	Aluminium chloride hexahydrate
Species:	Fish, Oncorhynchus mykiss
Test:	NOEC
Result:	0.25 mg/L

Product/substance	Aluminium chloride hexahydrate
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	27.3 mg/L

Product/substance	Aluminium chloride hexahydrate
Species:	Daphnia, Daphnia magna
Duration:	21 days
Test:	NOEC
Result:	0.8 mg/L

Product/substance	Aluminium chloride hexahydrate
Species:	Daphnia, Ceriodaphnia sp.
Duration:	48 hours
Test:	EC50
Result:	7.4 mg/L

Product/substance	Aluminium chloride hexahydrate
Species:	Bacteria
Duration:	14 days
Test:	LC50
Result:	>1000 mg/L

Product/substance	Aluminium chloride hexahydrate
Species:	Bacteria
Test:	NOEC
Result:	100 mg/L

12.2. Persistence and degradability

Product/substance	Citric acid
Result:	100%
Conclusion:	Readily biodegradable
Test:	OECD 301 E

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects

None known.



Conforms to Hazardous Products Regulations (SOR/2022-272)

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods




None of the components are listed

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
TDG	UN1760	CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, di-C8-10- alkyldimethyl, chlorides)	Transport hazard class: 8 Label: 8 Classification code: C9 	III	No	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, di-C8-10- alkyldimethyl, chlorides)	Transport hazard class: 8 Label: 8 Classification code: C9 	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN1760	CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, di-C8-10- alkyldimethyl, chlorides)	Transport hazard class: 8 Label: 8 Classification code: C9 	III	No	See below for additional information.

* Packing group

** Environmental hazards

▼ Additional information

TDG / See Schedule 1 for any information on special provisions, requirements, or warnings in connection with transport. See part 3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.



Conforms to Hazardous Products Regulations (SOR/2022-272)

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Canadian lists

DSL / NDSL:

Citric acid is listed

Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides is listed

15.4. ▼ Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

15.5. Demands for specific education

No specific requirements.

Additional information

Not applicable.

15.7. Chemical safety assessment

No

Sources

Hazardous Products Regulations (SOR/2022-272)

SECTION 16: OTHER INFORMATION

▼ Full text of H-phrases as mentioned in section 3

H301, Toxic if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

The full text of identified uses as mentioned in section 1

None known.

Abbreviations and acronyms

ANSI = American National Standards Institute

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

DSL = Domestic Substances List



Conforms to Hazardous Products Regulations (SOR/2022-272)

GHS = Globally Harmonized System of Classification and Labelling of Chemicals
HHNOC = Health Hazards Not Otherwise Classified
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NDSL = Non-domestic substances list
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PHNOC = Physical Hazards Not Otherwise Classified
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL = A specific concentration limit.
SOR = Statutory Orders and Regulations
STEL = Short-term exposure limits
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TDG = Transportation of Dangerous Goods
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative
WHIMS = Workplace Hazardous Materials Information System

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by WHMIS 2022

▼ The safety data sheet is validated by

PurposeBuilt Brands Regulatory Team

▼ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: CA-en